





22500171480

Ann.

Summary
at end

WELLCOME INSTITUTE LIBRARY	
Coll.	WelMOmac
Coll.	Sur
No.	WA

OFFICIAL COPY.

[All Rights Reserved.]

ANNUAL SUMMARY
OF
BIRTHS, DEATHS, AND CAUSES OF DEATH
IN
ENGLAND AND WALES,
AND IN
LONDON
AND OTHER LARGE TOWNS,
1906.

(COMPILED FROM WEEKLY AND QUARTERLY RETURNS.)

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL OF
BIRTHS, DEATHS, AND MARRIAGES IN ENGLAND.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

And to be purchased, either directly or through any Bookseller, from
WYMAN AND SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, EDINBURGH; or
E. PONSONBY, 116, GRAFTON STREET, DUBLIN.

1907.

Price One Shilling and Sixpence.

CONTENTS

OF THE

REGISTRAR-GENERAL'S ANNUAL SUMMARY FOR 1906.

	PAGES
COMMENTARY :—	
ENGLAND AND WALES : Population, Marriages, Births, and Deaths from Several Causes	v
SEVENTY-SIX GREAT TOWNS : Births and Deaths from Several Causes	vii
LONDON : Population, Marriages, Births, Deaths, Infantile Mortality, Deaths from Several Causes, Birth and Death rates in Metropolitan Boroughs, Deaths in Institutions	xii
GREATER LONDON : Death-rates and Infantile Mortality	xxxii
ONE HUNDRED AND FORTY-TWO TOWNS : Births and Deaths from Several Causes	xxxii
SCOTTISH, IRISH, COLONIAL AND FOREIGN CITIES : Birth and Death rates, Legitimate Births to 1,000 married women 15-45 years	xxxiii
TABLES :—	
TABLE 1.—ENGLAND AND WALES : Marriages, Births, and Deaths registered in the Year 1906	2
TABLES 2-5.—SEVENTY-SIX GREAT TOWNS : Population, Births, Deaths from Several Causes, Birth and Death-rates, and Meteorology, 1906	6
TABLES 6, 7.—ONE HUNDRED AND FORTY-TWO SMALLER TOWNS : Population, Births and Deaths from Several Causes, Birth and Death rates, 1906	16
TABLES 8, 9.—LARGE TOWNS AND METROPOLITAN BOROUGHES : Numbers of Notifications of Infectious Disease, 1906	26
TABLES 10, 11.—LARGE TOWNS AND METROPOLITAN BOROUGHES : Proportion to Population of Cases of Infectious Disease Notified, 1906	32
TABLE 12.—LONDON : Deaths caused by Horses and Vehicles in the Streets, 1891-1906	38
TABLE 13.—LONDON : MORTALITY IN GROUPS OF DISTRICTS, 1857-1906	39
TABLE 14.—LONDON : Population, Marriages, Births and Deaths, 1857-1906	40
TABLE 15.—LONDON : Annual Marriage, Birth, and Death rates, 1857-1906	42
TABLE 16.—LONDON : Causes of Death registered in each of the 11 years 1896-1906	44
TABLE 17.—LONDON : Deaths from Different Causes at Ages, 1906	46
TABLE 18.—LONDON : Area ; Meteorology ; Deaths in Registration Districts, 1896-1906	48
TABLES 19, 20.—LONDON : Enumerated Population, Births and Deaths from Several Causes in Registration Districts and Sub-districts, 1906	49
TABLES 21, 22.—LONDON : Population, Births, Deaths and Death rates from Epidemic Diseases and Phthisis, and Infantile Mortality in Metropolitan Boroughs, 1906	54
TABLE 23.—LONDON : Death rates from Epidemic Diseases and Phthisis, and Infantile Mortality in Metropolitan Boroughs, 1901-5 and in 1906	56
TABLE 24.—LONDON : Death-rates in Metropolitan Boroughs before and after distribution of Deaths in Public Institutions, 1906	57
TABLE 25.—LONDON : Deaths in Public Institutions, 1906	58
TABLE 26.—OUTER RING : Enumerated Population, Births and Deaths from Several Causes in Registration Sub-districts, 1906	64
TABLE 27.—LONDON : Births and Deaths at Ages, in each week of 1906	65
TABLE 28.—LONDON : Weekly Deaths from Epidemic Diseases, 1903-1906	66
TABLE 29.—LONDON : Meteorology at Greenwich in each month of 1906	68
TABLE 30.—LONDON : Meteorology at Greenwich in each week of 1906	70
TABLES 31, 32.—LONDON : Number of Services and Average Monthly and Daily Supply of Water, 1906	71
TABLE 33.—GREATER LONDON : Area, Population, Inhabited Houses and Rateable Value, 1901	72
TABLE 34.—GREATER LONDON : Changes in Registration Districts and Sub-Districts, 1906	73
TABLE 35.—COLONIAL AND FOREIGN CITIES : Births, and Deaths from Several Causes, 1906	75
STATEMENT OF FIRES IN LONDON, 1902-1906	76
MAP OF LONDON showing Death-rates in the several Metropolitan Boroughs in the year 1906... ..	to face p. 1

ANNUAL SUMMARY
OF
BIRTHS, DEATHS, AND CAUSES OF DEATH
IN
ENGLAND AND WALES,
AND IN
LONDON AND OTHER LARGE TOWNS,
1906.

*General Register Office, Somerset House,
April, 1907.*

SIR,

IN submitting the 53rd issue of the Annual Summary relating to the vital statistics of London and other large towns in England and Wales, it may be appropriate to give a short account of the growth and scope of the present publication.

As stated by Dr. Ogle in a paper read by him before the Royal Statistical Society in 1892, the London Bills of Mortality (the first records we possess of mortality statistics for London) were said by Captain Graunt to have begun in 1592-93. Other authorities refer their commencement to the year 1562, and there is a Bill in the British Museum, catalogued doubtfully at about 1512; but the precise date is not of much importance. These mortality Bills were compiled through the agency of the Company of Parish Clerks, and as the main object was to give information concerning the plague, their publication was discontinued with its cessation, to be renewed, however, when fresh outbreaks occurred.

Thus up to the year 1603 the old Bills of Mortality appeared only intermittently, but in that year the publication became permanent and continued without break up to the year 1849, when the Bills of the old parish Clerks came to an end, having been practically superseded since 1840 by the new Bills published under the authority of the Registrar-General, and covering a very much wider area.

In the year 1855, my predecessor, Major Graham, caused an Annual Summary of Births and Deaths and Causes of Death in London for the year 1854 to be compiled from the Weekly Returns, the corresponding facts being given for the 14 preceding years also. That summary, limited to a pamphlet of 8 pages, was the first of the long series of Annual Summaries that have been issued from this office during the past 52 years.

In the year 1865, 10 years after the first issue, particulars of births and deaths relating to seven provincial English towns, and also to Edinburgh, Glasgow, and Dublin and to one foreign town—Vienna, were included in the summary in addition to the Metropolitan Statistics. In 1872 the list was extended to include 67 provincial towns and 11 foreign cities; in 1882 the returns were further extended to 78 towns and 30 foreign cities, while the present issue contains detailed statistics relating to London and to no fewer than 217 provincial towns and to 38 colonial and foreign cities.

The science of vital statistics having developed considerably of late years, it is now necessary to calculate not only simple ratios of marriages, births, and deaths per 1,000 living in the several areas dealt with in our reports, but also to make special estimates of particular sections of the population for the purpose of expressing marriage-rates in proportion to the number of marriageable persons in the community, birth-rates in proportion to the number of women living at child-bearing ages, and death-rates based upon a standard population of the same sex and age constitution as that in the country as a whole. These variations are fully described in the text of the summary.

I will now briefly allude to the several alterations and improvements made in the current and recent issues of this publication; these, it is hoped, will add considerably to its statistical value. In order to furnish the earliest available information relating to marriages, births, and deaths in England and Wales, the provisional numbers and ratios in the several counties are now published in the Annual Summary, so that these particulars which had previously been reserved for revision and detailed analysis in the Annual Report are now before the public nine months earlier than in previous years.

A map of the Administrative County of London now accompanies this summary, in which the death-rates in the several metropolitan boroughs are compared by means of appropriate tints of colour.

New tables have also been introduced showing the variations in the proportion of marriageable persons and the changing constitution of the population in regard to sex, age, and marriage; and tables showing the total and the legitimate birth-rates in the metropolitan boroughs, after correction for births occurring in the principal lying-in institutions.

In view of the great and increasing public interest shown in the question of infantile mortality, the subject has been considered in reference to climatic conditions, and an endeavour has also been made to differentiate the deaths due to *ante natal* influences.

The section dealing with Vital Statistics in Foreign Cities has been remodelled, and it is now possible to make a comparison for a series of quinquennial periods of the relative positions of London and some of the principal foreign cities; while for the first time, thanks to the courtesy of Continental municipal authorities, it has been possible to publish statistics showing the rates of fertility among married women in the chief European cities.

I have the honour to be,

Sir,

Your faithful Servant,

WM. COSPATRICK DUNBAR.

The Right Hon. John Burns, M.P.,
President of the
Local Government Board,
Whitehall.

England and Wales.

The population of England and Wales, enumerated at the end of March, 1901, consisted of 32,527,843 persons. From that date until the middle of 1906 the number of births exceeded the number of deaths by 2,145,413. Had neither emigration nor immigration occurred this surplus would have raised the population in the middle of the year to 34,673,256. In the absence of precise information on this point, the populations in the Annual Reports are provisionally estimated on the assumption that the rate of increase which had prevailed in the last completed intercensal period has since been maintained.

Estimated in this way the population of England and Wales in the middle of the year 1906 amounted to 34,547,016 persons, of whom 16,689,707 were males and 17,857,309 were females. This population has been distributed among the constituent areas after making due allowance for their several rates of increase in the intercensal-period. For the purpose of the present calculation the intermediate London Census has been left out of account.

The following statistics for England and Wales, having been derived from returns furnished quarterly by the local Registrars, are subject to revision when the causes of death and other details shall have been finally classified and tabulated for publication in the Registrar-General's 69th Annual Report, which is now in course of preparation.

MARRIAGES.

The marriages in England and Wales during the year 1906 numbered 269,734, corresponding to a rate of 15·6 persons married per 1000 of the population at all ages. This rate was 0·3 per 1000 above the corresponding rate in 1905, but was 0·2 per 1000 below the average rate in the ten years 1896-1905.

BIRTHS.

The births registered in the year 1906 numbered 934,391, and were in the proportion of 27·0 per 1000 of the population at all ages; this rate was 0·2 per 1000 below the rate in 1905, and lower than the rate in any other year on record; compared with the average in the ten years 1896-1905 the birth-rate in 1906 showed a decrease of 1·7 per 1000.

DEATHS.

The deaths registered in the year 1906 numbered 530,715, and were in the proportion of 15·4 per 1000 of the population; this rate was 0·2 per 1000 above the rate in 1905; compared with the average in the ten years 1896-1905 the death-rate in 1906 showed a decrease of 1·4 per 1000.

Mortality at Different Ages.—Of the 530,715 deaths registered in the year under notice 123,934 were those of infants under one year of age, 234,423 those of persons between one year and sixty years, and 172,358 those of persons aged 60 years and upwards.

Infantile mortality, measured by the proportion of deaths under one year of age to registered births, was 133 per 1000, which was 5 per 1000 above the rate in 1905. Compared with the average in the ten years 1896–1905 the rate of infantile mortality showed last year a decrease of 14 per 1000.

The mortality among persons aged between one and sixty years was at the annual rate of 7·5 per 1000 of the estimated population at this group of ages, being 1·0 per 1000 below the mean rate in the preceding ten years. Among persons aged 60 years and upwards the mortality was at the annual rate of 67·4 per 1000 of the estimated population at this group of ages, being 0·1 per 1000 below the mean rate in the ten preceding years.

Mortality from Certain Epidemic Diseases.—The 530,715 deaths from all causes included :

30,108	that were attributed to	Diarrhœa,
9,308	„ „ „	Measles,
8,032	„ „ „	Whooping-cough,
5,987	„ „ „	Diphtheria,
3,434	„ „ „	Scarlet fever,
3,173	„ „ „	“Fever”,
21	„ „ „	Small-pox.

Thus to the above mentioned epidemic diseases in the aggregate, 60,063 deaths were referred during the year, being in the proportion of 1·73 per 1000 living, or 0·25 per 1000 below the mean proportion in the ten preceding years.

The following table shows in summary form the crude birth-rates and death-rates during 1906 in England and Wales as a whole, and in several groups of areas :—

BIRTH-RATE, DEATH-RATE, and ANALYSIS of MORTALITY in the Year 1906.

—	ANNUAL RATE PER 1000 LIVING.										Deaths under one year to 1000 Births.
	Births.	Deaths.	Principal Epidemic Diseases, Cols. 4-10.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping Cough.	Fever.	Diarrhœa.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
England and Wales ..	27·0	15·4	1·73	0·00	0·27	0·10	0·17	0·23	0·09	0·87	133
76 Great Towns	27·8	15·9	2·24	0·00	0·40	0·12	0·19	0·23	0·09	1·16	145
142 Smaller Towns ..	26·5	14·5	1·71	—	0·22	0·09	0·17	0·20	0·09	0·94	138
England and Wales less the 218 Towns.	26·3	15·1	1·18	0·00	0·14	0·08	0·16	0·19	0·09	0·52	116

Violence.—To different forms of violence 19,638 deaths were referred, being in the proportion of 0·57 per 1000 of the population, or 0·04 per 1000 below the mean proportion in the ten preceding years.

Certification of Causes of Death.—The 530,715 deaths included 36,147 cases, or 6·8 per cent., in which inquests were held; and 8109 cases, or 1·5 per cent., in which the causes were not certified either by registered medical practitioners or by coroners.

The number of marriages, births, and deaths recorded in the Registration Divisions and Counties of England and Wales are given in Table 1, page 2; the numbers are provisional, and will probably be found to differ slightly from the revised figures to be hereafter presented to Parliament in the Sixty-ninth Annual Report of the Registrar-General.

The 76 Great Towns.

(Towns each of which, as at present constituted, contained more than 50,000 Inhabitants at the Census of 1901.)

The seventy-six great towns of England and Wales dealt with in the weekly returns for 1906 contained an estimated population of 15,818,360 persons in the middle of that year.

BIRTHS.

The births registered in these towns in the period of 52 weeks ended 29th December, 1906, numbered 438,985, and were equal to a rate of 27·8 per 1000 of the population, the rates in the three preceding years having been 29·7, 29·1, and 28·2. Calculated in proportion to the total populations in these towns, the birth-rates* ranged from 16·3 in Hastings, 17·7 in Bournemouth, 18·4 in Hornsey, 18·9 in Halifax, 20·6 in Bradford, 21·3 in Northampton, 22·3 in Brighton, and 22·6 in Bury, to 34·0 in Hanley and in St. Helens, 34·9 in Sunderland, 35·6 in Middlesbrough, 36·4 in Merthyr Tydfil, and 37·3 in Rhondda.

DEATHS.

The deaths registered in the same period numbered 250,302, and corresponded to a crude rate of 15·9 per 1000, the rates in the three preceding years having been 16·3, 17·2, and 15·7. The death-rate in 1906, calculated without reference to sex and age constitution of the populations, varied, considerably in the several towns, the lowest crude rates being 8·8 in Hornsey, 9·5 in Kings Norton, 10·9 in Handsworth (Staffs.), 11·2 in Northampton, 11·6 in Willesden and in East Ham, and 12·0 in Leyton, and the highest, 19·1 in Merthyr Tydfil, 19·2 in Manchester and in Preston, 19·5 in Burnley, 20·3 in Middlesbrough, and 20·6 in Liverpool.

In the last Annual Report attention was again called to the importance of taking into consideration the variations of the sex and age constitution of the several populations when comparing their death-rates. Two methods for eliminating the disparities due to these variations were described—

- (1) the "direct" method (when the death-rates at the several age-groups are known), used in the Annual Reports;
- (2) the "indirect" method (when the death-rates at the several age-groups are not known), used in the Annual Summaries.

* The disparities between the birth-rates in the several towns are to some extent due to differences in the sex and age constitution of the respective populations.

TABLE A.—CRUDE and CORRECTED DEATH-RATES per 1,000 Persons living in 76 GREAT TOWNS in 1906.

TOWNS, in the order of their Corrected Death-rates.	Standard Death-rate.*	Factor for Correction for Sex and Age Dis- tribution.†	Crude Death-rate, 1906.	Corrected Death-rate, 1906.‡	Comparative Mortality Figure, 1906.§
Cols.	1.	2.	3.	4.	5.
England and Wales ...	18·194	1·0000	15·36	15·36	1,000
England and Wales, less the 76 Towns.	18·85	0·9652	14·94	14·42	939
76 Towns ...	17·13	1·0621	15·87	16·86	1,098
Kings Norton ...	17·40	1·0456	9·54	9·98	650
Hornsey ...	15·96	1·1400	8·84	10·08	656
Northampton ...	17·50	1·0397	11·20	11·64	758
Handsworth (Staffs.) ...	16·53	1·1007	10·90	12·00	781
Leyton ...	17·69	1·0285	11·95	12·29	800
East Ham ...	17·06	1·0665	11·61	12·38	806
Willesden... ..	16·96	1·0728	11·58	12·42	809
Hastings ...	18·92	0·9616	13·50	12·98	845
Southampton ...	18·30	0·9942	13·08	13·00	846
Reading ...	17·59	1·0343	12·71	13·15	856
Walthamstow ...	17·21	1·0572	12·75	13·48	878
Burton-on-Trent ...	16·93	1·0747	12·62	13·56	883
Croydon ...	17·75	1·0250	13·38	13·71	893
Devonport ...	17·35	1·0486	13·12	13·76	896
York ...	17·67	1·0297	13·67	14·08	917
Brighton ...	18·46	0·9856	14·70	14·49	943
Ipswich ...	18·63	0·9766	14·87	14·52	945
Bournemouth ...	17·22	1·0566	13·77	14·55	947
Wallasey ...	16·63	1·0940	13·49	14·76	961
Bristol ...	17·71	1·0273	14·46	14·85	967
Tottenham ...	16·86	1·0791	13·83	14·92	971
Aston Manor ...	16·41	1·1087	13·66	15·14	986
Leicester ...	17·05	1·0671	14·28	15·24	992
Cardiff ...	16·73	1·0875	14·01	15·24	992
Portsmouth ...	17·72	1·0267	14·91	15·31	997
Wolverhampton... ..	17·59	1·0343	14·80	15·31	997
West Hartlepool... ..	16·57	1·0980	13·95	15·32	997
Smethwick ...	16·63	1·0940	14·02	15·34	999

* The Standard Death-rate signifies the rate at all ages calculated on the hypothesis that the rates for each sex at each of twelve age-periods in each town were the same as in England and Wales during the ten years 1891-1900, the rate at all ages in England and Wales during that period having been 18·194 per 1,000.

† The Factor for Correction is obtained by dividing the Standard Death-rate in England and Wales by the Standard Death-rate in each town, and is the figure by which the Crude Death-rate should be multiplied in order to correct for variations of sex and age distribution.

‡ The Corrected Death-rate is the Crude Death-rate multiplied by the Factor for Correction.

§ The Comparative Mortality Figure represents the Corrected Death-rate in each town compared with the Death-rate at all ages in England and Wales in 1906, taken as 1,000.

TABLE A.—CRUDE and CORRECTED DEATH-RATES per 1,000 Persons living in 76 GREAT TOWNS in 1906—*continued*.

TOWNS, in the order of their Corrected Death-rates.	Standard Death-rate.*	Factor for Correction for Sex and Age Dis- tribution.†	Crude Death-rate, 1906.	Corrected Death-rate, 1906.‡	Comparative Mortality Figure, 1906 §
Cols.	1.	2.	3.	4.	5.
Derby	16·88	1·0778	14·23	15·34	999
Walsall	17·18	1·0590	14·64	15·50	1,009
West Bromwich	18·04	1·0085	15·54	15·67	1,020
Grimsby	16·99	1·0709	14·76	15·81	1,029
Plymouth	18·66	0·9750	16·24	15·83	1,031
Great Yarmouth	19·88	0·9152	17·34	15·87	1,033
London	17·31	1·0511	15·11	15·88	1,034
Barrow-in-Furness	16·01	1·1364	14·01	15·92	1,036
Coventry	18·15	1·0024	16·06	16·10	1,048
Halifax	16·79	1·0836	14·93	16·18	1,053
West Ham	17·01	1·0696	15·70	16·79	1,093
Stockton-on-Tees	17·35	1·0486	16·11	16·89	1,100
Norwich	19·05	0·9551	17·72	16·92	1,102
Nottingham	17·27	1·0535	16·09	16·95	1,104
Leeds	16·68	1·0908	15·62	17·04	1,109
Rotherham	17·59	1·0343	16·56	17·13	1,115
Bolton	16·09	1·1308	15·17	17·15	1,117
Gateshead	17·26	1·0541	16·32	17·20	1,120
Hull	17·75	1·0250	16·93	17·35	1,130
Newport, Mon.	16·84	1·0804	16·25	17·56	1,143
Rhondda	16·54	1·1000	16·05	17·66	1,150
Sheffield	16·88	1·0778	16·42	17·70	1,152
Bradford	16·46	1·1053	16·12	17·82	1,160
Birmingham	16·91	1·0759	16·79	18·06	1,176
Blackburn	16·09	1·1308	16·03	18·13	1,180
Birkenhead	17·07	1·0658	17·27	18·41	1,199
Newcastle-on-Tyne	16·89	1·0772	17·15	18·47	1,202
Huddersfield	16·96	1·0728	17·32	18·58	1,210
South Shields	17·19	1·0584	17·57	18·60	1,211
Bury	16·25	1·1196	16·63	18·62	1,212
St. Helens	16·79	1·0836	17·23	18·67	1,215
Sunderland	17·64	1·0314	18·57	19·15	1,247
Rochdale	16·45	1·1060	17·42	19·27	1,255
Tynemouth	17·62	1·0326	18·84	19·45	1,266
Swansea	16·96	1·0728	18·30	19·63	1,278
Warrington	16·89	1·0772	18·29	19·70	1,283
Wigan	16·58	1·0973	18·13	19·89	1,295
Bootle	16·52	1·1013	18·23	20·08	1,307
Salford	16·47	1·1047	18·25	20·16	1,313
Merthyr Tydfil	17·16	1·0603	19·08	20·23	1,317
Hanley	16·65	1·0927	18·72	20·46	1,332
Stockport	16·84	1·0804	18·95	20·47	1,333
Preston	16·63	1·0940	19·18	20·98	1,366
Oldham	16·18	1·1245	18·75	21·08	1,372
Manchester	16·32	1·1148	19·17	21·37	1,391
Burnley	16·14	1·1273	19·55	22·04	1,435
Liverpool	17·00	1·0702	20·64	22·09	1,438
Middlesbrough	16·71	1·0888	20·34	22·15	1,442

For notes * † ‡ § see page viii.

Except in the case of a population in which either the sex and age constitution or the mortality at particular ages is very abnormal, it may be said that the results of correction by the two methods differ so little that for practical purposes either may be used.

In the preceding Table the "indirect" method of correction is applied to the death-rates in towns; in practice the mean death-rates for England and Wales (1891-1900) at certain age-groups, for males and females respectively, are applied to the Census populations at the corresponding age-groups in the several towns; the sum of the results for each town gives the number of deaths that would have occurred had the mortality in each sex and age-group been the same as that in England and Wales as a whole, and the death-rate, based on this aggregate number of deaths is called the "standard" rate. The difference between this standard death-rate for any town and the mean rate for the whole country is due to differences of sex and age constitution of population; and the quotient obtained by dividing the death-rate in England and Wales by this standard death-rate gives a multiplier (called the "factor for correction"), which, when applied to the crude death-rate in the town in any given year, eliminates a large proportion of the error due to difference in sex and age constitution.

The comparative mortality figure (col. 5) represents the corrected death-rate in each town, compared with the death-rate at all ages in England and Wales, the latter taken as 1000. For example, in England and Wales as a whole 1000 deaths occurred in a population which would have yielded only 650 in Kings Norton, 656 in Hornsey, and 758 in Northampton, but as many as 1372 in Oldham, 1391 in Manchester, 1435 in Burnley, 1438 in Liverpool, and 1442 in Middlesbrough.

Particulars of mortality in 1906 in each of the seventy-six great towns are given in Tables 2 to 5.

Infantile mortality.—The 250,302 deaths at all ages included 63,803 of infants in their first year of life. In the seventy-six great towns infantile mortality, measured by the proportion of deaths under one year to registered births, was 145 per 1000, the mean proportion in the preceding four years having been 147. The towns with the lowest rates of infantile mortality were Hornsey 85, Kings Norton 103, Brighton 111, Devonport 111, Southampton 113, Reading 115, Derby 115, and Halifax 115. The towns with the highest rates were Nottingham 171, Norwich 172, Liverpool 172, Rhondda 174, Bury 177, Merthyr Tydfil 179, Grimsby 180, Stockport 186, Preston 199, and Burnley 212.

CAUSES OF DEATH.

Chief Epidemic Diseases.—The death-rate from the chief epidemic diseases averaged 2·24 per 1000 of the population, being 0·14 above the average rate in the preceding four years; the highest rates among the great towns were 3·23 in Salford, 3·38 in Bootle, 3·47 in Rotherham, 3·58 in Preston, 3·62 in Liverpool, and 3·82 in Burnley.

Small-pox was the cause of 18 deaths in the 76 towns. Of these 10 belonged to Hull, 3 to Devonport, 2 to Plymouth, and 1 each to Bristol, Liverpool, and South Shields.

Measles was the cause of 6254 deaths, which corresponded to a rate of 0·40 per 1000 living at all ages, being 0·03 below the average rate in the preceding four years. No deaths from measles were returned from Southampton, Reading, Northampton, Ipswich, Walsall, Barrow-in-Furness,

or Merthyr Tydfil, and only one each from Hanley, Coventry, and Stockton-on-Tees. The highest rates were 0·80 in Salford, 0·84 in Norwich, 0·88 in Oldham, 0·90 in Bury, 0·96 in South Shields, 1·05 in Rotherham, 1·08 in Preston, and 1·15 in Burnley.

Scarlet fever caused 1948 deaths, which corresponded to a rate of 0·12 per 1000 living, being 0·03 below the average rate in the preceding four years. No deaths were attributed to this disease in Bournemouth, Southampton, or in Reading, and only one each in Grimsby, Bury, and Stockton-on-Tees. The highest rates were 0·25 in Liverpool, 0·26 in Blackburn and in Birkenhead, 0·38 in Hanley, 0·39 in Rotherham, and 0·49 in Sheffield.

Diphtheria (exclusive of *croup* unless stated to be *membranous*) was the cause of 2976 deaths, corresponding to a mortality of 0·19 per 1000 of the population, being 0·01 below the average rate in the preceding four years. The death-rates from this disease ranged from 0·03 in Handsworth (Staffs.), 0·04 in Hastings, and 0·06 in Stockport, to 0·43 in Walthamstow, 0·50 in Reading and in Derby, and 0·52 in Hull.

Whooping-cough caused 4399 deaths, which corresponded to a rate of 0·28 per 1000 living at all ages, being 0·07 below the average rate in the preceding four years. One death from this disease occurred in Hastings, and one in Grimsby. The highest rates were 0·49 in Handsworth (Staffs.), in Coventry, in Leicester, and in Warrington, 0·50 in Birkenhead, 0·52 in Swansea, and 0·66 in West Bromwich.

"*Fever*", mainly enteric, was the cause of 1443 deaths, equal to a rate of 0·09 per 1000 of the population, being 0·02 below the average rate in the preceding four years. The highest death-rates from "fever" were 0·19 in Hull, 0·20 in St. Helens, 0·24 in Bolton, and 0·32 in Wigan.

Diarrhœa (including dysentery and English cholera) caused 18,329 deaths at all ages, equal to a death-rate of 1·16 per 1000 of the population, which was 0·34 per 1000 above the average rate in the preceding four years. The lowest death-rates from diarrhœa were 0·19 in Bournemouth, 0·30 in Halifax, 0·36 in Kings Norton, and 0·39 in Hastings; the highest rates were 1·90 in Coventry, 1·96 in Preston, 2·01 in Burnley, and 2·13 in Hanley.

Violence.—The deaths classified as due to violence numbered 8891, and corresponded to a death-rate of 0·56 per 1000 persons living. The rates of death by violence ranged from 0·17 in Handsworth (Staffs.), 0·26 in Kings Norton, 0·28 in Hornsey, 0·33 in Leyton, in Norwich, and in Aston Manor, and 0·34 in Reading, to 0·78 in Merthyr Tydfil, 0·79 in Rhondda, 0·82 in Stockton-on-Tees, 0·83 in Tynemouth, and 0·86 in Swansea.

Deaths in public institutions.—Of the 250,302 deaths registered in the 76 great towns, not fewer than 58,767, or 23·5 per cent., occurred in public institutions. Among the several great towns the lowest proportions of institution deaths were 2·8 per cent. in Rhondda, 5·0 in Handsworth (Staffs.), and 5·4 in Smethwick. The highest percentages were 25·9 in Brighton, 27·3 in West Ham, 28·7 in Liverpool, and 36·5 in London.

Coroners' inquests were held in 19,220 cases during the year, the proportion of inquest cases being equal to 7·7 per cent. of the total deaths. The percentage ranged from 3·2 in Preston, 3·4 in Gateshead, 3·5 in Kings Norton, and 3·9 in Handsworth (Staffs.), to 9·7 in London, 10·3 in Croydon, 10·6 in Tottenham, and 12·1 in Southampton.

Uncertified deaths.—The causes of 2560 deaths, or 1·0 per cent. of the total deaths, were uncertified. No uncertified deaths were registered in Croydon.

Hornsey, Southampton, Great Yarmouth, Plymouth, Devonport, Derby, or York, and the proportion of uncertified deaths did not exceed 0·1 per cent. in Tottenham, West Ham, Walthamstow, and Brighton. Among other great towns, however, the proportion rose to 4·2 in South Shields, 4·7 in St. Helens and in Barrow-in-Furness, and 5·8 in Gateshead.

LONDON.

POPULATION.

The population of the Administrative County of London enumerated at the end of March, 1901, was 4,536,429; in the middle of 1906 it is estimated at 4,721,217 persons. The populations of the City of London and of each of the Metropolitan Boroughs, enumerated at the last Census and estimated to the middle of the year 1906, are shown in the following table.

Boroughs.	Population.		Boroughs.	Population.	
	Enumerated 1901.	Estimated 1906.		Enumerated 1901.	Estimated 1906.
Paddington	143,976	148,913	Shoreditch	118,637	116,108
Kensington	176,628	180,952	Bethnal Green	129,680	130,609
Hammersmith	112,239	120,679	Stepney	298,600	307,176
Fulham	137,289	161,965	Poplar	168,822	170,673
Chelsea	73,842	74,672			
City of Westminster	183,011	173,905			
St. Marylebone	133,301	128,580	Southwark	206,180	209,143
Hampstead	81,942	89,633	Bermondsey	130,760	128,629
St. Pancras	235,317	236,455	Lambeth	301,895	315,774
Islington	334,991	344,987	Battersea	168,907	179,622
Stoke Newington	51,247	53,217	Wandsworth	231,922	273,381
Hackney	219,272	230,721	Camberwell	259,339	274,132
			Deptford	110,398	115,495
Holborn	59,405	55,805	Greenwich	95,770	105,350
Finsbury	101,463	97,466	Lewisham	127,495	148,463
City of London	26,923	21,367	Woolwich	117,178	127,345

MARRIAGES.

The marriages in London during the year 1906 numbered 40,412, corresponding to a rate of 17·1 persons married per 1,000 of the population at all ages. This rate was 0·2 per 1,000 above the corresponding rate in 1905, but was 0·8 per 1,000 below the average rate in the ten years 1896-1905.

In the year 1894 the marriage rate was 17·0: from that date it gradually rose to 18·8 in the year 1898, since which year it has declined almost continuously to its present level.

Methods of Measuring the Marriage Rate.—The total population does not afford the most satisfactory standard by which to measure the marriage rate, because of the variations which occur from time to time in the proportions and age constitution of marriageable men and women in the population. How important these changes have been in recent years is shown by the following statement, which gives the proportions of bachelors, spinsters, widowers, and widows enumerated in London at each age-group above 15 years at the four past censuses severally.

LONDON:—IN a MILLION MARRIAGEABLE PERSONS AGED 15 YEARS and UPWARDS,
THE PROPORTIONS OF :—

Census Year.	Total aged 15 years and upwards.	15—	20—	25—	35—	45—	55 years and upwards.
BACHELORS.							
1871	364,758	136,432	106,486	77,213	23,450	11,632	9,545
1881	373,573	137,882	110,749	79,573	24,594	11,396	9,379
1891	379,932	138,452	109,977	83,495	26,101	12,316	9,591
1901	383,423	129,415	111,315	87,460	29,880	14,353	11,000
SPINSTERS.							
1871	442,191	151,691	113,888	93,896	37,939	22,075	22,702
1881	440,690	154,461	114,679	91,850	36,594	20,431	22,675
1891	443,161	151,313	116,925	96,339	36,432	20,287	21,865
1901	448,909	142,415	118,536	102,921	41,047	21,498	22,492
WIDOWERS.							
1871	46,426	11	345	3,491	6,631	9,616	26,332
1881	45,900	10	283	3,051	6,602	9,165	26,789
1891	45,498	11	197	2,546	5,953	9,422	27,369
1901	44,850	4	137	1,934	5,265	9,295	28,215
WIDOWS.							
1871	146,625	73	986	10,110	21,943	32,254	81,259
1881	139,837	36	811	8,470	20,638	30,441	79,441
1891	131,409	20	490	6,819	17,850	28,953	77,277
1901	122,818	14	460	5,580	15,343	26,307	75,114

It appears from these figures that in comparing marriage rates at different periods it is desirable to take into account, if possible, the changes in the proportions of marriageable bachelors, widowers, spinsters, and widows in the population, and also, the changes in their ages. Several difficulties arise, however, in attempting to make the necessary corrections with respect to these disturbing factors; among others may be mentioned the high proportion of unstated ages in the marriages recorded in earlier years. A fairly accurate measure of the changes in the marriage rate can, however, be obtained by eliminating the children and the married persons from the population and basing the ratios on the unmarried and widowed portion of the population aged 15 years and upwards.

The results of calculating the marriage rates for London (*a*) on the total population, and (*b*) on that section of the population in which marriages take place, are shown in the following table :—

LONDON.—MEAN ANNUAL MARRIAGE RATES.

	Calculated on total population at all ages.		Calculated on the unmarried and widowed population aged 15 years and upwards.	
	Rate per 1000.	Compared with rate in 1870-72 taken as 100.	Rate per 1000.	Compared with rate in 1870-72 taken as 100.
1870-72	19·4	100	60·9	100
1880-82	18·2	94	56·2	92
1890-92	17·6	91	52·3	86
1900-02	17·8	92	50·3	83
1903... ..	17·5	90	49·2	81
1904... ..	17·0	88	47·9	79
1905... ..	16·9	87	47·8	78
1906... ..	17·1	88	48·3	79

NOTE.—All estimates of population depend on some assumption, and therefore become less trustworthy as the interval from the last census increases. Estimates of sections of the population, such as the numbers of persons of specified ages, depend on a double assumption, and therefore become still less trustworthy. For this reason, marriage rates based on the estimated numbers of the marriageable section of the population for years comparatively remote from a census date, must be used with caution.

The foregoing Table shows that during the past 36 years the marriage rate based on total population has declined, with fluctuations, by about 12 per cent.; while based on the total number of marriageable persons in the community the decline is found to be no less than 21 per cent.; this latter figure may be said to represent more accurately the fall in the marriage rate in the period under review.

BIRTHS.

The total births registered in London during the 52 weeks ended 29th December, 1906, numbered 125,652, and were in the proportion of 26·7 per 1,000 of the total population of both sexes and all ages; this is the lowest rate recorded in the Metropolis since civil registration was established (*see* Table 15). The rate in England and Wales in 1906 was 27·0 per 1,000 of the estimated population.

In the year 1867 the birth-rate in London attained the highest point on record, viz., 36·5 per 1,000 living; since that date the ratio has, with trifling exceptions, steadily fallen, until in the year 1906 it was, as already stated, no more than 26·7. The birth-rate calculated in this way was 0·3 per 1,000 below that recorded in 1905, and was 2·3 per 1,000 below the average rate in the ten years 1896-1905.

Measuring the Birth-rate.—The usual plan of measuring the birth-rate by the ratio of births to the population at all ages is of considerable use in as much as it affords in conjunction with the death-rate, a ready means of gauging the rate of natural increase in the population. The crude birth-rate is not, however, adapted for close inquiry into the significance of the variations which are found to occur from year to year, because it masks the effect of the changing constitution of the population in regard to sex, age and condition as to marriage.

How important these changes have been in recent years is shown by the following statement, relating to the four last census periods :—

LONDON.

Census Years.	Proportion per cent. of Women aged 15-45 years in the Total Population of both sexes and all ages.	Proportion per cent. of Married Women in the Female Population aged 15-45 years.	Of the Married Women aged 15-45 years, the proportion per cent. at four groups of ages.				Mean Annual Marriage rate per 1000, calculated on the Unmarried and Widowed Population aged 15 years and upwards.
			Aged 15-20 years.	Aged 20-25 years.	Aged 25-35 years.	Aged 35-45 years.	
1871	26·4	47·6	1·3	14·1	46·6	38·0	60·9
1881	26·2	47·0	1·2	14·1	46·8	37·9	56·2
1891	26·4	45·6	0·9	13·4	46·9	38·8	52·3
1901	27·4	44·8	0·7	12·4	47·4	39·5	50·3

It is obvious from these figures that the changes in the population, in regard to sex, age, and condition as to marriage, have been so considerable that it is desirable to make a comparison of birth-rates, based not only on the total population, but also on the number of possible mothers.

In the table on page xiv the results are shown of calculating the birth-rate in London based on the following proportions :—

- Of total births to the total population of both sexes and all ages ;
- Of total births to the female population aged 15-45 years ; and
- Of legitimate births to the married women aged 15-45 years, and of illegitimate births to the unmarried and widowed female population aged 15-45 years.

It will be observed from the figures shown on the following page that, calculated on the total population, the fall in the birth-rate in London during the past 36 years amounted to 24 per cent. Based on the proportion of births to the number of possible mothers, *i.e.*, the total number of women living at child-bearing ages, the fall in the birth-rate amounted to 27 per cent. in the same period.

The fertility of married women, based on the ratio of legitimate births to wives of conceptive ages, shows a decrease amounting to 22 per cent. in the last 36 years. Put in another way, if the fertility of married women in proportion to their numbers had been identical in 1870-1872 and in 1906, then the legitimate births would have numbered nearly 156,000 in 1906 instead of the 120,814 actually recorded.

LONDON.—MEAN ANNUAL BIRTH-RATES.

	(a)		(b)		(c)			
	Birth-rate calculated on Total Population at all Ages.		Birth-rate calculated on the Female Population aged 15-45 Years.		Legitimate Birth-rate calculated on the Married Female Population aged 15-45 Years.		Illegitimate Birth-rate calculated on the Unmarried and Widowed Female Population aged 15-45 Years.	
	Rate per 1000.	Compared with rate in 1870-2 taken as 100.	Rate per 1000.	Compared with rate in 1870-2 taken as 100.	Rate per 1000.	Compared with rate in 1870-2 taken as 100.	Rate per 1000.	Compared with rate in 1870-2 taken as 100.
1870-2 ...	35·2	100·0	134·0	100·0	269·9	100·0	10·3	100·0
1880-2 ...	34·8	98·9	133·3	99·5	272·6	101·0	9·8	95·1
1890-2 ...	31·1	88·4	118·5	88·4	250·4	92·8	8·1	78·6
1900-2 ...	28·9	82·1	105·8	79·0	227·8	84·4	6·9	67·0
1903 ...	28·5	81·0	103·9	77·5	223·7	82·9	6·8	66·0
1904 ...	27·9	79·3	101·9	76·0	218·9	81·1	7·1	68·9
1905 ...	27·0	76·7	98·7	73·7	212·0	78·5	6·8	66·0
1906 ...	26·7	75·9	97·5	72·8	209·3	77·5	6·8	66·0

NOTE.—All estimates of population depend on some assumption, and therefore become less trustworthy as the interval from the last census increases. Estimates of sections of the population, such as the numbers of persons of specified ages, depend on a double assumption, and therefore become still less trustworthy. For this reason, birth-rates based upon the estimated number of women of conceptive ages, for years comparatively remote from a census date, must be used with caution.

As the birth registers do not afford information respecting the ages of the mothers, there are no means of ascertaining the fertility of women at the several ages comprised in the child-bearing period; there are, however, sufficient grounds for stating that during the past 36 years approximately 20 per cent. of the decline in the birth-rate (based on the proportion of births to the female population aged 15-45 years) is due to the decrease in the proportion of married women in the female population of conceptive ages, and over 5 per cent. is due to the decrease of illegitimacy.

With regard to the remaining 75 per cent. of the decrease, although some of the reduced fertility may be ascribed to changes in the age constitution of married women, there can be little doubt that much of it is due to deliberate restriction of child-bearing.

Proportion of Males and Females at Birth.—The births of males numbered 64,201 and the births of females 61,451. The male births were therefore to the female births in the proportion of 1045 to 1000; the average proportion in the preceding decennium having been 1036 to 1000.

Illegitimate Births.—During the year the births of 125,652 infants were recorded, and of this number 4838 were registered as having been born out of wedlock; they were in the proportion of 39 per 1000 births, which was 2 per 1000 above the average proportion in the preceding ten years.

Comparing the proportion of illegitimacy in London in the year 1906 with that recorded in the period 1870-1872, it is found that, based on the proportion to total births, the illegitimate rate decreased by about 5 per cent. If, however, the rate is based on that section of the female population in which illegitimate births take place, viz., the unmarried and widowed female population of conceptive ages, the decrease during the past 36 years amounted to about 34 per cent.

Birth-rates in the Metropolitan Boroughs.—The incidence of the birth-rate in the several boroughs is much affected by the presence of lying-in hospitals in certain of the areas; for example, the numbers of births registered in the year 1906 in the seven principal lying-in institutions situated within the Metropolis were as follows:—Borough of St. Marylebone, Queen Charlotte's Lying-in Hospital, 1,646; Hackney, Salvation Army Maternity Hospital, 234; Holborn, British Lying-in Hospital, 506; Finsbury, City of London Lying-in Hospital, 622; Stepney, East End Mothers' Home, 414; Lambeth, General Lying-in Hospital, 602; and Clapham Maternity Hospital, 421.

In this issue of the Annual Summary an attempt has been made for the first time to deal with these institution cases, and to correct the birth-rates in the several Metropolitan Boroughs during the past six years; with the exception of a limited number of cases which had been transferred from rescue homes it has been found practicable to distribute with approximate accuracy the births occurring in these seven lying-in hospitals to the boroughs in which the mothers had resided previous to admission.

In the tables on pages xviii and xix the birth-rates are shown for the Metropolitan boroughs for the years 1901-6, after distribution of cases in the above mentioned lying-in institutions.

Comparing the relative fertility of married women in the several Metropolitan boroughs in the quinquennial period 1901-1905, as shown in the second of these tables, it appears that the boroughs in which the highest fertility rates were recorded were Stepney, Bethnal Green, Poplar, Shoreditch, Bermondsey, Finsbury, and Southwark, comprising a group situated in the central, east and southern parts of the county. It is worthy of remark that the populations of all these boroughs are comparatively poor, and suffer more or less from overcrowding; it should also be mentioned that the population of the Borough of Stepney, which has the highest fertility rate among the Metropolitan boroughs, contains a considerable proportion of foreign Jews.

The lowest fertility rates in 1901-5 were recorded in the City of London and in the City of Westminster, Hampstead, Holborn, Stoke Newington, St. Marylebone, and Kensington.

The fertility of married women in 1906 was below the quinquennial average in each of the metropolitan boroughs.

Natural Increase.—The increase or decrease of population is governed by two factors—(1) the balance between births and deaths, and (2) the balance between emigration and immigration. As regards London, the amount of migration cannot be estimated; the natural increase of population, *i.e.*, the excess of births over deaths, can, however, be accurately stated. It will be seen from the following statement that the average annual rate of natural increase had fallen from 13·38 per 1000 living in the quinquennium 1876-1880 to 10·68 per 1000 in the quinquennium 1891-95, this was due to the

BIRTH-RATES in METROPOLITAN BOROUGHs after DISTRIBUTION of BIRTHS in the
PRINCIPAL LYING-IN INSTITUTIONS, 1901-6.

BOROUGHs.	Birth-rate calculated on total population, per 1000 living at all ages.							1906. Com- parative Figure London taken 1,000
	1901.	1902.	1903.	1904.	1905.	Average 1901-5.	1906.	
LONDON	28·8	28·4	28·3	27·7	27·0	28·0	26·5	1,000
Paddington	24·5	23·6	23·9	23·6	22·6	23·6	22·7	857
Kensington	21·1	20·0	20·8	20·1	20·0	20·4	19·2	725
Hammersmith	27·5	27·9	26·5	27·2	26·9	27·2	25·9	977
Fulham	33·6	33·3	33·0	32·7	30·9	32·7	30·0	1,132
Chelsea	22·9	23·1	21·4	21·6	22·2	22·2	21·4	808
City of Westminster...	19·0	19·1	18·0	17·6	18·0	18·3	17·2	649
St. Marylebone	23·4	22·7	22·1	21·8	20·7	22·1	21·2	800
Hampstead	18·4	18·5	17·5	16·9	16·6	17·6	16·5	623
St. Pancras	28·2	28·1	28·4	27·5	26·3	27·7	26·0	981
Islington	28·3	27·5	27·3	26·9	25·9	27·2	25·5	962
Stoke Newington	22·0	22·3	21·4	22·1	20·8	21·7	20·8	785
Hackney	28·4	27·7	27·2	26·5	25·3	27·0	24·7	932
Holborn	23·3	22·3	22·5	22·2	21·9	22·4	22·3	842
Finsbury	32·5	32·2	32·5	31·9	29·9	31·8	30·2	1,140
City of London	14·2	13·3	14·2	15·5	13·8	14·2	16·7	630
Shoreditch	35·6	35·0	34·6	33·3	34·9	34·7	34·2	1,291
Bethnal Green	35·9	35·0	36·0	35·3	33·7	35·2	34·5	1,302
Stepney	37·1	37·7	37·3	36·7	34·9	36·7	35·3	1,332
Poplar	34·7	34·6	34·9	33·1	32·5	34·0	31·6	1,192
Southwark	34·0	33·5	33·2	32·3	30·8	32·8	29·8	1,125
Bermondsey	34·4	33·1	32·7	32·7	33·6	33·3	31·8	1,200
Lambeth	28·4	27·5	27·5	27·3	26·2	27·4	26·3	992
Battersea	30·0	28·7	29·2	28·2	27·8	28·8	26·2	989
Wandsworth	26·6	26·3	27·4	27·3	26·5	26·8	26·4	996
Camberwell	23·5	28·4	28·0	27·4	26·0	27·7	25·7	970
Deptford	31·0	30·0	30·2	28·9	29·0	29·8	28·6	1,079
Greenwich	29·1	28·2	27·3	26·1	26·0	27·3	25·4	958
Lewisham	25·8	25·9	26·3	25·6	25·3	25·8	23·4	883
Woolwich	30·2	30·7	30·5	28·8	28·4	29·7	27·9	1,053

LEGITIMATE BIRTH-RATES in METROPOLITAN BOROUGHES, after DISTRIBUTION of
BIRTHS in the PRINCIPAL LYING-IN INSTITUTIONS, 1901-6.

BOROUGHES.	Legitimate birth-rate calculated on the married female population, per 1000 living, aged 15-45 years.							1906. Com- parative Figure, London taken as 1,000.
	1901.	1902.	1903.	1904.	1905.	Average 1901-5.	1906.	
LONDON	227·7	223·8	223·4	218·5	211·6	221·0	208·9	1,000
Paddington	202·8	194·6	197·9	193·8	185·6	194·9	187·6	898
Kensington	196·0	183·4	193·9	185·7	183·9	188·6	176·4	844
Hammersmith	212·5	215·6	205·6	210·7	205·7	210·0	198·5	950
Fulham	222·0	219·5	218·0	214·6	202·5	215·3	198·1	948
Chelsea	196·0	201·1	183·5	188·5	191·9	192·2	186·4	892
City of Westminster...	169·3	169·7	161·8	158·7	161·1	164·1	152·1	728
St. Marylebone	192·8	187·2	183·0	183·5	171·8	183·7	176·6	845
Hampstead	174·7	171·8	162·8	158·1	155·1	164·4	153·4	734
St. Pancras	210·8	208·9	212·7	204·0	195·1	206·3	193·3	925
Islington	217·5	210·0	207·8	205·0	197·0	207·5	193·8	928
Stoke Newington	183·5	186·1	179·6	185·9	173·5	181·7	174·4	835
Hackney	227·7	223·5	218·5	213·5	203·0	217·2	199·5	955
Holborn	191·4	175·1	179·2	179·4	175·2	180·1	174·6	836
Finsbury	250·6	248·4	250·8	244·6	229·8	244·8	233·2	1,116
City of London	166·7	152·4	162·4	174·3	153·4	161·8	180·4	864
Shoreditch	272·5	266·9	265·3	254·7	264·1	264·7	262·2	1,255
Bethnal Green	284·0	275·2	282·8	276·9	264·3	276·6	271·3	1,299
Stepney	289·7	293·8	290·7	285·2	270·9	286·1	274·2	1,313
Poplar	276·0	274·4	275·5	261·9	255·9	268·7	250·3	1,198
Southwark	249·0	244·9	243·8	236·4	225·5	239·9	218·3	1,045
Bermondsey	273·4	261·3	261·4	258·7	266·4	264·2	252·9	1,211
Lambeth	216·1	210·1	210·6	208·2	199·8	209·0	200·6	960
Battersea	219·2	208·1	212·6	204·3	201·7	209·2	190·1	910
Wandsworth	208·7	208·2	214·7	216·4	208·0	211·2	207·7	994
Camberwell	228·0	227·1	223·5	219·2	207·7	221·1	206·2	987
Deptford	234·7	226·3	230·0	218·9	218·8	225·7	216·6	1,037
Greenwich	239·3	228·4	223·6	213·9	212·0	223·4	210·7	1,009
Lewisham	205·5	205·8	208·4	204·3	200·2	204·8	187·1	896
Woolwich	223·4	227·6	226·1	211·4	208·6	219·4	204·9	981

birth-rate having declined more rapidly than the death-rate; in the two following quinquennia the reverse was the case, thereby resulting in the rise of the average annual rate of natural increase to 10·81 per 1000 in 1896-1900 and to 11·53 per 1000 in 1901-05.

LONDON.

	Average Annual Birth-rate per 1000 living.	Average Annual Death-rate per 1000 living.	Average Annual rate of increase, by excess of Births over Deaths, per 1000 living.
1876-1880	35·55	22·17	13·38
1881-1885	34·29	20·95	13·34
1886-1890	32·18	19·98	12·20
1891-1895	30·87	20·19	10·68
1896-1900	29·77	18·96	10·81
1901-1905	28·17	16·64	11·53

DEATHS.

The deaths registered in London in the 52 weeks ended 29th December 1906, numbered 71,912. In order to arrive, however, at the true number of deaths belonging to the County it is necessary to correct these figures (a) by the inclusion of 2,206 deaths of London residents occurring in Metropolitan institutions situated outside the County boundaries and (b) by the exclusion of 2,963 deaths of non-Londoners occurring within the County boundaries: this adjustment gives a total of 71,155 deaths belonging to the County of London, equal to a rate of 15·1 per 1,000 of the estimated population. This rate was the same as that recorded in 1905, which was the lowest death-rate recorded in London since civil registration was established. The rate in 1906 was no less than 2·2 per 1,000 below the corresponding average rate in the ten years 1896-1905.

In the following Table (B) the death-rate in London and in each of the Metropolitan boroughs has been corrected for differences in the sex and age constitution of the several populations. The corrected figure given in Col. 4 of the Table represents the death-rate that would have been recorded had the sex and age constitution of the several populations been the same as that of the population enumerated at the last Census in England and Wales as a whole. The elimination of differences due to sex and age constitution enables an accurate comparison to be made between the death-rate of one borough and that of another.

The death-rate in London, after correction for differences of sex and age constitution in the population was 15·88 per 1,000 living: this rate was lower than the corrected rate in no fewer than 41 of the 76 great towns.

Reference to the Table shows that the same population that in the year 1906 gave 1,000 deaths in England and Wales as a whole would have given 1,034 in London, and in the Metropolitan boroughs numbers ranging from

TABLE B.—CRUDE and CORRECTED DEATH-RATES per 1000 persons living, in LONDON and in the METROPOLITAN BOROUGHs, 1906.

NOTE.—For explanations of the principles on which this table is constructed, see page vii.

Metropolitan Boroughs, arranged in the order of their Corrected Death-rates.	Standard Death-rate.	Factor for correction for Sex and Age Distribution.*	Crude Death-rate, 1906.	Corrected Death-rate, 1906.	Comparative Mortality Figure, 1906.
Cols.	1.	2.	3.	4.	5.
ENGLAND AND WALES ...	18·194	1·0000	15·36	15·36	1,000
LONDON ...	17·31	1·0511	15·11	15·88	1,034
Hampstead ...	16·13	1·1280	9·44	10·65	693
Stoke Newington ...	17·43	1·0438	11·53	12·04	784
Lewisham ...	17·46	1·0420	12·00	12·50	814
Paddington ...	17·04	1·0677	12·50	13·35	869
Wandsworth ...	17·25	1·0547	12·77	13·47	877
Greenwich ...	17·82	1·0210	13·47	13·75	895
Hackney ...	17·46	1·0420	13·30	13·86	902
Woolwich ...	17·02	1·0690	13·13	14·04	914
Battersea ...	16·96	1·0728	13·35	14·32	932
Fulham ...	17·39	1·0462	13·71	14·34	934
City of Westminster ...	16·22	1·1217	12·94	14·51	945
Kensington ...	16·88	1·0778	13·85	14·93	972
Camberwell ...	17·54	1·0373	14·62	15·17	988
Islington ...	17·51	1·0391	14·74	15·32	997
Hammersmith ...	17·47	1·0414	14·77	15·38	1,001
Lambeth ...	17·63	1·0320	15·01	15·49	1,008
St. Marylebone ...	17·08	1·0652	14·90	15·87	1,033
Chelsea ...	17·56	1·0361	15·68	16·25	1,058
St. Pancras ...	17·40	1·0456	15·87	16·59	1,080
Deptford ...	17·31	1·0511	16·05	16·87	1,098
Poplar ...	17·64	1·0314	17·62	18·17	1,183
Stepney ...	17·41	1·0450	17·73	18·53	1,206
Southwark ...	17·41	1·0450	18·07	18·88	1,229
City of London ...	16·55	1·0993	17·32	19·04	1,240
Bethnal Green ...	18·01	1·0102	18·92	19·11	1,244
Holborn ...	16·90	1·0766	17·99	19·37	1,261
Bermondsey ...	17·76	1·0244	19·74	20·22	1,316
Shoreditch ...	17·34	1·0493	19·65	20·62	1,342
Finsbury ...	17·57	1·0355	20·69	21·42	1,395

* In calculating the factors for correcting the death-rates of the several boroughs, account has been taken of the inmates of the large poor law institutions situated outside the boroughs from which they receive paupers.

TABLE C.—LONDON—DEATH-RATES at various age-groups from several DISEASES per million persons living in 1901-5 and in 1906.

Causes of Death.			All Ages.	Under 5 Years.	5-	20-	40-	60-	80 Years and upwards.
All causes	...	{ 1901-5 1906	16,655 15,715	54,004 49,186	2,971 2,846	5,785 5,217	17,998 16,956	58,900 58,268	193,844 204,961
Small-pox	...	{ 1901-5 1906	69 —	132 —	44 —	72 —	75 —	42 —	18 —
Measles...	...	{ 1901-5 1906	448 407	3,917 3,579	67 54	2 2	1 1	1 —	— —
Scarlet Fever	...	{ 1901-5 1906	105 113	642 661	106 130	11 10	2 —	— —	— —
Influenza	...	{ 1901-5 1906	164 190	140 126	23 31	67 65	229 277	971 1,225	3,429 3,764
Whooping-cough	{	{ 1901-5 1906	352 263	3,129 2,329	35 30	0 —	0 —	1 —	— —
Diphtheria	...	{ 1901-5 1906	197 149	1,243 962	201 140	6 10	5 2	6 3	18 —
Enteric Fever	...	{ 1901-5 1906	89 58	20 16	77 52	133 86	84 57	30 14	18 —
Diarrhoea (all forms).	{	{ 1901-5 1906	762 957	6,398 8,132	13 21	21 25	74 70	470 522	2,006 1,905
Pneumonia	...	{ 1901-5 1906	1,399 1,399	6,552 5,827	190 221	397 408	1,315 1,402	3,449 4,133	7,302 8,888
Phthisis	...	{ 1901-5 1906	1,613 1,482	506 511	418 389	1,952 1,780	3,327 3,047	2,197 2,017	721 589
Tuberculous Meningitis.	{	{ 1901-5 1906	234 231	1,627 1,606	163 156	21 21	10 13	5 10	— —
Tuberculous Peritonitis and Tabes Mesenterica.	{	{ 1901-5 1906	145 127	1,011 840	61 61	27 28	32 31	25 34	9 45
Other Tuberculous Diseases, including Scrofula.	{	{ 1901-5 1906	204 201	932 817	131 137	99 104	109 124	144 184	166 317
Cancer	...	{ 1901-5 1906	989 1,051	53 56	31 39	221 211	2,338 2,466	6,922 7,519	8,393 8,842
Respiratory Diseases.	{	{ 1901-5 1906	1,684 1,348	4,593 3,091	63 61	165 114	1,396 1,082	10,716 9,042	39,349 41,038
Urinary Diseases	{	{ 1901-5 1906	570 586	107 97	63 53	17 214	1,075 1,074	3,779 3,949	6,831 9,069

NOTE.—The proportions in this table are based upon deaths partially corrected for those occurring in Institutions. See Table 16.

693 in Hampstead, 784 in Stoke Newington, 814 in Lewisham and 869 in Paddington to 1,261 in Holborn, 1,316 in Bermondsey, 1,342 in Shoreditch and 1,395 in Finsbury.

Sex.—The 73,990 deaths of persons in 1906 shown in Table 19, included 38,136 of males and 35,854 of females. The death-rate of males was 17·2 and that of females 14·4 per 1000 living of each sex respectively. Compared with the average in the preceding quinquennium these rates showed respectively a reduction of 1·1 and 0·8 per 1000. Out of equal numbers estimated to be living in the year 1906 there were 1194 deaths of males to 1000 deaths of females.

Ages at death.—The rates given in the Table C form a fairly accurate indication of the proportion in which the mortality from the principal diseases is distributed over the various age groups. A comparison of the rates for the year 1906 with the mean rates in the preceding quinquennium shows that the mortality from all causes was below the average in every age group except 80 years and upwards. The greatest saving of life occurred at the age group 20-40 years and among children under 5 years of age.

Infantile mortality.—In the year 1906 the deaths of infants under one year of age belonging to London were in the proportion of 131 per 1000 births, as compared with 129 in the year immediately preceding, and 150 the mean proportion in the ten years 1896-1905. The following statement shows the incidence of infantile mortality in each quarter of the years 1896-1906.

Year.	Deaths of children under one year to 1,000 births.					Meteorology at Greenwich— Third quarter of each year.	
	Complete Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Mean Temperature of earth at depth of 3 ft. 2 ins.	Amount of Rainfall.
						°	Inches.
1896	160	142	137	228	137	62·2	8·7
1897	158	127	111	242	151	62·2	6·3
1898	166	140	126	259	137	62·0	2·5
1899	166	129	113	277	150	64·0	4·3
1900	158	138	124	219	154	61·3	4·6
1901	148	126	112	205	152	62·0	5·1
1902	139	132	119	149	155	59·6	5·9
1903	130	127	102	139	152	60·2	12·3
1904	144	133	107	208	128	61·4	4·9
1905	129	114	103	171	130	61·6	5·7
Average in 10 years, 1896-1905	150	131	115	210	145	61·7	6·0
1906	131	115	97	187	122	62·0	3·8

It will be observed from these figures that in comparison with the decennial average, infantile mortality in the year 1906 showed a reduction of 13 per cent., the reduction ranged from 11 per cent. in the third quarter and 12 per cent. in the first quarter, to 16 per cent. in the second and fourth quarters respectively. The greatest loss of infant life usually occurs in the third quarter of the year, excessive mortality at this period being associated generally either with high temperature, or with deficient rainfall, or with both factors in combination. It is satisfactory to note, however, that in the third quarter of the year under review notwithstanding that the temperature was above and the rainfall below the decennial average, the rate of infantile mortality, although fairly high, was below the average.

In the following Table the rate of infantile mortality, the earth temperature, and the rainfall have been analysed for the third quarter of the years 1870-1905. The results show that in the summer quarter infantile mortality is to a considerable extent governed by climatic conditions.

LONDON—AVERAGE INFANTILE MORTALITY in the THIRD QUARTER of the YEARS 1870-1905.

Deaths of children under one year to 1000 births in the <i>third</i> quarter of the year.		Meteorology at Greenwich, <i>third</i> quarter of the year.	
Proportions ranging from	Average.	Mean temperature of earth at depth of 3 ft. 2 ins.	Mean Rainfall.
139-174 (9 years.)	160	60·4	Inches. 8·1
177-196 (8 years.)	188	61·3	7·3
205-279 (19 years.)	226	62·5	5·9

The above figures indicate that in nine of the 36 years under review, the meteorological conditions in the third quarter of the year, viz.:—low temperature and excessive rainfall were conducive to comparatively low rates of infantile mortality, while the high temperature and low rainfall that prevailed in the third quarter of 19 of the years tended to increase the loss of infant life by more than 40 per cent.

Table D shows the rates of infantile mortality from the main causes of death both for the year 1906 and for the preceding quinquennium.

Of the total deaths under one year of age recorded in London in the year 1906 nearly 29 per cent. took place in the first month of life, a ratio that was slightly below the average prevailing in the quinquennium 1901-1905. An analysis of the figures given in Table D shows that a considerable proportion of the deaths was due to a group of conditions which may be described under the heading "Immaturity"; so much so that deaths which may be considered as due to ante-natal influences, such as premature birth, atrophy, debility and congenital malformations, averaged in London in 1906 about one-third of the total deaths of infants under one year of age; this proportion was, however, somewhat below the average in the preceding quinquennium.

TABLE D.—LONDON—INFANTILE MORTALITY* from VARIOUS CAUSES in the five years 1901-1905 and in 1906.

CAUSE.	PROPORTION PER 1000 BIRTHS.*					
	1901-5.			1906.		
	Under one month.	One month and under one year.	Total under one year.	Under one month.	One month and under one year.	Total under one year.
All Causes	41·42	98·50	139·92	37·79	94·81	132·60
Small-pox	0·06	0·13	0·19	—	—	—
Measles	0·02	3·56	3·58	0·03	3·30	3·33
Scarlet Fever	0·01	0·19	0·20	—	0·12	0·12
Diphtheria, Croup	0·01	0·53	0·54	0·61	0·49	0·50
Whooping-cough	0·13	5·21	5·34	0·13	3·90	4·03
Diarrhoea (all forms)	0·88	20·10	20·98	1·13	26·26	27·39
Venereal diseases	0·51	1·59	2·10	0·52	1·41	1·93
Pneumonia (all forms)... ..	0·75	12·26	13·01	0·79	10·41	11·20
Erysipelas	0·11	0·26	0·37	0·13	0·36	0·49
Tuberculous Meningitis	0·03	2·18	2·21	0·02	2·07	2·09
Tuberculous Peritonitis and Tabes Mesenterica.	0·05	2·49	2·54	0·07	1·90	1·97
Other Tuberculous diseases (including Phthisis).	0·06	2·23	2·29	0·07	1·79	1·86
Premature Birth... ..	17·94	1·86	19·80	16·57	1·86	18·43
Meningitis (not Tuberculous).†	0·08	2·34	2·42	0·08	2·37	2·45
Convulsions	3·75	5·08	8·83	2·49	3·63	6·12
Bronchitis	1·39	9·79	11·18	0·92	7·01	7·93
Enteritis	0·24	2·58	2·82	0·27	3·72	3·99
Gastro-enteritis	0·23	2·22	2·45	0·18	4·01	4·19
Suffocation in bed	1·05	3·00	4·05	0·84	2·20	3·04
All Other Causes (mainly Congenital Defects, Atrophy, Debility, &c.).	14·12	20·90	35·02	13·54	18·00	31·54

* The proportions in this table are based upon the total number of births registered, and upon deaths partially corrected for those occurring in public institutions. The ratios differ slightly from those given on page xxvi and in Tables 3, 4, 22, and 23 which are based on the number of births after distribution of those occurring in the principal lying-in institutions and of deaths in all public institutions.

† Four years' average, 1902-5.

The deaths from bronchitis, pneumonia, whooping-cough, tuberculous diseases, convulsions and from suffocation in bed showed in each case a reduced ratio when compared with the average in the five years 1901-1905; on the other hand, partly owing to exceptional climatic conditions, deaths from diarrhoeal diseases, including enteritis and gastro-enteritis were very much in excess of the quinquennial average.

Incidence of infantile mortality in the Metropolitan Boroughs.—In order to ascertain approximately the rate of infantile mortality in the several Boroughs, it is desirable not only to distribute the deaths of infants occurring in institutions, etc., to the Boroughs to which they belonged, but also the births occurring in the principal lying-in hospitals. In the year 1906 no fewer than 4,445 births occurred in such institutions, and as the infantile mortality rate of a locality is based on the number of births occurring therein, these institution births have been distributed as far as practicable to the Boroughs in which the mothers resided before admission. The following Table shows for the past six years the rates of infantile mortality in the several Boroughs, after distribution of deaths occurring in institutions, &c., and of births occurring in the principal lying-in institutions.

LONDON.

INFANTILE MORTALITY in METROPOLITAN BOROUGHs after DISTRIBUTION of BIRTHs in the principal LYING-IN INSTITUTIONs, and of DEATHs in all PUBLIC INSTITUTIONs, &c.

BOROUGHs.	Deaths of Infants under One Year of Age to 1000 Births.						
	1901.	1902.	1903.	1904.	1905.	Average 1901-5.	1906.
LONDON	148	140	130	145	130	139	131
Paddington	130	126	113	129	117	123	105
Kensington	158	143	140	144	139	145	132
Hammersmith	164	141	138	150	132	145	138
Fulham	151	146	125	151	143	143	134
Chelsea	134	141	136	151	112	135	133
City of Westminster ...	126	127	116	116	106	118	110
St. Marylebone... ..	137	140	132	132	128	134	117
Hampstead	102	86	86	110	92	95	77
St. Pancras	147	141	126	142	127	137	123
Islington	136	130	123	125	121	127	124
Stoke Newington	113	113	117	113	120	115	102
Hackney... ..	138	121	121	146	132	132	119
Holborn	151	160	119	141	119	138	120
Finsbury	164	174	154	160	148	160	160
City of London... ..	169	124	133	99	146	134	101
Shoreditch	192	168	165	181	160	173	163
Bethnal Green	152	154	140	155	149	150	155
Stepney	164	148	140	157	142	150	134
Poplar	164	152	152	152	151	154	152
Southwark	165	163	145	171	144	158	144
Bermondsey	168	154	156	170	147	159	153
Lambeth	148	135	134	147	124	138	131
Battersea	161	125	132	145	128	138	126
Wandsworth	130	125	108	121	117	120	121
Camberwell	140	136	122	143	122	133	130
Deptford	145	137	133	144	121	136	143
Greenwich	130	137	127	141	119	131	119
Lewisham	129	124	91	123	92	112	113
Woolwich	129	125	108	135	102	120	109

It has already been mentioned that the rate of infantile mortality in the year 1906 was affected to some extent by high temperature and deficient rainfall in the third quarter of the year; it is gratifying therefore to record that in spite of the climatic conditions in the summer quarter being unfavourable to infant life, the rate in the year under review in the City of London, and in no fewer than twenty-three of the Metropolitan boroughs, was below the quinquennial average. The decrease amounted to as much as 15 per cent. in Paddington, 19 per cent. in Hampstead, and 25 per cent. in the City of London. On the other hand the rate in Finsbury was equal to the quinquennial average, and in Wandsworth, Lewisham, Bethnal Green, and Deptford, it was slightly in excess of the quinquennial average.

CAUSES OF DEATH.

The following Table which is a summary of the figures in Table 16 shows, under each of the more important headings among the causes of death, the amount of life saved and the amount of life lost in the year 1906, as compared with the corrected average in the previous ten years. The net gain in the year amounted to nearly 10,000 lives; that is to say, had the average death-rate in 1896-1905 prevailed during the year under review, 9,765 more persons would have died in London than was actually the case.

TABLE E.*—LONDON.—DIMINUTION or EXCESS of DEATHS in 1906, compared with the Average Annual Deaths in 1896-1905, corrected for increase of Population.

CAUSE OF DEATH.	Diminution in 1906.	Excess in 1906.
Small-pox	168	—
Measles	477	—
Scarlet Fever	35	—
Typhus	2	—
Influenza	140	—
Whooping-cough	702	—
Diphtheria	829	—
Pyrexia (origin uncertain)	3	—
Enteric Fever	281	—
Diarrhoea	—	609
Pneumonia	—	144
Erysipelas	—	43
Tuberculous Phthisis	1,038	—
Phthisis		
Tuberculous Meningitis	88	—
Tuberculous Peritonitis	249	—
Tubes Mesenterica		
Other Tuberculous Diseases (including Scrofula).	60	—
Cancer	—	476
Premature Birth	381	—
Diseases of Nervous System	1,999	—
Diseases of Circulatory System†		
Diseases of Respiratory System	2,713	—
Diseases of Digestive System	616	—
Diseases of Urinary System	—	116
Childbirth and Puerperal Septic Diseases	61	—
Accident	480	—
Homicide	18	—
Suicide	—	32
All other Causes	845	—
Net Diminution	9,765	

* The numbers in this table, being founded upon those in Table 16, are only partially corrected for deaths in public institutions.

† For purposes of comparison deaths from Infective Endocarditis are included under this heading.

Notwithstanding this saving of life, however, the Table shows six headings under which the mortality was in excess of the decennial averages : of these, deaths from cancer, from diseases of the urinary system and from suicide had shown considerable excess in several of the preceding years.

Mortality in the Metropolitan Boroughs.—Before reviewing the figures concerning mortality in the several London boroughs, from the principal epidemic diseases and from phthisis, it will be well again to affirm the necessity and the importance of distributing deaths occurring in institutions.

For instance, of the total deaths belonging to London in the year 1906 nearly 37 per cent. took place in workhouses, in hospitals, or in public lunatic asylums. Table 24, page 57, gives the death-rates in the several boroughs from certain diseases (1) before distribution and (2) after distribution of deaths in public institutions, etc. ; some examples taken from this Table are instructive.

1906.

Cause of death.	Boroughs.	Death-rates per 1000 living	
		Before distribution.	After distribution.
All causes	Chelsea	22·9	15·7
	Bermondsey	15·4	19·7
Scarlet fever	Hampstead	0·82	0·06
	Finsbury	0·01	0·15
Diphtheria	City of London	0·80	0·09
Enteric fever	City of London	0·56	0·05
Phthisis	Chelsea	3·10	1·57
	Finsbury	0·80	2·18

Chief Epidemic Diseases.—In the year 1906, there were referred to these diseases in the aggregate 9047 deaths of persons belonging to London, being in the proportion of 1·93 per 1000 of the estimated population, or 0·38 below the average rate in the preceding ten years.

Small-pox.—No death was registered from small-pox during the year 1906 ; in the three next preceding years the numbers of deaths from this disease had been 13, 25, and 10.

Measles was the cause of 1909 deaths, giving a rate of 0·41 per 1000 living, or 0·10 per 1000 below the average rate in the ten preceding years. The lowest rates from this disease were 0·10 in the City of Westminster, 0·11 in Paddington and in Hampstead, and 0·14 in the City of London and in Lewisham. The highest rates were 0·60 in Deptford, 0·63 in Poplar, 0·65 in Shoreditch, 0·73 in Bermondsey, 0·78 in Chelsea, and 1·27 in Finsbury. Bermondsey, Southwark and Shoreditch were the three Metropolitan

boroughs with the highest average mortality from measles in the preceding five years; the mortality in Southwark, however, although still somewhat excessive, showed a marked decrease in 1906 as compared with the average for the previous five years (Table 23).

Scarlet fever.—The deaths from this disease numbered 533 corresponding to a rate of 0.11 per 1000 which was 0.01 below the decennial average rate. The lowest death-rates from scarlet fever were 0.02 in Stoke Newington, 0.04 in Woolwich, 0.05 in Holborn, 0.06 in Kensington and in Hampstead, and 0.07 in Wandsworth. The highest scarlet fever rates were 0.16 in Shoreditch and in Greenwich, 0.17 in Bethnal Green, 0.22 in Southwark, 0.23 in Bermondsey and 0.33 in the City of London.

Diphtheria (exclusive of Croup unless stated to be membranous) was the cause of 691 deaths in the year 1906. These deaths were equal to a rate of 0.15 per 1000 living at all ages, as compared with 0.32 per 1000 the decennial average rate. In the year 1896 the death-rate from diphtheria was as high as 0.59 per 1000; since that date it has fallen gradually, the rate in 1906 being only one fourth of the rate in 1896.

The lowest death-rates from diphtheria were 0.08 in Stoke Newington, and 0.09 in the City of Westminster, in St. Marylebone, in Hampstead, in Islington, in Hackney, and in the City of London. The highest rates were 0.20 in Fulham, in Chelsea, and in Stepney, 0.22 in Hammersmith, 0.24 in Finsbury, 0.26 in Bermondsey and 0.28 in Greenwich.

Whooping-cough was the cause of 1226 deaths, accounting for a death-rate at all ages of 0.26 per 1000 or 0.15 less than the decennial average rate. The lowest death rates from whooping-cough were 0.02 in Hampstead, 0.08 in Paddington, 0.09 in St. Marylebone, and 0.11 in Kensington. The highest rates were 0.44 in Battersea, 0.48 in Bethnal Green, 0.53 in Shoreditch, 0.56 in Finsbury, and 0.54 in Deptford.

Enteric fever caused 260 deaths, and pyrexia (of uncertain origin) 4, while no death during the year was referred to typhus. Thus, to the continued fevers in the aggregate (referred to in the returns as "fever") 264 deaths were attributed. The 260 deaths from enteric fever were equal to a rate of 0.06 per 1000, or 0.05 less than the decennial average rate. The highest death rates from enteric fever were 0.11 in Bethnal Green and 0.14 in Finsbury.

Diarrhœa (including dysentery and English cholera) was the cause of 4424 deaths last year, and accounted for a death-rate of 0.94 per 1000 against an average rate of 0.81 per 1000 in the preceding ten years. The highest diarrhœa death-rates were 1.29 in Bermondsey, 1.43 in Stepney, 1.49 in Fulham, 1.62 in Shoreditch and 1.71 in Poplar. All these Boroughs had also shown high average rates in the period 1901-5.

Phthisis.—The deaths from this disease in the year 1906 of persons belonging to London numbered 6775, corresponding to a rate of 1.44 per 1000 persons living, or 0.22 below the average rate in the ten preceding years. The mortality ranged from 0.67 in Hampstead, 0.82 in Lewisham, and 1.01 in Wandsworth to 2.01 in Shoreditch and in Bermondsey, 2.06 in Southwark, 2.18 in Finsbury, 2.25 in Bethnal Green, and 2.37 in Holborn. With the exceptions of Bethnal Green and Bermondsey the rates in all these Boroughs for the year 1906 were below the average rates recorded in the preceding five years.

Influenza.—The deaths attributed directly to this disease numbered 895, having been 644, 709, and 689 in the preceding three years.

Violence.—In the year under review the deaths due to accident or negligence numbered 2,446, as against 2,477, 2,399, and 2,469 respectively in the three previous years. Of these 2,446 deaths attributed to accident, 382 or 16 per cent. were those of infants under one year of age who had been suffocated in bed. Of the 302 deaths attributed to accidental burns, scalds, and explosions more than half were those of children aged 1-5 years. No fewer than 220 deaths were caused by drowning, while 328 were caused by horses and vehicles: in Table 12 these street fatalities have been classified, as far as the information given in the death register will allow, according to the kind of vehicle causing the accident; motor vehicles, including cable and electric trams, were responsible for 68 deaths, or about one-fifth of the street fatalities, as against 17, 18, and 33 deaths in the preceding three years. The deaths from suicide numbered 537, and were 32 more than the decennial average, and the deaths from homicide numbered 48, or 18 fewer than the average. There was one execution in the course of the year.

Deaths in public institutions.—Of the 73,990 deaths registered in London and in Metropolitan institutions situated outside the County last year, 28,326, or 38·3 per cent., took place either in workhouses, in hospitals, or in public lunatic asylums. The percentages in the several classes of institutions were as follows:—

19·3 per cent.	in workhouses and workhouse infirmaries.
1·6 " "	in Metropolitan Asylums Board hospitals.
14·3 " "	in other hospitals.
3·1 " "	in public lunatic and imbecile asylums.

Thus, about one in every five deaths occurred in a workhouse or workhouse infirmary, one in every sixty-two in a Metropolitan Asylums Board hospital, one in every seven in some other hospital, and one in every thirty-three in a public lunatic or imbecile asylum.

TABLE F.—LONDON.—DEATHS in PUBLIC INSTITUTIONS and PROPORTIONS of PAUPERISM, 1897-1906.

Years.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.
Deaths in Public Institutions ..	23,553	24,321	26,798	26,259	25,975	28,136	25,505	26,955	27,371	28,326
Metropolitan Asylums Board Hospitals (in and out of London).	1,856	1,765	1,903	1,681	1,904	2,866	1,136	1,105	1,080	1,187
Other Hospitals	8,419	8,458	8,923	8,831	9,061	9,373	8,929	9,780	9,916	10,611
Lunatic and Imbecile Asylums.†	1,667	1,767	1,864	2,046	1,868	2,170	2,209	2,120	2,227	2,272
Workhouses and Workhouse Infirmaries.‡	11,611	12,331	14,108	13,701	13,142	13,727	13,231	13,950	14,148	14,256
Proportion of persons in receipt of Poor Law Relief per 1000 population.										
In-door	14·5	14·7	14·6	14·3	14·4	14·6	15·1	15·7	16·0	15·9
Out-door	8·3	8·1	8·0	8·0	8·3	8·6	8·6	9·1	10·0	9·1

† Including the City of London Lunatic, London County Lunatic, and Metropolitan Imbecile Asylums situated outside London.

‡ Including the Strand Union Workhouse and the Shoreditch Parish Workhouse in Edmonton Registration District, the Holborn Union Workhouse at Mitcham, and the Central London Sick Asylum at Hendon.

Table G shows for each of the years 1891-1906 the admissions to the hospitals of the Metropolitan Asylums Board and to the London Fever Hospital, together with the deaths there of patients admitted as suffering from small-pox, scarlet fever, diphtheria, and enteric fever.

TABLE G.—LONDON.*—ADMISSIONS to and DEATHS in the METROPOLITAN ASYLUMS BOARD HOSPITALS, and the LONDON FEVER HOSPITAL—of Persons suffering from SMALL-POX, SCARLET FEVER, DIPHTHERIA, and ENTERIC FEVER.—1891-1906.

Years.	Small-pox.		Scarlet Fever.		Diphtheria.		Enteric Fever.	
	Admissions.	Deaths.	Admissions.	Deaths.	Admissions.	Deaths.	Admissions.	Deaths.
1891	67	8	5,601	360	1,830	399	759	103
1892	366	38	13,686	850	2,021	584	430	65
1893	2,546	190	15,312	918	2,853	866	544	110
1894	1,226	108	11,892	725	3,691	1,041	538	96
1895	971	65	11,800	601	3,688	824	661	119
1896	211	8	16,627	674	4,580	956	600	96
1897	73	13	15,550	628	5,726	993	664	124
1898	5	—	12,456	521	6,615	996	869	143
1899	18	3	13,744	359	8,758	1,193	1,536	241
1900	66	3	10,692	315	7,966	991	1,728	245
1901	1,739	256	14,994	547	7,719	860	1,130	175
1902	7,916	1,372	14,883	517	6,611	745	1,420	218
1903	355	12	10,580	336	5,113	508	967	145
1904	449	27	11,401	366	4,739	471	750	115
1905	53	8	17,230	538	4,180	348	587	82
1906	27	—	18,316	527	5,261	447	700	108

* The figures in this Table do not refer to Londoners exclusively: for the years 1891-6 deaths in the Highgate Small-pox Hospital are also included.

It should be observed that of the deaths of persons belonging to London, nearly all of those from scarlet fever, about 60 per cent. of those from diphtheria, and about 40 per cent. of those from enteric fever occurred in the above-mentioned hospitals.

Certification of causes of death.—Of the 71,912 deaths registered in London during 1906, the causes of 64,535, or 89·7 per cent., were certified by registered medical practitioners; inquests were held respecting 7,231, or 10·1 per cent.; whilst the causes of the remaining 146, or 0·2 per cent., were uncertified; of these 146 uncertified deaths 112 were registered in the southern group of districts. (Table 1.)

GREATER LONDON.

The estimated population of Greater London, which corresponds to the "Metropolitan" and "City" Police Districts, was 7,113,561 in the middle of the year 1906. Of this population, 4,721,217 persons were estimated to be living in Inner or Registration London which is co-terminous with the Administrative County, and 2,392,344 in the Outer Ring. The mortality in the population of the entire area was 14·4 per 1000, as compared with 14·5, 15·5, and 14·4 in the three preceding years. In the County of London the mortality was 15·1 per 1,000 whilst in the Outer Ring it did not exceed 13·0. Infantile mortality in Greater London was equal to 128 per 1000 births, as compared with 126, 143 and 123, in the three preceding years. Last year infantile mortality was equal to 131 in the County of London and to 125 in the Outer Ring.

The One Hundred and Forty-two Smaller Towns.

(Towns each of which, as at present constituted, contained from 20,000 to 50,000 Inhabitants at the Census of 1901.)

In the middle of the year 1906 the 142 English and Welsh towns included in Table 6 contained an estimated population of 4,835,406. The births registered in these towns numbered 128,292, and were in the proportion of 26·5 per 1000 of the population. Calculated in proportion to the total population at all ages, the birth-rates* ranged from 16·3 in Hove, 16·4 in Margate and in Southport, 16·5 in Torquay, and 17·1 in Blackpool to 37·5 in Tunstall, 38·6 in Mountain Ash, 38·8 in Mansfield, 40·2 in Abertillery and 44·1 in Ebbw Vale.

The deaths were 70,118 in number, and were equal to a rate of 14·5 per 1000 persons living. The local death-rates varied considerably. Disregarding sex and age differences in the several populations, the lowest rates were 9·1 in Kettering, 9·5 in Beckenham, 10·3 in Erith, in Eastbourne, and in Swindon, and 10·4 in Bromley; the highest rates were 19·3 in Stalybridge, 20·2 in Widnes, 20·7 in Tunstall, 21·5 in Ince in Makerfield, 21·8 in Bilston, and 22·5 in Longton.

Particulars of mortality in each of the 142 towns will be found in Tables 6 and 7.

Infantile mortality.—The 70,118 deaths at all ages in the 142 towns included the deaths of 17,712 infants under one year of age. Calculated on the registered births these deaths corresponded to a rate of 138 per 1000. The lowest rates of infantile mortality were 72 in Winchester, 76 in Guildford, 84 in Richmond (Surrey), 85 in Tunbridge Wells and 89 in Erith and in Eastbourne. The highest rates were 200 in Swinton & Pendlebury, 207 in Stalybridge, 208 in Aberdare, and 242 in Longton.

CAUSES OF DEATH.

The principal epidemic diseases caused an average death-rate of 1·71 per 1000 in the 142 towns—among which the lowest rates were 0·10 per 1000 in Winchester, 0·24 in Torquay, 0·27 in Llanelli, 0·34 in Tunbridge Wells, and 0·47 in Salisbury. The highest rates were 3·61 in Barnsley, 3·64 in Leigh (Lanes.), 3·69 in Gorton, 3·76 in Bilston, 3·81 in Barking Town, 3·96 in Ince in Makerfield, and 5·00 in Longton.

* See note *, page]vii.

Small-pox.—No death was registered from small-pox in any of the 142 towns.

Measles caused a death-rate of 0·22 per 1000, or 0·18 below the rate in the 76 great towns; the highest rates being 0·98 in Ince in Makerfield, 1·00 in Luton, 1·04 in Bacup, 1·17 in Colne, and 1·38 in Hindley.

Scarlet fever accounted for a death-rate of 0·09 per 1000. The highest rates were 0·33 in Glossop, 0·35 in Fenton and in Macclesfield, 0·37 in Heywood, and 0·41 in Barnsley.

Diphtheria (exclusive of *croup* unless stated to be *membranous*) caused a death-rate of 0·17 per 1000. The highest rates were 0·48 in Worthing, 0·57 in Erith, 0·61 in Todmorden, 0·66 in Fenton, and 0·87 in Lincoln.

Whooping-cough was fatal in the proportion of 0·20 per 1000 living, or 0·08 below the rate in the 76 great towns; the highest death-rates from this disease were 0·68 in Widnes, 0·70 in Cannock, 0·72 in Shrewsbury, 0·79 in Oldbury, 0·90 in Bilston, and 1·22 in Ebbw Vale.

"*Fever*" (mainly "*enteric*," but including also "*typhus*" and "*pyrexia*") caused a death-rate averaging 0·09 in the 142 towns. The highest rates from "fever" were 0·52 in Morley, 0·57 in Mansfield, 0·58 in Ince in Makerfield, 0·44 in Farnworth, and 0·51 in Tipton.

Diarrhœa (including dysentery and English cholera) was fatal in the proportion of 0·94 per 1000 in these 142 smaller towns, being 0·22 below the rate in the 76 great towns. The highest rates were 2·05 in Fenton, 2·11 in Leigh (Lancs.) and in Abertillery, 2·20 in Barking Town, 2·21 in Ilkeston, 2·26 in Gorton and in Barnsley, 2·28 in Twickenham, 2·43 in Batley, and 4·08 in Longton.

Vital Statistics of Scottish, Irish, Colonial and Foreign Cities.

Returns have been tabulated for a limited number of cities which enable comparisons to be made of their several birth-rates and death-rates during the period 1891–1906; while in addition an attempt has been made, for the first time, to obtain from those cities which possess the requisite data comparative statistics of the fertility of their married women.

Births.—The general decline in the birth-rate in Scottish cities, in Colonial cities, and in most of the Continental cities, which has been noted in previous Summaries, at present, shows no signs of arrest; in all the cities for which returns are available, the birth-rates for the year 1906 were, with the exception of those recorded in Dublin and in Copenhagen, below the averages in the preceding quinquennial periods.

The extent, however, of the decline of the birth-rate in the several cities showed considerable variation. Compared with the average annual rate in 1891–5, the rate recorded in London in 1906 showed a decrease of 14 per cent.; in Belfast and in Copenhagen the decline in the same period was 8 per cent.; in Rome it was 10 per cent.; in Glasgow and in Berlin it was about the same as in London, while in 9 other cities the amount of the decrease ranged from 18 to 29 per cent. In the year 1906, the birth-rates in 10 cities were below the London rate, while in five others, Glasgow, Dublin, Belfast, Copenhagen, and Budapest, the rates were above that recorded in the metropolis.

BIRTH-RATES PER 1,000 LIVING.

Cities,	Average annual Rates.			Year 1906.
	1891-1895.	1896-1900.	1901-1905.	
London... ..	30·9	29·8	28·2	26·7
Edinburgh... ..	27·3	27·1	24·2	22·4
Glasgow... ..	33·9	33·2	31·3	29·4
Dublin (County Borough) ...	31·1	32·4	31·5	32·4
Belfast... ..	33·6	33·6*	31·4	31·0
Sydney... ..	34·7	26·0	25·7	26·2
Melbourne... ..	33·4	26·1	24·1	23·7
Paris... ..	24·9	23·5	20·3	18·8
Brussels... ..	26·1	24·4	21·0	18·5
Amsterdam... ..	32·9	29·7	27·9	25·8
Copenhagen... ..	30·8	29·6	27·9	28·2
St. Petersburg... ..	31·6*	30·0	27·9	25·6
Berlin... ..	28·9	26·7	25·3	24·9
Hamburg... ..	36·1	31·8	26·8	25·8
Vienna... ..	32·0	29·5	28·4	26·2
Budapest... ..	36·2	35·4	27·9	27·0
Rome... ..	26·3	23·1	24·4†	23·6

* Average for 3 years.

† " " 4 "

Legitimate Natality.—While it is recognised that the results of calculating the birth-rate in proportion to total population are of considerable value, it is at the same time very desirable to ascertain the reasons for such wide discrepancies between the crude birth-rates in the different cities. These discrepancies are to some extent due to variations in the civil condition and in the sex and age constitution of the several populations; with a view, therefore, to eliminate these disturbing factors, Municipal Statistical Authorities possessing the requisite data, have been asked to contribute comparative statistics of the fertility of their married women, and although it has not been practicable to correct these statistics for differences in the age constitution of the wives of reproductive ages, they nevertheless form a valuable measure of human fertility in the several cities.

In order to avoid errors that might arise from erroneous estimates for intercensal years of the number of married women of conceptive ages, the calculations have been limited to the three last census periods; while for

the sake of uniformity the child-bearing period has been fixed at 15-45 years. Stated in tabular form the results of the inquiry are as follows :—

LEGITIMATE BIRTH-RATES.

Cities. (Arranged in order of rates in 1900-1902).	Proportion of Legitimate Births per 1000 Wives aged 15-45 years.			Decrease per cent. in Fertility during 20 years.
	Approximate periods.			
	1880-1882.	1890-1892.	1900-1902.	
Rotterdam 	331·4	312·0	299·0	9·8
Christiania 	329·5*	285·9	283·4	14·0†
The Hague 	346·5	303·9	255·0	26·4
Amsterdam 	306·4	296·5	252·7	17·5
Breslau 	268·7	255·7	233·3	13·2
London 	272·6	250·4	227·8	16·4
Dresden 	247·3	216·5	217·5	12·1
Munich 	248·7	214·1	212·6	14·5
Hamburg 	270·4	251·8	199·6	26·2
Milan 	225·8	?	192·9	14·6
Copenhagen 	268·9	240·3	188·5	29·9
Stockholm 	246·2	233·5	187·5	23·8
Vienna 	214·6	?	186·4	13·1
Budapest 	205·9	208·7	186·0	9·7
Berlin 	253·2	212·7	170·0	32·9
Paris 	143·1	125·4	106·6	25·5

* 1874 to 1876.

† Twenty-six years' decrease.

It appears from these figures that the cities from which it has been possible to obtain returns show a decrease in fertility in the 20 years 1881-1901, ranging from 10 per cent. in Rotterdam and Budapest, to 30 per cent. in Copenhagen, and as much as 33 per cent. in Berlin.

If a comparison be made between the several cities, it is interesting to note that the rate of fertility among married women in London is considerably greater than that prevailing in Paris, Berlin or Vienna.

Deaths.—The death-rates in all the cities mentioned in the following table showed in the quinquennial periods under review a general tendency to decline, while the rates for the year 1906 were, with the exception of those of St. Petersburg and Budapest, in every case, below the average for the previous five years. The extent of the decrease in the death-rate of the several cities varied considerably; compared with the average

annual rates in 1891-1895, the rate recorded in London in 1906 showed a decrease of 22 per cent., the decreases in other cities ranged from 13 per cent. in Rome, and 16 per cent. in St. Petersburg, to 27 per cent. in Budapest, 28 per cent. in Brussels, 29 per cent. in Amsterdam, and 30 per cent. in Sydney. The death-rate in Hamburg showed an even greater decrease in the past 15 years, this was due, however, to a high rate in the first quinquennium caused by the prevalence of cholera in the year 1892.

DEATH-RATES PER 1000 LIVING.

Cities.	Average Annual Rates.			Year 1906.
	1891-1895.	1896-1900.	1901-1905.	
London	20·2	19·0	16·7	15·7
Edinburgh	19·7	19·0	17·3	16·0
Glasgow	22·9	21·2	19·5	17·8
Dublin (County Borough) ...	25·9	28·9	24·8	24·1
Belfast	25·1	23·2*	20·7	20·1
Sydney	15·2	12·1	11·6	10·7
Melbourne	16·7	15·6	14·1	13·6
Paris	21·5	19·6	17·9	17·5
Brussels	20·2	17·2	15·2	14·6
Amsterdam	19·3	16·4	14·7	13·7
Copenhagen	19·8	17·8	16·3	15·6
St. Petersburg	30·3*	27·1	23·9	25·5
Berlin	19·8	18·1	17·0	15·8
Hamburg	24·2	17·4	16·5	15·3
Vienna	23·7	20·9	19·1	17·5
Budapest	26·6	22·5	19·0	19·3
Rome	21·4	18·1	19·8†	18·7

* Average for 3 years.

† Average for 4 years.

In addition to the foregoing statistics, the Registrar-General has been favoured for the year 1906 with returns of births, deaths, principal epidemic diseases and infant mortality by the Authorities of 38 of the principal Colonial and Foreign Cities. These returns have been tabulated and the figures embodied for reference in Table 35, page 75.

ADMINISTRATIVE COUNTY OF LONDON.


52 weeks ended 29th December, 1906.

Map showing the DEATH RATES in the several Metropolitan Boroughs after distribution of deaths in Public Institutions, &c., and after correction for variations in the sex and age constitution of the several populations.

Death rates from all causes.

Under 15 per 1000 living coloured thus	
15 & „ 17 „ „ „ „	
18 & upwards „ „ „ „	

London Death rate 15.9 per 1000 living.
(corrected as above).



TABLES.

TABLE 1.—ENGLAND and WALES.—Marria

The numbers of Marriages, Births, and Deaths in this Table are provisional, and will probably be found to differ slightly from the actual numbers. The figures relate exclusively to the numbers registered in each County.

Registration Divisions and Counties.*	Population estimated to the middle of 1906.	Marriages.		Births.		Deaths.		
		Total.	Persons married per 1,000 living.	Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Infants under 1 year of age.
ENGLAND and WALES	34,547,016	269,734	15·6	934,391	27·0	530,715	15·4	123,931
I. LONDON†	4,721,217	40,412	17·1	125,652	26·7	71,912	15·3	16,653
1. LONDON†	4,721,217	40,412	17·1	125,652	26·7	71,912	15·3	16,653
II. SOUTH EASTERN DIVISION ..	3,562,519	25,362	14·2	84,193	23·6	47,838	13·4	8,928
2. SURREY	797,510	5,702	14·3	19,769	24·8	10,826	13·6	2,156
3. KENT	1,007,589	6,764	13·4	23,792	23·6	13,270	13·2	2,740
4. SUSSEX	637,582	4,430	13·9	13,292	20·8	8,472	13·3	1,270
5. HAMPSHIRE	826,263	6,359	15·4	20,648	25·0	11,414	13·8	2,113
6. BERKSHIRE	293,575	2,107	14·4	6,692	22·8	3,856	13·1	649
III. SOUTH MIDLAND DIVISION ..	2,367,995	16,571	14·0	60,786	25·7	31,500	13·3	6,707
7. MIDDLESEX	947,159	6,700	14·1	27,424	29·0	12,176	12·9	3,244
8. HERTFORDSHIRE	253,374	1,670	13·2	6,018	23·8	3,528	13·9	630
9. BUCKINGHAMSHIRE	179,114	1,237	13·8	4,299	24·0	2,361	13·2	467
10. OXFORDSHIRE	185,909	1,335	14·4	4,239	23·1	2,604	14·0	376
11. NORTHAMPTONSHIRE	372,221	2,485	13·4	8,466	22·7	4,495	12·1	901
12. HUNTINGDONSHIRE	45,112	345	15·3	1,137	25·2	697	15·5	113
13. BEDFORDSHIRE	181,091	1,346	14·9	4,292	23·7	2,681	14·8	509
14. CAMBRIDGESHIRE	204,015	1,453	14·2	4,861	23·8	2,958	14·5	537
IV. EASTERN DIVISION	2,068,801	14,052	13·6	54,643	26·4	29,032	14·0	6,580
15. ESSEX	1,226,888	8,284	13·5	33,930	27·7	16,357	13·3	4,191
16. SUFFOLK	367,968	2,449	13·3	9,076	24·7	5,382	14·6	958
17. NORFOLK	473,945	3,319	14·0	11,637	24·6	7,293	15·4	1,431
V. SOUTH WESTERN DIVISION ..	1,953,433	14,265	14·6	44,341	22·7	27,872	14·3	4,367
18. WILTSHIRE.. .. .	270,417	2,044	15·1	6,740	24·9	3,796	14·0	568
19. DORSETSHIRE	205,586	1,434	14·0	4,814	23·4	2,861	13·9	436
20. DEVONSHIRE	683,315	5,309	15·5	15,392	22·5	10,044	14·7	1,721
21. CORNWALL.. .. .	320,157	2,151	13·4	6,878	21·5	4,672	14·6	701
22. SOMERSETSHIRE	473,958	3,327	14·0	10,517	22·2	6,499	13·7	941
VI. WEST MIDLAND DIVISION ..	3,894,798	30,233	15·5	108,930	28·0	59,681	15·3	14,545
23. GLOUCESTERSHIRE	676,742	4,974	14·7	16,641	24·6	9,739	14·4	1,829
24. HEREFORDSHIRE	112,122	713	12·7	2,468	22·0	1,625	14·5	248
25. SHROPSHIRE	261,963	1,661	12·7	6,474	24·7	3,867	14·8	639
26. STAFFORDSHIRE	1,333,595	10,426	15·6	41,069	30·8	21,131	15·8	5,900
27. WORCESTERSHIRE	544,500	4,066	14·9	14,028	25·8	7,491	13·8	1,631
28. WARWICKSHIRE	965,876	8,381	17·4	28,250	29·2	15,828	16·4	4,298

* The Registration or Union Counties consist of groups of Registration Districts which are generally co-extensive with the administrative boundaries of the counties. This arrangement is included in the Welsh Division. The differences between Registration and actual numbers are small.

† The figures relating to Births and Deaths are provisional.

Births, and Deaths registered in the Year 1906.

From the revised figures to be hereafter presented to Parliament in the 69th Annual Report of the Registrar General. Deaths are not corrected for those which occurred in Institutions.

The DEATHS in the Year are stated by the Registrars to include											Deaths of Infants under 1 year of age to 1,000 Births.	Registration Divisions and Counties.*
Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.						
9,308	3,434	5,987	8,032	3,173	30,108	19,638	36,147	96,162	8,109	133	ENGLAND and WALES.	
1,910	474	676	1,238	255	4,426	3,018	7,231	26,248	146	133	I. LONDON.†	
1,910	474	676	1,238	255	4,426	3,018	7,231	26,248	146	133	1. LONDON.†	
357	148	569	608	229	2,201	1,723	3,322	10,178	739	106	II. SOUTH EASTERN DIVISION.	
143	49	129	148	45	627	390	843	2,848	78	109	2. SURREY.	
91	60	134	147	99	788	490	757	2,832	360	115	3. KENT.	
81	27	57	75	19	220	317	621	1,615	53	96	4. SUSSEX.	
31	8	164	169	53	460	384	858	2,130	149	102	5. HAMPSHIRE.	
11	4	85	69	13	106	142	243	723	99	97	6. BERKSHIRE.	
428	245	310	376	146	1,805	996	1,890	5,196	495	110	III. SOUTH MIDLAND DIVISION.	
252	164	166	179	57	1,108	381	831	2,195	80	118	7. MIDDLESEX.	
34	10	15	39	10	108	105	189	779	71	105	8. HERTFORDSHIRE.	
20	2	24	21	11	82	83	159	286	41	95	9. BUCKINGHAMSHIRE.	
4	15	16	34	2	46	93	159	420	46	88	10. OXFORDSHIRE.	
39	29	19	37	29	166	155	249	629	89	106	11. NORTHAMPTONSHIRE.	
4	—	4	8	5	15	15	38	66	35	99	12. HUNTINGDONSHIRE.	
53	11	42	13	18	183	67	119	407	61	119	13. BEDFORDSHIRE.	
22	14	24	45	14	97	97	146	414	72	108	14. CAMBRIDGESHIRE.	
479	174	448	371	162	1,958	963	1,812	5,032	459	120	IV. EASTERN DIVISION.	
322	126	331	274	111	1,475	577	1,043	3,188	234	124	15. ESSEX.	
15	9	42	55	11	143	184	347	775	98	106	16. SUFFOLK.	
142	39	75	42	40	342	202	422	1,069	127	123	17. NORFOLK.	
252	112	211	331	99	552	927	1,825	3,566	308	98	V. SOUTH WESTERN DIVISION.	
7	21	25	41	6	50	110	251	612	27	84	18. WILTSHIRE.	
28	8	44	35	5	43	98	151	359	42	91	19. DORSETSHIRE.	
135	33	75	162	57	279	340	697	1,284	112	112	20. DEVONSHIRE.	
19	28	14	39	19	80	155	343	359	55	102	21. CORNWALL.	
63	22	53	54	12	100	224	383	952	72	89	22. SOMERSETSHIRE.	
688	313	622	1,267	302	3,353	2,200	3,746	9,631	1,237	134	VI. WEST MIDLAND DIVISION.	
162	36	121	128	27	263	339	780	1,945	72	110	23. GLOUCESTERSHIRE.	
6	—	31	17	4	21	52	109	242	60	100	24. HEREFORDSHIRE.	
19	14	23	95	10	39	146	236	506	117	99	25. SHROPSHIRE.	
185	154	219	491	160	1,449	807	1,352	2,822	444	144	26. STAFFORDSHIRE.	
49	34	46	137	24	277	263	382	1,007	156	116	27. WORCESTERSHIRE.	
267	75	182	399	77	1,304	593	887	3,109	388	152	28. WARWICKSHIRE.	

with the Poor Law Unions. The Counties are grouped in Registration Divisions, the County of Monmouth being by Counties and Administrative Counties are shown in Table 2 of the Census County Volumes.
London are for a period of 52 weeks.

TABLE 1.—ENGLAND and WALES.—Marriages

Registration Divisions and Counties.	Population estimated to the middle of 1906.	Marriages.		Births.		Deaths.			
		Total.	Persons married per 1,000 living.	Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Infants under 1 year of age.	Persons aged 15 years and upwards.
VII. NORTH MIDLAND DIVISION	2,175,813	17,311	15·9	60,448	27·8	31,804	14·6	8,097	10,950
29. LEICESTERSHIRE	475,965	3,451	14·5	12,332	25·9	6,095	14·1	1,747	2,140
30. RUTLANDSHIRE	20,196	123	12·2	456	22·6	289	14·3	37	1,100
31. LINCOLNSHIRE	508,949	4,043	15·9	13,785	27·1	7,681	15·1	1,750	3,000
32. NOTTINGHAMSHIRE	647,845	5,573	17·2	19,423	30·0	9,818	15·2	2,814	3,000
33. DERBYSHIRE	522,858	4,121	15·8	14,452	27·6	7,321	14·0	1,749	2,500
VIII. NORTH WESTERN DIVISION	5,534,818	45,712	16·5	153,016	27·6	95,695	17·3	23,432	25,700
34. CHESHIRE	823,794	6,154	14·9	21,946	26·6	12,670	15·4	2,873	4,200
35. LANCASHIRE	4,711,024	39,558	16·8	131,070	27·8	83,025	17·6	20,559	21,400
IX. YORKSHIRE DIVISION.. ..	3,816,599	30,492	16·0	102,935	27·0	61,393	16·1	14,717	18,600
36. WEST RIDING	2,944,526	23,684	16·1	77,887	26·5	46,911	15·9	11,191	13,600
37. EAST RIDING (with YORK)	484,627	3,726	15·4	13,494	27·8	7,733	16·0	1,886	2,000
38. NORTH RIDING	387,446	3,082	15·9	11,554	29·8	6,749	17·4	1,640	2,100
X. NORTHERN DIVISION	2,279,749	18,338	16·1	73,036	32·0	38,878	17·1	10,753	10,900
39. DURHAM	1,290,242	10,809	16·8	44,251	34·3	22,586	17·5	6,819	5,500
40. NORTHUMBERLAND	657,294	5,150	15·7	20,166	30·7	11,181	17·0	2,915	2,900
41. CUMBERLAND	268,442	1,958	14·6	7,228	26·9	4,273	15·9	896	1,500
42. WESTMORLAND	63,771	421	13·2	1,391	21·8	838	13·1	123	400
XI. WELSH DIVISION	2,171,274	16,996	15·7	66,411	30·6	35,110	16·2	9,155	10,600
43. MONMOUTHSHIRE	340,180	2,894	17·0	11,965	35·2	5,530	16·3	1,550	1,400
44. SOUTH WALES	1,329,830	10,845	16·3	41,829	31·5	21,337	16·1	5,913	5,900
Glamorganshire	962,194	8,202	17·0	32,379	33·7	15,538	16·1	4,856	3,500
Carmarthenshire	127,260	978	15·4	3,801	29·9	2,012	15·8	430	700
Pembrokeshire	83,051	628	15·1	2,087	25·1	1,295	15·6	236	500
Cardiganshire	91,172	503	12·4	1,653	20·4	1,400	17·2	192	600
Brecknockshire	54,166	414	15·3	1,513	27·9	906	16·7	152	300
Radnorshire	21,987	120	10·9	396	18·0	236	10·7	47	100
45. NORTH WALES.. ..	501,264	3,257	13·0	12,617	25·2	8,193	16·3	1,692	3,200
Montgomeryshire	62,501	400	12·8	1,498	24·0	929	14·9	144	400
Flintshire	61,978	374	12·1	1,807	29·2	996	16·1	215	400
Denbighshire	133,068	925	13·9	3,608	27·1	2,286	17·2	555	800
Merionethshire	64,374	354	11·0	1,525	23·7	1,059	16·5	189	400
Carnarvonshire	144,055	979	13·6	3,339	23·2	2,268	15·7	478	800
Anglesey	35,288	225	12·8	840	23·8	355	18·6	111	300

Births, and Deaths registered in the Year 1906—continued.

The DEATHS in the Year are stated by the Registrars to include												Deaths of Infants under 1 year of age to 1,000 Births.	Registration Divisions and Counties.
Small-pox.	Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.						
—	234	209	464	464	216	1,742	1,146	1,904	3,723	617	134	VII. NORTH MIDLAND DIVISION.	
—	107	70	71	153	29	414	233	466	887	88	142	29. LEICESTERSHIRE.	
—	1	4	3	—	4	4	7	13	25	2	81	30. RUTLANDSHIRE.	
—	54	39	160	63	41	363	255	426	765	121	127	31. LINCOLNSHIRE.	
—	24	53	96	126	93	663	379	543	1,250	173	145	32. NOTTINGHAMSHIRE.	
—	48	43	134	122	49	298	272	451	796	233	121	33. DERBYSHIRE.	
1	2,770	826	1,006	1,268	748	6,529	3,463	5,661	17,027	1,729	153	VIII. NORTH WESTERN DIVISION.	
—	162	102	142	202	76	726	463	887	1,808	80	131	34. CHESHIRE.	
1	2,608	724	884	1,066	672	5,803	3,000	4,974	15,219	1,649	157	35. LANCASHIRE	
11	1,310	635	837	909	477	3,919	2,224	4,191	8,782	717	143	IX. YORKSHIRE DIVISION	
—	1,187	579	557	694	349	2,968	1,695	3,122	6,679	601	144	36. WEST RIDING.	
11	87	20	180	98	90	573	298	631	1,385	40	140	37. EAST RIDING (with YORK).	
—	36	36	100	117	33	378	231	438	718	76	142	38. NORTH RIDING	
1	605	177	455	631	310	2,381	1,531	2,177	4,075	1,081	147	X. NORTHERN DIVISION.	
1	312	102	277	397	241	1,642	893	1,197	2,184	763	154	39. DURHAM.	
—	257	45	154	185	56	649	458	740	1,402	175	145	40. NORTHUMBERLAND.	
—	35	27	21	38	13	79	143	202	439	116	124	41. CUMBERLAND.	
—	1	3	3	11	—	11	37	38	50	27	88	42. WESTMORLAND	
2	275	121	389	569	229	1,242	1,447	2,188	2,704	581	138	XI. WELSH DIVISION	
—	45	10	66	103	62	211	264	380	526	55	130	43. MONMOUTHSHIRE.	
2	143	89	248	340	139	884	957	1,492	1,719	278	141	44. SOUTH WALES.	
2	120	69	178	305	94	835	799	1,219	1,448	56	150	Glamorganshire.	
—	14	2	27	8	16	15	65	90	103	43	113	Carmarthenshire.	
—	—	3	9	8	16	10	36	68	50	85	113	Pembrokeshire.	
—	1	12	6	9	4	10	32	54	33	66	116	Cardiganshire.	
—	3	3	24	9	8	12	21	53	70	20	100	Brecknockshire.	
—	5	—	4	1	1	2	4	8	15	8	119	Radnorshire.	
—	87	22	75	126	28	147	226	316	459	248	134	45. NORTH WALES	
—	3	3	4	24	2	5	18	32	41	26	96	Montgomeryshire.	
—	10	5	7	6	6	16	26	39	40	19	119	Flintshire.	
—	41	7	19	20	2	80	88	105	246	60	154	Denbighshire.	
—	15	3	17	17	4	7	24	36	32	20	124	Merionethshire.	
—	12	4	16	53	13	38	58	87	84	88	143	Carnarvonshire.	
—	6	—	12	6	1	1	12	17	16	35	132	Anglesey.	

TABLE 2.—76 Great Towns.—Population; Births, Deaths, and Meteorology in the 52 Weeks ended 29th December, 1906.

NOTE.—The 76 Towns are those with populations exceeding 50,000 persons at the Census of 1901. The births shown in this table are those registered in the several towns without correction, except in the case of London. The births in London have been corrected by the exclusion of extra-Metropolitan cases in the chief lying-in Institutions. The deaths in London have been corrected as far as possible (1) by excluding deaths of all non-Londoners, and (2) by including the deaths of Londoners occurring in Metropolitan Public Institutions situated outside the County. (See Table 21.) The deaths in the other towns have been corrected as far as possible, for deaths occurring in Public Institutions; while in addition the deaths occurring in London of all persons known to belong to the Metropolitan Outer Ring have been credited to the respective areas to which they belong.

TOWNS.	ESTIMATED POPULATION in the middle of 1906.		BIRTHS.		DEATHS.		The DEATHS registered include										MEAN TEMPERATURE (Inches), +.	TOWNS.		
	Cols.	1.	2.	3.	Deaths of		Deaths from								Rain-fall (Inches), +.					
					Infants under 1 year of age.	Persons aged 60 years and upwards.	Principal Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.		Violence.			Inquest Cases.	Deaths in Public Institutions.
76 TOWNS.	..	15,818,360	438,985	250,302	63,803	68,435	18	6,254	19,498	29,761	4,399	14,431	18,329	8,891	19,220	58,767	2,560	19.	76 TOWNS.	
LONDON	..	4,721,217	124,880	71,155	16,807	21,128	90,47	19,09	5,33	6,91	1,226	264	4,424	2,784	6,910	25,661	146	29.6	LONDON.	
(CROYDON	..	151,011	3,866	2,015	492	664	266	39	8	41	28	5	145	58	208	472	—	—	(CROYDON.	
WILLESDEN	..	143,622	4,160	1,653	491	426	214	27	12	15	27	7	126	56	103	366	20	—	WILLESDEN	
HORNSEY	..	86,935	1,593	766	136	304	84	18	7	12	3	5	39	24	55	116	—	—	HORNSEY.	
TOTTENHAM	..	119,503	3,640	1,648	474	387	261	49	18	12	22	6	154	57	174	331	1	—	TOTTENHAM.	
* WEST HAM	..	301,617	9,212	4,721	1,383	990	949	128	39	86	78	53	565	207	419	1,287	1	—	* WEST HAM.	
EAST HAM	..	129,886	3,329	1,504	465	294	288	34	19	27	28	8	172	47	117	309	3	—	EAST HAM.	
LEYTON	..	118,287	3,318	1,410	393	392	259	33	16	35	37	6	132	39	77	288	4	—	LEYTON.	
(WALTHAMSTOW	..	121,334	3,541	1,543	475	321	295	42	21	52	17	8	155	59	136	370	1	—	(WALTHAMSTOW.	
HASTINGS	..	67,144	1,091	904	138	370	45	7	6	3	1	2	26	23	54	141	7	50.1	HASTINGS.	
BRIGHTON	..	128,095	2,848	1,878	315	761	138	28	2	11	24	3	70	46	168	487	1	50.8	BRIGHTON.	
PORTSMOUTH	..	205,118	5,570	3,049	761	942	377	8	3	60	63	17	226	82	228	609	37	51.6	PORTSMOUTH.	
BOURNEMOUTH	..	67,702	1,192	930	139	397	49	10	—	7	17	2	13	30	69	108	4	50.6	BOURNEMOUTH.	
SOUTHAMPTON	..	117,312	2,913	1,530	328	540	160	—	—	24	36	6	94	60	185	285	—	51.5	SOUTHAMPTON.	
READING	..	78,987	1,877	1,001	216	366	143	—	—	39	34	2	68	27	51	203	26	49.4	READING.	
NORTHAMPTON	..	93,749	1,888	1,047	238	383	108	—	—	4	8	10	78	37	72	169	18	—	NORTHAMPTON.	
IPSWICH	..	71,809	1,900	1,065	268	400	83	—	—	2	9	6	4	62	30	89	157	8	—	IPSWICH.
GREAT YARMOUTH	..	52,613	1,423	910	231	341	129	33	4	6	3	7	76	26	69	138	—	49.5	GREAT YARMOUTH.	
NORWICH	..	117,958	3,086	2,084	532	728	352	99	10	29	20	12	182	39	139	340	14	49.7	NORWICH.	
PLYMOUTH	..	118,014	2,821	1,911	429	634	231	52	10	21	55	6	85	42	131	235	—	51.0	PLYMOUTH.	
DEVONPORT	..	78,405	2,135	1,026	238	297	108	3	21	4	8	17	47	30	98	101	—	—	DEVONPORT.	
BRISTOL	..	383,223	9,880	5,239	1,187	1,732	567	1	141	28	77	102	196	175	489	1,126	17	50.6	BRISTOL.	
HANLEY†	..	66,360	2,250	1,239	364	317	206	—	1	25	21	8	10	141	31	164	16	—	HANLEY.†	
BURTON-ON-TRENT	..	52,922	1,270	686	149	203	54	—	2	4	13	4	29	24	42	106	22	—	BURTON-ON-TRENT.	
WOLVERHAMPTON	..	100,729	2,761	1,487	386	442	229	—	17	23	21	9	133	49	116	257	9	—	WOLVERHAMPTON.	
WALSALL	..	94,577	2,789	1,381	436	356	191	—	—	2	16	34	12	127	58	103	151	7	—	WALSALL.
HANDSWORTH (STAFFS.)	..	63,819	1,498	694	178	257	86	—	2	5	2	31	44	11	27	35	8	—	HANDSWORTH (STAFFS.)	

TOWNS.	ESTIMATED POPULATION in the middle of 1906.	BIRTHS, DEATHS.		Deaths of					Deaths from							Inquest Cases.		Deaths in Public Institutions.	Unascertained Deaths.	MEAN TEMPERATURE (Degrees Fahr.).	RAIN-FALL (inches).	TOWNS.
		2.	3.	Deaths of		6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.					
				Infants under 1 Year of Age.	Persons under aged 60 Years and upwards.													Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.
Cols.	1.			4.	5.																	
BIRMINGHAM ..	548,022	16046	9176	2668	2273	1520	—	218	54	97	248	40	863	320	2001	261	49·0	26·9	BIRMINGHAM.			
KINGS NORTON ..	72,008	1853	691	191	219	62	—	6	7	5	17	1	26	19	24	46	—	—	KINGS NORTON.			
SMETHWICK ..	64,531	2027	902	261	226	134	—	16	4	11	30	7	66	26	40	16	—	—	SMETHWICK.			
ASTON MANOR ..	82,282	2259	1121	356	274	229	—	26	8	15	34	8	138	27	53	75	—	—	ASTON MANOR.			
COVENTRY ..	76,374	2404	1223	332	363	206	—	1	5	13	37	5	145	50	87	160	49·7	26·4	COVENTRY.			
LEICESTER ..	232,111	5827	3306	981	869	550	—	80	52	30	114	13	261	101	242	549	—	—	LEICESTER.			
GRIMSEY ..	69,359	2005	1021	371	238	159	—	4	1	19	1	10	124	25	75	110	—	—	GRIMSEY.			
NOTTINGHAM ..	254,563	6759	4084	1159	1269	530	—	5	17	41	40	42	385	142	264	763	49·3	21·8	NOTTINGHAM.			
DERBY ..	123,981	3106	1760	357	582	172	—	2	4	62	28	11	65	65	163	358	—	—	DERBY.			
STOCKPORT ..	99,646	2677	1883	498	526	288	—	68	3	6	35	9	167	54	123	289	4	—	STOCKPORT.			
BIRKENHEAD ..	117,292	3728	2020	562	522	348	—	9	31	27	59	17	205	65	138	360	5	—	BIRKENHEAD.			
WALLASEY ..	64,578	1708	889	202	256	118	—	13	6	10	16	6	67	45	77	118	5	—	WALLASEY.			
LIVERPOOL* ..	739,180	24128	15216	4145	3358	2674	1	574	188	147	355	87	1322	543	919	4360	49·1	28·1	LIVERPOOL*.			
BOOTLE* ..	65,989	2172	1200	325	265	222	—	47	12	15	30	7	111	31	48	241	31	—	BOOTLE*.			
ST. HELENS ..	91,153	3091	1566	489	302	184	—	10	4	24	5	18	123	56	63	284	74	—	ST. HELENS.			
WIGAN ..	87,588	2924	1581	475	317	230	—	46	5	7	3	28	141	56	99	164	15	—	WIGAN.			
WARRINGTON ..	60,280	2248	1264	352	274	203	—	29	3	8	34	5	124	46	53	166	46	—	WARRINGTON.			
BOLTON ..	180,502	4569	2731	639	765	310	—	2	17	22	19	43	207	80	179	320	10	—	BOLTON.			
BURY ..	58,741	1394	974	235	297	125	—	53	1	5	5	5	56	37	63	126	19	—	BURY.			
MANCHESTER ..	687,126	18629	12179	3114	2808	1961	—	475	114	120	194	85	973	460	897	2904	48·5	42·2	MANCHESTER.			
SALFORD ..	234,077	7069	4261	1120	993	750	—	186	44	90	53	41	356	127	315	935	12	—	SALFORD.			
OLDHAM ..	140,080	3787	2633	552	692	368	—	124	33	17	41	6	167	76	136	343	4	—	OLDHAM.			
ROCHDALE ..	87,189	2033	1515	285	472	155	—	47	13	20	20	5	50	49	83	227	43	—	ROCHDALE.			
BURNLEY ..	102,808	2847	2004	603	456	391	—	118	12	14	29	12	206	68	116	309	22	—	BURNLEY.			
BLACKBURN ..	134,015	3384	2143	527	606	299	—	68	35	25	14	14	143	74	115	308	62	—	BLACKBURN.			
PRESTON ..	116,399	3326	2226	602	575	415	—	125	15	16	12	20	227	50	71	246	68	—	PRESTON.			
BARROW-IN-FURNESS ..	60,967	1878	852	234	294	88	—	—	4	13	4	2	65	33	36	87	40	—	BARROW-IN-FURNESS.			

The values for Mean Temperature and Rainfall relate to the calendar year.

+ The values for Mean Temperature and Rainfall relate to the calendar year.

* As enlarged in 1905.

Seventy-six Great Towns, &c.: Birth-rates and Death-rates.

been corrected as far as possible (1) by excluding deaths of non-Londoners occurring in London, and (2) by excluding deaths of Londoners occurring outside the County. (See Table 21.) The death-rates in the other towns have been corrected in the same manner, viz. by excluding deaths occurring in Public Institutions; while in addition the deaths occurring in London from previous to 1906, only those which occurred in the London Fever Hospital, the Metropolitan Asylums Hospitals, and the Middlesex County Lunatic Asylum were added to the several parts of the Outer Ring.

TOWNS.		ANNUAL RATE PER 1000 PERSONS LIVING.											DEATHS UNDER 1600 BIRTHS.			DEATHS FROM					PERCENTAGE TO TOTAL DEATHS.				TOWNS.	Cols.											
		Total Deaths.					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Year to 1900 Births.	ANNUAL DEATH-RATE PER 1000 LIVING.		DEATHS IN PUBLIC INSTITUTIONS.		UNCLASSIFIED CASES OF DEATH.		18.	19.	20.													
		52 Weeks ended														Aged 1 to 60 Years.	Aged 60 Years and upwards.																				
		2nd Jan., 1904.	31st Dec., 1904.	30th Dec., 1905.	29th Dec., 1906.	Principal Epidemic Diseases.																															
76 TOWNS ..		1. 27.8	2. 16.3	3. 17.2	4. 15.7	5. 15.9	6. 2.24	7. 0.00	8. 0.40	9. 0.12	10. 0.19	11. 0.28	12. 0.09	13. 1.16	14. 0.56	15. 145	16. 8.2	17. 70.1	18. 7.7	19. 23.5	20. 1.0	76 TOWNS															
LONDON ..	26.5	15.2	16.1	15.1	15.1	1.93	—	—	0.41	0.11	0.15	0.26	0.06	0.94	0.59	131	7.9	67.1	9.7	36.5	0.2	LONDON.															
CROYDON ..	25.7	11.8	13.8	12.5	13.4	1.76	—	—	0.26	0.05	0.27	0.19	0.03	0.96	0.30	127	6.3	58.7	10.3	23.4	—	{ CROYDON.															
WILLESDEN ..	29.0	12.1	11.2	11.6	11.6	1.49	—	—	0.19	0.08	0.10	0.03	0.05	0.88	0.39	118	5.6	61.8	6.2	22.1	1.2	WILLESDEN.															
HORNSEY ..	18.4	7.9	8.4	7.6	8.8	0.97	—	—	0.21	0.08	0.14	0.03	0.06	0.45	0.28	85	4.1	57.0	7.2	15.1	—	HORNSEY.															
TOTTENHAM ..	30.5	13.0	13.9	12.8	13.8	2.18	—	—	0.41	0.15	0.10	0.18	0.05	1.29	0.48	130	7.2	64.1	10.6	20.1	0.1	{ TOTTENHAM.															
WEST HAM ..	30.6	15.3	16.5	14.8	15.7	3.17	—	—	0.43	0.13	0.29	0.26	0.18	1.88	0.69	150	8.5	69.4	8.9	27.3	0.0	{ WEST HAM.															
EAST HAM ..	28.0	11.0	13.1	11.7	11.6	2.23	—	—	0.26	0.15	0.21	0.22	0.06	1.33	0.36	128	6.2	58.6	7.8	20.5	0.2	{ EAST HAM.															
LEYTON ..	28.1	10.8	12.7	10.3	12.0	2.20	—	—	0.28	0.14	0.30	0.31	0.05	1.12	0.33	118	5.8	53.1	5.5	21.1	0.3	{ LEYTON.															
(WALTHAMSTOW ..	29.3	11.1	12.2	10.8	12.8	2.44	—	—	0.35	0.17	0.43	0.14	0.07	1.28	0.49	134	6.7	63.1	8.8	24.0	0.1	{ WALTHAMSTOW.															
HASTINGS ..	16.3	12.9	13.2	12.8	13.5	0.56	—	—	0.10	0.09	0.04	0.01	0.03	0.39	0.42	126	6.7	55.3	6.0	15.6	0.8	HASTINGS.															
BRIGHTON ..	22.3	14.3	16.6	13.5	14.7	1.09	—	—	0.22	0.02	0.09	0.19	0.02	0.55	0.36	111	7.1	66.2	8.9	25.9	0.1	BRIGHTON.															
PORTSMOUTH ..	28.7	14.7	16.9	16.6	14.9	1.84	—	—	0.04	0.01	0.29	0.31	0.08	1.11	0.40	130	7.3	61.8	7.5	20.0	1.2	PORTSMOUTH.															
BOURNEMOUTH ..	17.7	12.1	13.6	12.3	13.8	0.72	—	—	0.15	—	0.10	0.25	0.03	0.19	0.44	117	6.5	68.0	7.4	11.6	0.4	BOURNEMOUTH.															
SOUTHAMPTON ..	24.9	13.8	13.7	14.4	13.1	1.37	—	—	—	0.21	0.31	0.05	0.80	0.51	113	6.3	60.8	12.1	18.6	—	SOUTHAMPTON.																
READING ..	23.8	12.7	13.9	13.4	12.7	1.82	—	—	—	0.50	0.43	0.03	0.03	0.86	0.34	115	5.9	66.4	5.1	20.3	2.8	READING.															
NORTHAMPTON ..	21.3	14.2	13.8	12.6	11.2	1.16	—	—	—	0.04	0.09	0.09	0.11	0.83	0.40	120	5.0	60.1	6.9	16.1	1.7	NORTHAMPTON.															
IPSWICH ..	26.5	15.2	15.5	14.6	14.9	1.17	—	—	—	0.03	0.13	0.08	0.06	0.87	0.42	142	6.2	68.6	8.4	14.7	0.8	IPSWICH.															
GREAT YARMOUTH ..	27.1	18.2	17.5	15.8	17.3	2.46	—	—	0.68	0.08	0.11	0.06	0.13	1.45	0.50	102	7.4	67.7	7.6	15.2	—	GREAT YARMOUTH.															
NORWICH ..	26.2	15.2	18.2	16.3	17.7	2.99	—	—	0.84	0.08	0.25	0.17	0.10	1.55	0.33	172	7.9	72.0	6.2	16.3	0.7	NORWICH.															
PLYMOUTH..	24.0	16.5	18.5	16.8	16.2	1.96	0.02	—	0.44	0.08	0.18	0.47	0.05	0.72	0.36	152	8.1	62.4	6.9	12.3	—	PLYMOUTH.															
DEVONPORT ..	27.3	14.1	13.4	13.9	13.1	1.38	0.04	—	0.27	0.05	0.10	0.22	0.10	0.60	0.38	111	6.9	55.4	9.6	9.8	—	DEVONPORT.															
BRISTOL ..	25.9	14.3	15.6	14.6	14.5	1.56	0.06	—	0.39	0.08	0.21	0.08	0.06	0.54	0.48	127	7.1	66.2	9.3	21.5	0.3	BRISTOL.															
HANLEY ..	34.0	18.7	20.9	19.3	18.7	3.12	—	—	0.02	0.38	0.32	0.12	0.15	2.13	0.47	162	9.2	93.5	6.7	13.2	1.3	HANLEY.															
BURTON-ON-TRENT ..	24.1	12.3	15.0	11.5	12.6	1.04	—	—	0.04	0.04	0.08	0.25	0.08	0.55	0.45	117	6.5	64.2	6.3	15.9	3.3	BURTON-ON-TRENT.															
WOLVERHAMPTON ..	27.5	15.5	15.5	15.0	14.8	2.38	—	—	0.26	0.17	0.23	0.21	0.09	1.32	0.49	140	7.2	66.5	7.8	17.3	0.6	WOLVERHAMPTON.															
WALSALL ..	28.2	16.4	17.9	14.1	14.6	2.03	—	—	—	0.02	0.17	0.36	0.13	1.35	0.61	156	6.8	67.4	7.5	10.9	0.5	{ WALSALL.															
HANDSWORTH ..	23.5	10.4	11.8	10.1	10.9	1.35	—	—	0.03	0.08	0.03	0.49	0.03	0.69	0.17	119	4.4	66.1	3.9	5.0	1.2	{ HANDSWORTH (STAFFS).															
WEST BROMWICH ..	31.9	16.8	16.3	16.7	15.5	2.06	—	—	0.10	0.07	0.07	0.66	0.18	0.98	0.59	156	7.5	58.9	5.8	12.1	1.6	WEST BROMWICH.															

* These towns are included within the Metropolitan Outer Ring.

TABLE 3 (continued).—76 Great Towns.—Birth-rate, Death-rate, and Analysis of Mortality in the 52 Weeks ended 29th December, 1906.

TOWNS.	ANNUAL RATE PER 1000 PERSONS LIVING.										DEATHS UNDER 1000 BIRTHS.				ANNUAL DEATH-RATE per 1000 living.			PERCENTAGE to Total Deaths.			TOWNS.
	Total Deaths					Deaths from					Draths under Year to 1000 Births.	Aged Year 1 years upwards.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Deaths.						
	52 Weeks ended					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.						Fever.	Diarrhea.	Violence.			
	2nd Jan., 1904.	31st Dec., 1904.	30th Dec., 1905.	29th Dec., 1906.																	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	Cols.
BIRMINGHAM ..	29.4	17.8	19.9	16.2	16.8	2.78	—	0.40	0.10	0.18	0.45	0.07	1.58	0.59	168	8.4	72.4	4.7	21.8	2.8	BIRMINGHAM.
KINGS NORTON ..	25.6	10.0	10.6	9.1	9.5	0.85	—	0.08	0.10	0.07	0.23	0.01	0.36	0.26	103	4.2	49.1	3.5	6.7	2.6	KINGS NORTON.
SMETHWICK ..	31.5	13.5	12.8	13.3	14.0	2.09	—	0.25	0.06	0.17	0.47	0.11	1.03	0.40	129	7.0	78.0	4.4	5.4	1.8	SMETHWICK.
ASTON MANOR ..	27.5	13.9	15.0	13.1	13.7	2.79	—	0.32	0.10	0.18	0.41	0.10	1.68	0.33	158	6.5	64.2	4.7	6.7	0.9	ASTON MANOR.
COVENTRY ..	31.6	16.2	15.3	14.6	16.1	2.71	—	0.01	0.07	0.17	0.49	0.07	1.90	0.66	138	7.7	66.1	7.1	13.1	2.4	COVENTRY.
LEICESTER..	25.2	14.2	14.5	13.3	14.3	2.38	—	0.35	0.22	0.13	0.49	0.06	1.13	0.44	168	6.9	61.7	7.3	16.6	1.0	LEICESTER.
GRIMSBY ..	29.9	14.2	16.2	14.8	14.8	2.28	—	0.06	0.01	0.27	0.01	0.14	1.79	0.36	180	6.7	58.5	7.3	10.8	1.2	GRIMSBY.
NOTTINGHAM ..	26.6	16.9	17.7	16.5	16.1	2.10	—	0.02	0.07	0.16	0.16	0.17	1.52	0.56	171	7.2	71.8	6.5	18.7	0.5	NOTTINGHAM.
DERBY ..	25.1	13.6	15.3	14.6	14.2	1.40	—	0.02	0.03	0.50	0.23	0.09	0.53	0.53	115	7.3	77.7	9.3	20.3	—	DERBY.
STOCKPORT ..	26.9	18.5	19.7	16.7	18.9	2.89	—	0.68	0.03	0.06	0.35	0.09	1.68	0.54	186	9.5	82.7	6.5	15.3	0.2	STOCKPORT.
BIRKENHEAD ..	31.9	16.8	19.6	15.4	17.3	2.97	—	0.08	0.26	0.23	0.50	0.15	1.75	0.56	151	8.8	73.6	6.8	17.8	0.2	BIRKENHEAD.
WALLASEY..	26.5	13.9	15.2	12.5	13.5	1.33	—	0.20	0.09	0.16	0.25	0.09	1.04	0.70	118	7.0	68.3	8.9	13.6	0.6	WALLASEY.
LIVERPOOL ..	32.7	20.5	22.6	19.6	20.6	3.62	0.00	0.78	0.25	0.20	0.48	0.12	1.79	0.74	172	11.4	78.4	6.0	28.7	3.3	LIVERPOOL.
BOOTLE ..	33.0	19.0	19.6	18.2	18.2	3.38	—	3.71	0.18	0.23	0.46	0.11	1.69	0.47	150	10.1	80.2	4.0	20.1	2.6	BOOTLE.
ST. HELENS ..	34.0	17.7	20.9	17.1	17.2	2.02	—	0.11	0.04	0.26	0.06	0.20	1.35	0.62	158	9.2	76.9	4.0	18.1	4.7	ST. HELENS.
WIGAN ..	33.5	22.2	21.5	18.6	18.1	2.63	—	0.63	0.06	0.08	0.03	0.32	1.61	0.64	162	9.8	78.3	6.3	10.4	0.9	WIGAN.
WARRINGTON ..	32.5	18.7	19.9	17.0	18.3	2.93	—	0.42	0.04	0.12	0.49	0.07	1.79	0.67	157	10.0	84.5	4.2	13.1	3.6	WARRINGTON.
BOLTON ..	25.4	17.5	16.9	15.1	15.2	1.72	—	0.01	0.09	0.12	0.11	0.24	1.15	0.44	140	8.0	81.5	6.6	11.7	0.4	BOLTON.
BURY ..	22.6	17.3	16.9	16.3	16.6	2.15	—	0.90	0.02	0.09	0.09	0.09	0.96	0.63	177	8.2	77.7	6.5	12.9	2.0	BURY.
MANCHESTER ..	29.3	19.7	21.3	18.0	19.2	3.09	—	0.75	0.18	0.19	0.31	0.13	1.53	0.72	167	10.7	81.8	7.4	24.6	0.8	MANCHESTER.
SALFORD ..	30.2	19.0	21.2	16.9	18.3	3.23	—	0.80	0.19	0.39	0.23	0.18	1.44	0.54	159	10.0	83.0	7.4	21.9	0.3	SALFORD.
OLDHAM ..	26.9	18.6	18.2	18.0	18.8	2.75	—	0.88	0.23	0.12	0.29	0.04	1.19	0.54	146	10.8	82.6	5.9	13.0	0.2	OLDHAM.
ROCHDALE..	23.4	17.1	17.7	16.7	17.4	1.79	—	0.54	0.15	0.23	0.23	0.06	0.58	0.56	140	9.5	84.4	5.5	15.0	2.8	ROCHDALE.
BURNLEY ..	27.8	19.2	19.5	16.6	19.5	3.82	—	1.15	0.12	0.14	0.28	0.10	2.01	0.66	212	10.0	84.3	5.8	15.4	1.1	BURNLEY.
BLACKBURN ..	25.3	15.7	16.9	16.2	16.0	2.23	—	0.51	0.26	0.19	0.10	0.10	1.07	0.55	156	8.2	78.4	5.4	14.4	2.9	BLACKBURN.
PRESTON ..	26.7	18.7	19.2	17.9	19.2	3.58	—	1.08	0.13	0.14	0.10	0.17	1.96	0.43	199	9.3	81.2	3.2	11.1	3.1	PRESTON.
BARROW-IN-FURNESS.	30.9	12.7	13.7	14.6	14.0	1.45	—	—	0.07	0.21	0.07	0.03	1.07	0.54	125	7.4	72.3	4.2	10.2	4.7	BARROW-IN-FURNESS.

TOWNS.	Total Deaths					Deaths from										Deaths under 1 year to 1000 Births.		Death Rate per 1000 living.		Deaths in Institutions, Unsanitary Cases, &c.		TOWNS.
	52 Weeks ended					Principal Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhoid.	Violence.	Aged 1 year to 1000 Births.	Aged 1 year to 1000 Births.	Aged 1 year to 1000 Births.	Aged 1 year to 1000 Births.	Deaths in Institutions.	Unsanitary Cases.			
	2nd Jan., 1904.	31st Dec., 1904.	30th Dec., 1905.	29th Dec., 1906.	28th Dec., 1906.																	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	Cols.	
HUDDESFIELD.	24.3	16.7	17.5	17.0	17.3	2.21	—	0.64	0.07	0.14	0.35	0.11	0.80	0.55	135	9.1	81.2	5.3	11.2	1.0	HUDDESFIELD.	
HALEFAX.	18.9	15.0	15.5	14.6	14.9	1.36	—	0.50	0.07	0.39	0.03	0.04	0.30	0.35	115	7.8	79.8	5.7	20.6	1.2	HALEFAX.	
BRADFORD.	20.6	16.4	17.6	15.2	16.1	2.03	—	0.44	0.14	0.21	0.13	0.18	0.93	0.51	152	8.5	78.8	8.4	18.7	0.8	BRADFORD.	
LEEDS.	26.2	16.6	18.0	15.2	15.6	2.23	—	0.59	0.07	0.18	0.32	0.10	0.97	0.57	151	8.2	72.3	8.6	15.0	0.2	LEEDS.	
SHEFFIELD.	29.9	18.6	16.8	17.0	16.4	2.92	—	0.17	0.49	0.19	0.24	0.12	1.71	0.54	158	8.3	75.8	5.7	18.6	2.0	SHEFFIELD.	
ROTHERHAM.	31.8	17.6	15.8	13.7	16.6	3.47	—	1.05	0.39	0.13	0.46	0.13	1.31	0.54	160	8.8	65.8	5.1	12.6	3.9	ROTHERHAM.	
YORK.	26.6	16.3	16.2	14.2	13.7	1.75	—	0.18	0.08	0.17	0.20	0.17	0.95	0.41	124	8.5	63.0	8.2	17.0	—	YORK.	
HULL.	20.8	16.9	18.6	16.3	16.9	2.93	0.04	0.24	0.05	0.52	0.28	0.19	1.61	0.74	180	8.5	69.7	8.6	19.3	0.7	HULL.	
MIDDLESBROUGH.	35.6	21.5	19.8	21.0	20.3	3.09	—	0.24	0.12	0.31	0.43	0.16	1.83	0.61	169	11.2	82.8	6.0	16.0	1.3	MIDDLESBROUGH.	
STOCKTON-ON-TEES.	33.8	16.0	17.6	17.8	16.1	1.85	—	0.02	0.02	0.19	0.25	0.15	1.22	0.82	127	8.0	78.4	8.6	12.6	0.9	STOCKTON-ON-TEES.	
WEST HARTLEPOOL.	29.5	14.3	15.5	15.8	14.0	1.78	—	0.03	0.18	0.26	0.22	0.08	1.01	0.38	137	7.4	70.8	4.9	13.0	0.4	WEST HARTLEPOOL.	
SUNDERLAND.	34.9	19.9	19.5	18.6	18.6	1.97	—	0.10	0.04	0.22	0.39	0.14	1.08	0.59	140	10.2	74.3	5.7	16.5	3.4	SUNDERLAND.	
SOUTH SHIELDS.	31.8	17.2	17.9	16.1	17.6	2.60	0.01	0.96	0.05	0.26	0.34	0.10	0.88	0.72	148	9.9	75.7	5.0	14.9	4.2	SOUTH SHIELDS.	
GATESHEAD.	31.9	16.7	18.5	15.5	16.3	2.78	—	0.41	0.06	0.28	0.33	0.08	1.62	0.37	161	8.2	71.8	3.4	8.7	5.8	GATESHEAD.	
NEWCASTLE-ON-TYNE.	30.6	19.2	19.4	16.8	17.1	2.23	—	0.63	0.06	0.24	0.22	0.05	1.03	0.60	151	9.4	71.7	7.6	13.9	0.4	NEWCASTLE-ON-TYNE.	
TYNEMOUTH.	32.2	18.2	19.2	19.3	18.3	2.03	—	0.35	0.11	0.17	0.07	0.11	1.22	0.83	148	10.3	71.4	7.6	13.5	2.0	TYNEMOUTH.	
NEWPORT (MON.).	32.5	15.7	15.7	15.8	16.3	1.66	—	0.18	0.05	0.11	0.34	0.05	0.93	0.57	145	8.2	75.4	7.8	16.0	0.9	NEWPORT (MON.).	
CARDIFF.	27.3	14.0	14.8	13.4	14.0	1.31	—	0.01	0.02	0.07	0.35	0.07	0.79	0.65	138	7.5	67.0	9.1	15.8	0.2	CARDIFF.	
RHONDDA.	37.3	16.6	19.1	19.1	16.1	2.46	—	0.19	0.07	0.20	0.21	0.16	1.63	0.79	174	7.4	72.8	5.8	2.8	0.4	RHONDDA.	
MERTHYR TYDFIL.	36.4	19.1	19.7	22.1	19.1	2.31	—	—	0.15	0.41	0.40	0.15	1.20	0.78	179	9.9	65.7	6.6	12.1	0.4	MERTHYR TYDFIL.	
SWANSEA.	33.0	18.6	18.0	16.7	18.3	1.90	—	0.30	0.09	0.07	0.52	0.10	0.82	0.88	157	9.1	77.8	8.4	11.9	0.2	SWANSEA.	
GREATER LONDON.	27.0	14.5	15.5	14.4	14.4	1.98	—	0.36	0.11	0.17	0.24	0.06	1.04	0.56	129	?	?	9.2	31.7	0.3	GREATER LONDON.	
OUTER RING.	28.1	12.0	13.2	11.8	13.0	2.07	—	0.27	0.10	0.20	0.20	0.07	1.23	0.49	125	?	?	8.1	20.7	0.4	OUTER RING.	
8 TOWNS IN OUTER RING.	28.2	12.3	13.4	12.2	13.1	2.24	—	0.32	0.12	0.24	0.21	0.08	1.27	0.47	131	6.7	61.6	8.4	23.2	0.2	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	28.0	11.6	13.0	11.5	13.0	1.92	—	0.23	0.08	0.17	0.20	0.05	1.19	0.52	120	?	?	7.7	18.2	0.5	REMAINDER OF OUTER RING.	
EDINBURGH.	22.4	16.8	16.6	16.2	15.9	1.27	—	0.38	0.11	0.14	0.10	0.04	0.50	0.60	117	9.1	70.0	?	33.3	5.4	EDINBURGH.	
GLASGOW.	29.3	19.2	19.2	17.9	17.7	2.19	—	0.47	0.06	0.18	0.48	0.11	0.89	0.78	131	11.0	70.7	?	28.2	3.4	GLASGOW.	
DUBLIN (Registration Area). ^a	29.4	22.9	23.4	21.3	22.4	1.78	—	0.15	0.03	0.09	0.26	0.16	1.09	0.50	146	13.1	89.0	3.3	39.2	3.6	DUBLIN (Registration Area). ^a	
BELFAST. ^a	31.0	20.0	20.9	20.1	20.1	2.47	—	0.08	0.07	0.11	0.90	0.28	1.03	0.43	144	12.3	80.2	4.0	22.7	1.6	BELFAST. ^a	

^a See note * to Table 2, page 8.

TABLE 4.—76 Great Towns.^a—Death-rates per 1000 living from **All Causes**, and from the **Principal Epidemic Diseases**, and **Infant Mortality** in the Ten Years **1896-1905**, and in **1906**.

In this Table 0·00 indicates that the deaths were too few to give a rate of 0·005; where *no death* occurred, — is inserted.

TOWNS.	ALL CAUSES.		SMALL-POX.		MEASLES.		SCARLET FEVER.		DIPHTHERIA.		WHOOPING-COUGH.		FEVER.		DIARRHŒA.		DEATHS UNDER ONE YEAR TO 1000 BIRTHS.		TOWNS.
	Ten years 1896-1905.	1906.	Ten years 1896-1905.	1906.	Ten years 1896-1905.	1906.	Ten years 1896-1905.	1906.	Ten years 1896-1905.	1906.	Ten years 1896-1905.	1906.	Ten years 1896-1905.	1906.	Ten years 1896-1905.	1906.	Ten years 1896-1905.		
76 TOWNS ..	?	15·9	?	0·00	?	0·40	?	0·12	?	0·19	?	0·28	?	0·09	?	1·16	?	145	.. 76 TOWNS.
LONDON ..	17·3	15·1	0·03	—	0·51	0·41	0·12	0·11	0·32	0·15	0·41	0·26	0·11	0·06	0·81	0·94	150	131	LONDON.
{ CROYDON ..	13·6	13·4	0·01	—	0·24	0·26	0·05	0·05	0·16	0·27	0·30	0·19	0·07	0·03	0·65	0·96	133	127	{ CROYDON.
WILLESDEN ..	12·8	11·6	0·01	—	0·48	0·19	0·10	0·08	0·36	0·10	0·38	0·19	0·09	0·05	0·91	0·88	137	118	WILLESDEN.
HORNSEY ..	8·9	8·8	0·01	—	0·13	0·21	0·03	0·08	0·14	0·14	0·21	0·03	0·04	0·06	0·37	0·45	94	85	HORNSEY.
TOTTENHAM ..	14·1	13·8	0·07	—	0·35	0·41	0·10	0·15	0·25	0·10	0·40	0·18	0·12	0·05	0·87	1·29	144	130	{ TOTTENHAM.
{ WEST HAM ..	17·4	15·7	0·06	—	0·54	0·43	0·12	0·13	0·30	0·29	0·50	0·26	0·22	0·18	1·45	1·88	167	150	{ WEST HAM.
EAST HAM ..	?	11·6	?	—	0·26	?	?	?	?	0·21	?	0·22	?	0·06	?	1·33	?	128	EAST HAM.
LEYTON ..	12·2	12·0	0·01	—	0·25	0·28	0·09	0·14	0·28	0·30	0·42	0·31	0·14	0·05	0·97	1·12	134	118	LEYTON.
{ WALTHAMSTOW ..	12·5	12·8	0·01	—	0·34	0·35	0·09	0·17	0·43	0·42	0·36	0·14	0·15	0·07	1·00	1·28	139	134	{ WALTHAMSTOW.
HASTINGS ..	14·5	13·5	0·00	—	0·16	0·10	0·04	0·09	0·15	0·04	0·21	0·01	0·06	0·03	0·40	0·39	120	126	HASTINGS.
BRIGHTON ..	16·2	14·7	—	—	0·28	0·22	0·05	0·02	0·27	0·09	0·20	0·19	0·10	0·02	0·75	0·55	143	111	BRIGHTON.
PORTSMOUTH ..	17·2	14·9	—	—	0·36	0·04	0·10	0·01	0·36	0·29	0·31	0·31	0·24	0·08	1·14	1·11	153	130	PORTSMOUTH.
BOURNEMOUTH ..	13·4	13·8	—	—	0·11	0·15	0·04	—	0·15	0·10	0·11	0·25	0·04	0·03	0·31	0·19	113	117	BOURNEMOUTH.
SOUTHAMPTON ..	16·3	13·1	0·01	—	0·37	—	0·07	—	0·24	0·21	0·29	0·31	0·13	0·05	0·87	0·80	143	113	SOUTHAMPTON.
READING ..	14·0	12·7	0·00	—	0·29	—	0·06	—	0·14	0·50	0·18	0·43	0·05	0·03	0·78	0·86	134	115	READING.
NORTHAMPTON ..	15·6	11·2	—	—	0·37	—	0·23	0·04	0·11	0·09	0·34	0·09	0·11	0·11	0·75	0·83	147	120	NORTHAMPTON.
IPSWICH ..	16·4	14·9	—	—	0·31	—	0·03	0·03	0·14	0·13	0·28	0·08	0·19	0·06	1·01	0·87	152	142	IPSWICH.
GREAT YARMOUTH ..	18·5	17·3	0·00	—	0·34	0·63	0·13	0·08	0·56	0·11	0·33	0·06	0·30	0·13	1·10	1·46	164	152	GREAT YARMOUTH.
NORWICH ..	17·8	17·7	—	—	0·43	0·84	0·09	0·08	0·17	0·25	0·30	0·17	0·17	0·10	1·12	1·55	176	172	NORWICH.
PLYMOUTH..	18·5	16·2	0·00	0·02	0·46	0·44	0·10	0·08	0·13	0·18	0·27	0·47	0·10	0·05	0·91	0·72	165	152	PLYMOUTH.
DEVONPORT ..	15·7	13·1	—	0·04	0·32	0·27	0·07	0·05	0·18	0·10	0·22	0·22	0·13	0·10	0·49	0·60	136	111	DEVONPORT.
BRISTOL ..	16·5	14·5	0·00	0·00	0·47	0·39	0·12	0·08	0·26	0·21	0·35	0·28	0·11	0·06	0·60	0·54	138	127	BRISTOL.
HANLEY ..	21·2	18·7	0·02	—	0·62	0·02	0·22	0·38	0·78	0·32	0·38	0·12	0·20	0·15	1·22	2·13	205	162	HANLEY.
BURTON-ON-TRENT	14·8	12·6	0·00	—	0·42	0·04	0·13	0·04	0·32	0·08	0·32	0·25	0·08	0·08	0·54	0·55	120	117	BURTON-ON-TRENT.

Seventy-six Great Towns : Epidemic and Infant Mortality.

13

DEATHS UNDER ONE YEAR TO 1000 BIRTHS.

In this Table 0'00 indicates that the deaths were too few to give a rate of 0'005 ; where *no death* occurred, — is inserted.

TOWNS.	ALL CAUSES.		SMALL-POX.		MEASLES.		SCARLET FEVER.		DIPHTHERIA.		WHOOPING-COUGH.		FEVER.		DIARRHŒA.		DEATHS UNDER ONE YEAR TO 1000 BIRTHS.		TOWNS.
	Ten years 1896-1905.	1906.	Ten years 1896-1905.	1906.	Ten years 1896-1905.	1906.	Ten years 1896-1905.	1906.	Ten years 1896-1905.	1906.	Ten years 1896-1905.	1906.	Ten years 1896-1905.	1906.	Ten years 1896-1905.	1906.			
WOLVERHAMPTON	18'4	14'8	—	—	0'33	0'26	0'16	0'17	0'27	0'23	0'32	0'21	0'25	0'09	1'40	1'32	172	140	WOLVERHAMPTON.
WALSALL	17'6	14'6	—	—	0'31	—	0'19	0'02	0'16	0'17	0'34	0'36	0'17	0'13	1'36	1'35	171	156	WALSALL.
HANDSWORTH (STAFFS).	?	10'9	?	—	?	0'03	?	0'08	?	0'03	?	0'49	?	0'03	?	0'69	?	119	{ HANDSWORTH (STAFFS).
WEST BROMWICH	18'7	15'5	—	—	0'69	0'10	0'29	0'07	0'15	0'07	0'29	0'66	0'20	0'18	1'20	0'98	168	156	WEST BROMWICH.
BIRMINGHAM	19'8	16'8	—	—	0'45	0'40	0'21	0'10	0'26	0'18	0'48	0'45	0'19	0'07	1'34	1'58	185	168	BIRMINGHAM.
KINGS NORTON	?	9'5	?	—	?	0'08	?	0'10	?	0'07	?	0'23	?	0'01	?	0'36	?	103	KINGS NORTON.
SMETHWICK	15'2	14'0	0'00	—	0'31	0'25	0'13	0'06	0'17	0'17	0'22	0'47	0'17	0'11	0'73	1'03	158	129	SMETHWICK.
ASTON MANOR	15'9	13'7	0'01	—	0'37	0'32	0'14	0'10	0'19	0'18	0'44	0'41	0'20	0'10	1'69	1'68	174	158	ASTON MANOR.
COVENTRY	16'6	16'1	0'00	—	0'39	0'01	0'14	0'07	0'25	0'17	0'25	0'49	0'12	0'07	1'17	1'90	142	138	COVENTRY.
LEICESTER	16'3	14'3	0'01	—	0'33	0'35	0'15	0'22	0'48	0'13	0'29	0'49	0'11	0'06	1'25	1'13	176	168	LEICESTER.
GRIMSBY	16'5	14'8	0'01	—	0'35	0'06	0'06	0'01	0'39	0'27	0'35	0'01	0'32	0'14	1'36	1'79	183	180	GRIMSBY.
NOTTINGHAM	18'1	16'1	0'01	—	0'43	0'02	0'14	0'07	0'15	0'16	0'34	0'16	0'26	0'17	1'17	1'52	181	171	NOTTINGHAM.
DERBY	15'8	14'2	0'01	—	0'30	0'02	0'13	0'08	0'12	0'50	0'28	0'28	0'16	0'08	0'73	0'53	153	115	DERBY.
STOCKPORT	20'4	18'9	0'03	—	0'47	0'68	0'19	0'08	0'10	0'08	0'35	0'35	0'18	0'08	1'40	1'68	199	186	STOCKPORT.
BIRKENHEAD	18'4	17'3	0'01	—	0'44	0'08	0'18	0'26	0'23	0'23	0'42	0'50	0'24	0'15	1'04	1'75	167	161	BIRKENHEAD.
WALLASEY*	15'1	13'5	0'00	—	0'24	0'20	0'14	0'09	0'12	0'16	0'31	0'25	0'23	0'09	0'68	1'04	136	118	WALLASEY.*
LIVERPOOL	22'4	20'6	0'03	0'00	0'47	0'78	0'29	0'25	0'25	0'20	0'47	0'48	0'23	0'12	1'55	1'79	186	172	LIVERPOOL.
BOOTLE	20'1	18'2	0'02	—	0'33	0'71	0'31	0'18	0'20	0'23	0'41	0'46	0'29	0'11	1'63	1'69	182	150	BOOTLE.
ST. HELENS	20'2	17'2	0'00	—	0'57	0'11	0'36	0'04	0'24	0'26	0'48	0'08	0'31	0'20	1'43	1'35	169	158	ST. HELENS.
WIGAN	22'1	18'1	0'01	—	0'87	0'53	0'28	0'06	0'13	0'08	0'57	0'03	0'27	0'32	1'46	1'61	181	162	WIGAN.
WARRINGTON	19'0	18'3	0'02	—	0'78	0'42	0'21	0'04	0'10	0'12	0'54	0'49	0'13	0'07	1'21	1'79	167	157	WARRINGTON.
BOLTON	18'6	15'2	0'01	—	0'46	0'01	0'25	0'08	0'13	0'12	0'38	0'11	0'26	0'24	1'20	1'15	167	140	BOLTON.
BURY	18'0	16'6	0'03	—	0'33	0'90	0'15	0'02	0'20	0'09	0'25	0'08	0'18	0'09	0'87	0'96	165	177	BURY.
MANCHESTER	21'9	19'2	0'01	—	0'73	0'75	0'19	0'18	0'18	0'19	0'47	0'31	0'16	0'13	1'36	1'53	183	167	MANCHESTER.
SALFORD	21'7	18'3	0'00	—	0'84	0'80	0'33	0'19	0'35	0'39	0'55	0'23	0'29	0'18	1'55	1'44	192	159	SALFORD.
OLDHAM	20'0	18'8	0'04	—	0'62	0'88	0'27	0'23	0'19	0'12	0'44	0'29	0'12	0'04	0'77	1'19	170	146	OLDHAM.

* Average rates for the eight years 1898-1905 only.

TABLE 4 (continued). - 76 Great Towns. - Death-rates per 1000 living from **All Causes**, and from the **Principal Epidemic Diseases**, and **Infant Mortality** in the Ten Years **1896-1905**, and in **1906**.In this Table '000 indicates that the deaths were too few to give a rate of 0.005; where *no death* occurred, — is inserted.

TOWNS.	ALL CAUSES.		SMALL-POX.		MEASLES.		SCARLET FEVER.		DIPHTHERIA.		WHOOPING-COUGH.		FEVER.		DIARRHŒA.		DEATHS UNDER ONE YEAR TO 1000 BIRTHS.		TOWNS.
	Ten years 1896-1905.	1906.	Ten years 1896-1905.	1906.	Ten years 1896-1905.	1906.	Ten years 1896-1905.	1906.	Ten years 1896-1905.	1906.	Ten years 1896-1905.	1906.	Ten years 1896-1905.	1906.	Ten years 1896-1905.	1906.			
ROCHDALE ..	18.5	17.4	0.01	—	0.38	0.54	0.14	0.15	0.16	0.23	0.29	0.23	0.09	0.06	0.48	0.58	140	ROCHDALE.	
BURNLEY ..	19.8	19.5	0.02	—	0.62	1.15	0.29	0.12	0.34	0.14	0.40	0.28	0.18	0.12	1.54	2.01	208	BURNLEY.	
BLACKBURN ..	18.7	16.0	0.01	—	0.55	0.51	0.26	0.26	0.29	0.19	0.33	0.10	0.21	0.10	1.00	1.07	184	BLACKBURN.	
PRESTON ..	21.2	19.2	0.01	—	0.75	1.08	0.18	0.13	0.19	0.14	0.44	0.10	0.28	0.17	1.71	1.96	209	PRESTON.	
BARROW-IN-FURNESS.	14.9	14.0	0.00	—	0.52	—	0.12	0.07	0.14	0.21	0.38	0.07	0.20	0.03	0.61	1.07	144	BARROW-IN-FURNESS.	
HUDDERSFIELD ..	17.4	17.3	0.00	—	0.32	0.64	0.15	0.07	0.12	0.14	0.28	0.35	0.14	0.11	0.54	0.90	138	HUDDERSFIELD.	
HALIFAX ..	16.8	14.9	0.01	—	0.33	0.50	0.15	0.07	0.15	0.39	0.21	0.06	0.16	0.04	0.34	0.30	140	HALIFAX.	
BRADFORD ..	17.2	16.1	0.01	—	0.33	0.44	0.16	0.14	0.19	0.21	0.27	0.13	0.16	0.18	0.73	0.93	159	BRADFORD.	
LEEDS ..	18.5	15.6	0.01	—	0.46	0.59	0.18	0.07	0.32	0.18	0.38	0.32	0.17	0.10	1.01	0.97	172	LEEDS.	
SHEFFIELD ..	19.3	16.4	0.00	—	0.55	0.17	0.20	0.49	0.43	0.19	0.40	0.24	0.25	0.12	1.46	1.71	182	SHEFFIELD.	
ROTTERHAM ..	17.1	16.6	0.01	—	0.50	1.05	0.19	0.39	0.15	0.13	0.38	0.46	0.21	0.13	1.34	1.31	161	ROTTERHAM.	
YORK ..	17.2	13.7	0.01	—	0.32	0.18	0.11	0.08	0.07	0.17	0.27	0.20	0.21	0.17	1.30	0.65	164	YORK.	
HULL ..	18.3	16.9	0.08	0.04	0.53	0.24	0.13	0.05	0.22	0.52	0.37	0.28	0.19	0.19	1.50	1.61	170	HULL.	
MIDDLESBROUGH ..	21.6	20.3	0.23	—	0.54	0.24	0.19	0.12	0.25	0.31	0.41	0.43	0.29	0.16	1.13	1.83	182	MIDDLESBROUGH.	
STOCKTON - ON - TEES.	17.9	16.1	0.00	—	0.55	0.02	0.15	0.02	0.25	0.19	0.37	0.25	0.17	0.15	0.87	1.22	163	STOCKTON-ON-TEES.	
WEST HARTLEPOOL ..	15.7	14.0	0.00	—	0.33	0.03	0.11	0.18	0.21	0.26	0.38	0.22	0.11	0.08	0.71	1.01	142	WEST HARTLEPOOL.	
SUNDERLAND ..	20.6	18.6	0.01	—	0.58	0.10	0.18	0.04	0.13	0.22	0.44	0.39	0.30	0.14	1.09	1.08	167	SUNDERLAND.	
SOUTH SHIELDS ..	19.1	17.6	0.02	0.01	0.48	0.96	0.22	0.05	0.11	0.26	0.46	0.34	0.21	0.10	0.78	0.88	156	SOUTH SHIELDS.	
GATESHEAD ..	18.7	16.3	0.05	—	0.49	0.41	0.18	0.06	0.11	0.26	0.46	0.33	0.11	0.08	1.12	1.62	170	GATESHEAD.	
NEWCASTLE - ON TYNE.	22.4	17.1	0.01	—	0.40	0.63	0.13	0.06	0.16	0.24	0.43	0.22	0.11	0.05	0.74	1.03	167	NEWCASTLE-ON-TYNE.	
TYNEMOUTH ..	18.9	18.8	0.03	—	0.29	0.35	0.12	0.11	0.14	0.17	0.33	0.07	0.11	0.11	0.65	1.22	156	TYNEMOUTH.	
NEWPORT (MON.) ..	16.9	16.3	0.01	—	0.53	0.18	0.08	0.05	0.21	0.11	0.24	0.34	0.13	0.05	0.54	0.93	154	NEWPORT (MON.)	
CARDIFF ..	16.2	14.0	0.01	—	0.42	0.01	0.12	0.02	0.43	0.07	0.41	0.35	0.09	0.07	0.67	0.79	148	CARDIFF.	
RHONDDA ..	19.7	16.1	0.00	—	0.55	0.19	0.23	0.07	0.75	0.20	0.46	0.21	0.32	0.16	1.22	1.63	197	RHONDDA.	
MERTHYR TYDFIL ..	22.5	19.1	0.02	—	0.72	—	0.18	0.15	0.46	0.41	0.36	0.40	0.30	0.15	1.16	1.20	201	MERTHYR TYDFIL.	
SWANSEA ..	18.3	18.3	0.04	—	0.40	0.30	0.11	0.09	0.49	0.07	0.43	0.52	0.11	0.10	0.51	0.82	161	SWANSEA.	

TABLE 5. 76 Great Towns,* &c. Annual Rate of Mortality per 1,000 persons living in the Year 1906 (52 weeks) and in each Quarter of the year.

TOWNS.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	TOWNS.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
76 Towns	15'9	16'5	14'8	16'1	16'1	St. Helens	17'2	18'0	15'7	19'1	16'2
London	15'1	16'0	14'2	14'8	15'4	Wigan	18'1	16'3	15'5	20'5	20'2
Croydon	13'4	13'9	11'8	14'6	13'2	Warrington	18'3	19'6	17'6	17'4	18'6
Willesden	11'6	12'6	9'6	12'2	12'0	Bolton	15'2	14'6	14'8	15'4	15'9
Hornsey	8'8	11'1	8'6	7'8	7'9	Bury	16'6	18'0	16'1	15'4	16'9
Tottenham	13'8	15'7	11'0	14'2	14'4	Manchester	19'2	17'9	19'0	20'2	19'6
West Ham	15'7	15'1	13'1	17'8	16'9	Salford	18'3	16'6	18'4	19'2	18'8
East Ham.. ..	11'6	11'8	9'6	13'2	11'9	Oldham	18'8	17'5	17'3	18'1	22'1
Leyton	12'0	12'5	10'7	12'7	11'9	Rochdale	17'4	15'1	16'2	17'3	21'0
Walthamstow	12'8	12'0	10'4	14'4	14'2	Burnley	19'5	18'5	18'5	20'7	20'5
Hastings.. ..	13'5	16'1	13'3	12'9	11'6	Blackburn	16'0	18'0	14'9	14'9	16'3
Brighton	14'7	17'8	12'9	13'7	14'3	Preston	19'2	22'5	15'7	18'1	20'4
Portsmouth	14'9	14'8	13'3	16'2	15'3	Barrow-in-Furness	14'0	13'9	14'1	13'9	14'1
Bournemouth	13'8	17'1	13'1	11'3	13'6	Huddersfield.. ..	17'3	16'5	16'5	18'6	17'7
Southampton	13'1	14'6	12'5	13'2	12'0	Halifax	14'9	17'0	15'2	11'9	15'5
Reading	12'7	14'3	12'9	11'9	11'7	Bradford	16'1	16'1	17'4	15'8	15'1
Northampton	11'2	11'3	11'3	11'9	10'2	Leeds	15'6	17'3	15'3	15'4	14'5
Ipswich	14'9	15'7	14'7	14'9	14'2	Sheffield	16'4	15'3	14'6	13'9	16'9
Great Yarmouth	17'3	17'5	16'8	18'0	17'1	Rotherham	16'6	15'3	13'6	17'8	19'6
Norwich	17'7	16'5	15'9	19'0	19'4	York	13'7	15'4	12'1	13'5	13'7
Plymouth.. ..	16'2	18'8	15'1	14'5	16'6	Hull	16'9	16'1	14'8	19'6	17'2
Devonport	13'1	15'7	11'7	11'9	13'2	Middlesbrough	20'3	19'3	20'2	20'6	21'2
Bristol	14'5	16'7	13'5	13'0	14'7	Stockton-on-Tees	16'1	16'6	14'9	15'9	17'1
Hanley	18'7	17'9	18'0	19'1	19'9	West Hartlepool	14'0	14'4	12'6	14'0	14'7
Burton-on-Trent	12'6	13'9	12'7	11'5	12'4	Sunderland	18'6	19'1	16'8	18'1	20'3
Wolverhampton	14'8	17'2	12'4	15'3	14'3	South Shields	17'6	16'4	15'7	16'3	21'8
Walsall	14'6	16'3	12'0	16'1	14'2	Gateshead	16'3	16'3	14'2	17'1	17'7
Handsworth (Staffs.)	10'9	12'9	9'1	10'2	11'3	Newcastle-on-Tyne	17'1	17'3	16'7	17'3	17'2
West Bromwich	15'5	17'9	14'9	15'1	14'2	Tynemouth	18'8	19'3	16'8	20'3	18'9
Birmingham	16'8	17'9	16'1	17'4	15'8	Newport (Mon.)	16'3	17'6	13'6	14'4	19'4
Kings Norton	9'5	10'7	9'9	9'2	8'5	Cardiff	14'0	14'7	13'9	12'5	14'9
Smethwick	14'0	14'5	13'5	14'4	13'7	Rhondda	16'1	17'2	14'0	18'0	15'0
Aston Manor	13'7	14'1	10'9	16'2	13'4	Merthyr Tydfil	19'1	20'1	15'6	21'1	19'5
Coventry	16'1	16'0	14'8	18'0	15'4	Swansea	18'3	20'0	15'9	17'4	19'9
Leicester	14'3	16'7	12'5	14'4	13'5	Greater London	14'4	15'1	13'3	14'7	14'5
Grimsby	14'8	13'6	11'7	19'4	14'4	Outer Ring	13'0	13'3	11'5	14'5	12'8
Nottingham	16'1	18'8	12'9	17'2	15'4	8 Towns in Outer Ring	13'1	13'4	11'0	14'2	13'6
Derby	14'2	14'3	14'1	12'5	16'0	Remainder of Outer Ring	13'0	13'2	11'9	14'8	12'0
Stockport	18'9	18'3	16'3	21'9	19'3	Edinburgh	15'9	17'3	17'1	13'1	16'2
Birkenhead	17'3	16'0	16'2	19'9	17'0	Glasgow	17'7	18'9	18'3	15'5	18'2
Wallasey	13'5	12'8	12'9	13'2	15'1	Dublin (Registration Area)	22'5	22'9	21'4	21'4	24'2
Liverpool	20'6	21'3	20'5	21'0	19'7	Belfast	20'2	22'8	21'4	18'5	18'2
Bootle	18'2	17'1	17'1	19'5	19'3						

* See note at head of Table 3.

TABLE 6.—One hundred and forty-two smaller Towns.—Population ; Births and Deaths in the Year 1906.

NOTE.—The 142 Smaller Towns are those with populations of 20,000 but not exceeding 50,000 at the Census of 1901. The deaths in these towns have been corrected for deaths occurring in Public Institutions, while in addition the deaths occurring in London of all persons known to belong to towns in the Metropolitan Outer Ring have been credited to the several towns to which they belong.

TOWNS.	Cols.	ESTIMATED POPULATION in the middle of 1906.	BIRTHS.		DEATHS.		The DEATHS registered in the Year include											TOWNS.
			1.	2.	3.	DEATHS of			DEATHS from									
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Principal Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.		
142 Towns	4,835,406	128,292	70,118	17,712	22,093	8243	—	1047	418	825	977	453	4523	2385	142 Towns.		
SURREY.																SURREY.		
Aldershot (Sh'mp'tn Ad.)		33,963	1107	386	131	86	52	—	1	—	6	5	4	36	12	Aldershot (Sh'mp'tn Ad.)		
Guildford		22,413	484	273	37	127	19	—	1	3	—	4	—	10	12	Guildford		
Kingston on Thames*		23,404	919	473	116	174	48	—	2	—	6	13	—	27	10	Kingston on Thames*		
Penge (Kent Admin.)*		27,673	418	288	68	116	23	—	1	—	3	2	1	16	6	Penge (Kent Admin.)*		
Reigate		27,886	548	298	51	151	24	—	1	1	5	2	1	4	10	Reigate		
Richmond*		34,358	640	370	54	157	29	—	3	5	3	4	1	18	41	Richmond*		
Wimbledon*		50,231	1185	648	188	170	136	—	19	5	9	5	5	93	22	Wimbledon*		
KENT.																KENT.		
Beckenham*		29,362	672	279	64	108	24	—	1	—	1	2	2	18	7	Beckenham*		
Bromley*		30,545	734	319	83	118	30	—	1	1	5	2	—	22	13	Bromley*		
Canterbury		25,990	625	360	81	160	25	—	2	—	3	2	—	16	10	Canterbury.		
Chatham		40,087	1106	559	152	177	50	—	4	2	3	8	2	27	19	Chatham.		
Dover		47,413	1183	546	117	229	38	—	1	—	2	6	—	29	28	Dover.		
Erith*		31,683	915	327	81	75	72	—	1	3	18	3	5	35	23	Erith*		
Folkestone		34,358	694	386	92	147	39	—	1	—	2	2	8	35	21	Folkestone.		
Gillingham		50,712	1377	532	166	147	89	—	4	8	1	6	—	59	19	Gillingham.		
Gravesend		29,081	881	374	65	134	27	—	1	2	9	6	6	22	7	Gravesend.		
Maidstone		34,403	831	481	90	211	48	—	4	3	2	6	—	13	23	Maidstone.		
Margate		25,532	419	312	48	120	48	—	3	3	6	6	6	25	6	Margate.		
Ramsgate		29,452	595	419	88	167	67	—	2	2	6	—	3	35	8	Ramsgate.		
Rochester		33,008	799	358	106	113	44	—	2	2	1	8	1	28	20	Rochester.		
Tunbridge Wells		35,688	658	418	156	221	12	—	—	—	—	—	—	11	7	Tunbridge Wells.		
SUSSEX.																SUSSEX.		
Eastbourne		47,975	894	493	80	208	24	—	10	—	2	—	—	12	28	Eastbourne.		
Hove		41,040	671	479	76	237	37	—	2	—	1	5	—	27	20	Hove.		
Worthing		24,918	520	387	63	180	26	—	—	—	12	—	2	13	10	Worthing.		
HAMPSHIRE.																HAMPSHIRE.		
Gosport and Alverstoke		30,828	915	396	114	111	53	—	—	—	—	9	1	43	4	Gosport and Alverstoke.		
Winchester		21,225	475	262	34	134	2	—	—	—	1	—	—	1	3	Winchester.		
MIDDLESEX.																MIDDLESEX.		
Acton*		45,071	1548	701	201	197	133	—	28	7	2	8	3	85	20	Acton*.		
Chiswick*		34,095	852	449	100	143	55	—	5	—	5	8	1	36	13	Chiswick*		
Ealing*		37,969	1180	627	165	203	100	—	6	1	15	14	—	64	16	Ealing*		
Edmonton*		58,481	1881	737	243	130	166	—	19	13	11	8	7	108	14	Edmonton*.		
Enfield*		48,857	1396	571	147	179	104	—	11	6	7	7	—	73	24	Enfield*.		
Finchley*		25,125	766	380	95	135	35	—	7	1	—	1	—	26	8	Finchley*.		

TOWNS.		The DEATHS registered in the Year include																	TOWNS.		
		DEATHS		DEATHS from													DEATHS				
		BIRTHS.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	Cols.			
ESTIMATED POPULATION in the middle of 1906.		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	Cols.		
MIDDLESEX—continued.																				MIDDLESEX—continued.	
Hendon*	26,046	713	299	73	91	35	—	5	16	3	4	5	1	19	18	29	62	1	1	Hendon*	
Hendon and Isleworth*	33,577	1,135	553	159	188	78	—	16	2	2	2	7	2	49	23	32	129	1	1	Hendon and Isleworth*	
Twickenham*	38,833	1,237	480	110	101	67	—	13	5	1	2	4	—	54	24	28	48	5	5	Twickenham*	
Wood Green*	36,064	945	357	129	129	74	—	5	3	9	9	9	—	41	16	52	80	1	1	Wood Green*	
HERTFORDSHIRE.																				HERTFORDSHIRE.	
Watford	36,064	945	357	92	131	42	—	10	6	6	6	3	2	15	11	25	41	—	—	Watford	
OXFORDSHIRE.																				OXFORDSHIRE.	
Oxford	51,473	1,099	657	106	316	36	—	1	7	6	6	7	1	14	22	37	144	4	4	Oxford	
NORTHAMPTONSHIRE.																				NORTHAMPTONSHIRE.	
Kettering	33,647	768	303	100	71	36	—	6	7	3	2	3	4	23	6	14	41	11	9	Kettering	
Peterborough	34,031	788	407	84	157	30	—	7	—	2	2	—	—	16	11	12	55	9	9	Peterborough	
BEDFORDSHIRE.																				BEDFORDSHIRE.	
Bedford	39,073	697	439	81	169	57	—	40	—	6	14	1	—	36	13	20	74	14	14	Bedford	
Luton	39,933	1,098	601	158	189	123	—	—	2	2	15	4	2	60	9	20	73	14	14	Luton	
CAMBRIDGESHIRE.																				CAMBRIDGESHIRE.	
Cambridge	39,304	791	538	102	198	63	—	1	3	13	13	14	—	32	14	34	95	1	1	Cambridge	
ESSEX.																				ESSEX.	
Barking Town*	25,475	562	276	147	66	97	—	16	4	9	9	11	1	56	21	35	59	2	2	Barking Town*	
Colchester	40,573	976	593	127	176	61	—	11	—	3	19	19	2	25	18	30	96	3	3	Colchester	
Ilford*	57,432	1,692	653	187	187	85	—	10	1	2	9	12	1	51	18	38	99	2	2	Ilford*	
Southeast on Sea	37,236	1,094	610	157	184	86	—	3	3	6	6	2	3	69	24	27	59	25	25	Southeast on Sea	
SUFFOLK.																				SUFFOLK.	
Lowestoft	33,427	968	480	126	162	52	—	7	1	5	5	6	1	32	23	48	65	3	3	Lowestoft	
NORFOLK.																				NORFOLK.	
King's Lynn	21,405	582	304	76	117	37	—	—	1	1	1	7	5	23	4	12	53	2	2	King's Lynn	
WILTSHIRE.																				WILTSHIRE.	
Salisbury	21,360	466	293	48	138	40	—	—	—	—	—	2	1	7	3	19	39	—	—	Salisbury	
Swindon	51,560	1,472	529	134	145	101	—	1	—	8	9	9	1	12	16	32	60	—	—	Swindon	
DORSETSHIRE.																				DORSETSHIRE.	
Poole†	31,056	955	472	111	165	47	—	15	—	8	9	1	1	14	15	21	48	4	4	Poole†	
DEVONSHIRE.																				DEVONSHIRE.	
Exeter	48,164	1,036	680	134	280	59	—	—	1	4	4	13	5	33	19	66	114	3	3	Exeter	
Torquay	33,520	554	497	60	265	8	—	—	—	—	—	1	1	6	7	22	74	6	6	Torquay	
SOMERSETSHIRE.																				SOMERSETSHIRE.	
Bath	49,095	940	762	112	361	52	—	18	3	5	5	13	2	11	8	65	175	2	2	Bath	
Taunton	22,312	488	340	59	150	19	—	12	12	3	2	2	—	3	8	9	64	11	11	Taunton	

* These towns are included within the Metropolitan Outer Ring.

† The Borough of Poole, having been enlarged on 8th November, 1905, and its present area having contained more than 20,000 persons at the Census of 1901, is now included in this table.

TABLE 6 (continued).—One hundred and forty-two smaller Towns.—Population; Births and Deaths in the Year 1906.

One hundred and forty-two smaller Towns : Population, Births, Deaths. 19

TOWNS.		ESTIMATED POPULATION in the middle of 1906.	BIRTHS.	DEATHS.	The DEATHS registered in the Year include										Deaths in Public Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
					DEATHS from													
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Principal Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	Cols.
NOTTINGHAMSHIRE.																		NOTTINGHAMSHIRE.
Ilkeston (Derby Admin.)	28,484	1,045	492	189	80	77	—	2	—	5	3	4	63	19	26	19	9	Ilkeston (Derby Ad.).
Mansfield	24,462	949	377	115	117	49	—	—	—	4	7	14	22	17	20	32	12	Mansfield.
DERBYSHIRE.																		DERBYSHIRE.
Chesterfield	30,049	849	461	157	120	58	—	4	2	1	9	6	36	11	14	72	24	Chesterfield.
Glossop	21,162	482	382	70	137	43	—	10	7	4	2	3	17	7	10	44	5	Glossop.
CHESHIRE.																		CHESHIRE.
Chester	39,183	1,066	706	164	245	65	—	5	—	18	21	—	21	29	44	127	8	Chester.
Crewe	47,187	1,282	581	154	167	54	—	15	6	4	6	—	23	19	36	53	1	Crewe.
Hyde	34,032	780	556	121	186	59	—	—	10	4	10	1	29	16	43	44	—	Hyde.
Macclesfield	34,063	742	607	102	258	34	—	6	12	4	—	—	4	11	47	128	6	Macclesfield.
LANCASHIRE.																		LANCASHIRE.
Accrington	45,717	977	599	129	183	68	—	13	4	9	12	4	26	29	41	34	9	Accrington.
Ashton under Lyne	45,901	1,201	783	184	231	90	—	14	2	1	—	4	69	29	47	122	12	Ashton under Lyne.
Bacup	22,091	526	406	64	125	42	—	23	3	13	—	4	10	11	18	31	4	Bacup.
Blackpool	59,979	1,027	802	142	266	66	—	6	—	3	5	7	32	39	46	49	21	Blackpool.
Chadderton	26,494	740	468	87	139	47	—	16	6	5	4	1	12	23	36	30	3	Chadderton.
Chorley	28,970	791	450	111	125	35	—	9	1	8	5	2	36	14	22	52	9	Chorley.
Colne	26,397	599	407	105	112	46	—	31	8	3	—	—	9	9	13	51	4	Colne.
Darwen	40,520	811	518	110	168	36	—	17	3	1	—	5	25	15	23	38	10	Darwen.
Eccles	37,036	1,011	530	142	156	47	—	7	1	5	7	12	38	14	33	54	3	Eccles.
Farnworth	27,195	674	466	173	109	68	—	17	4	6	16	4	47	9	34	59	8	Farnworth.
Gorton	32,682	1,105	564	176	97	121	—	17	10	5	—	8	43	8	54	34	3	Gorton.
Heywood	26,731	588	482	101	148	75	—	8	3	6	1	9	38	15	59	34	8	Heywood.
Hindley	26,010	820	425	134	84	85	—	22	5	4	1	8	43	15	16	34	12	Hindley.
Ince in Makerfield	22,425	804	482	146	88	89	—	22	1	2	5	13	42	24	21	35	15	Ince in Makerfield.
Lancaster	44,259	1,063	572	146	179	66	—	38	1	3	4	15	95	17	46	77	13	Lancaster.
Leigh	45,008	1,353	749	238	142	184	—	34	1	9	4	15	19	14	19	44	13	Leigh.
Middleton	26,892	595	415	76	154	43	—	14	1	4	3	15	19	14	19	44	13	Middleton.
Nelson	38,285	727	418	94	108	49	—	20	2	3	1	4	9	11	21	23	4	Nelson.
Radcliffe	25,702	587	390	95	115	26	—	—	3	3	—	4	17	21	14	34	3	Radcliffe.
Rawtenstall	32,029	671	472	83	170	22	—	11	4	8	4	3	1	6	21	15	32	Rawtenstall.
Salford	51,857	849	756	89	330	35	—	4	8	4	3	—	17	11	15	75	24	Salford.
Stalybridge (Chester Ad.)	28,278	697	472	144	159	50	—	3	3	5	—	1	40	12	30	40	—	Stalybridge (Chester Ad.)
Stratford	35,167	787	547	186	144	35	—	3	2	2	7	1	20	18	36	37	4	Stratford.
Swinton & Pendlebury	23,969	839	521	188	104	101	—	28	1	2	10	8	51	13	22	24	2	Swinton & Pendlebury.
Waterloo with Seaford	25,316	673	310	79	95	35	—	8	—	4	8	—	14	10	11	30	16	Waterloo with Seaford.
Widnes	27,365	965	566	182	111	76	—	—	4	6	19	11	36	21	24	73	15	Widnes.

TABLE 6 (continued).—One hundred and forty-two smaller Towns.—Population; Births and Deaths in the Year 1906.

The DEATHS registered in the Year include																		
TOWNS.	ESTIMATED POPULATION in the middle of 1906.	BIRTHS.	DEATHS.	DEATHS of		DEATHS from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.	
				Persons aged 60 Years and upwards.	Infants under 1 Year of Age.	Principal Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.					Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	Cols.
YORKSHIRE (WEST RIDING).																		
Barnsley ..	44,272	1567	829	270	188	160	—	12	18	5	17	8	100	32	61	89	—	YORKSHIRE (W. RIDING).
Batley ..	31,314	849	523	153	132	110	—	4	6	4	18	3	76	13	31	28	4	Barnsley.
Brighouse ..	22,405	460	315	106	112	30	—	7	5	4	14	1	11	7	11	23	—	Batley.
Dewsbury ..	27,255	639	483	109	139	61	—	14	5	5	17	2	23	15	28	65	10	Brighouse.
Doncaster ..	30,656	742	460	124	164	71	—	14	5	12	8	1	43	10	22	32	35	Dewsbury.
Harrogate ..	34,849	661	424	89	164	47	—	14	3	3	—	—	17	24	22	99	—	Doncaster.
Keighley ..	45,224	943	657	139	181	59	—	8	3	15	7	13	27	20	21	16	—	Harrogate.
Morley ..	25,107	624	355	91	119	51	—	3	1	15	7	—	10	14	23	25	3	Keighley.
Shipley ..	26,851	571	379	64	123	24	—	4	6	16	3	6	4	18	36	42	4	Morley.
Todmorden ..	26,039	470	443	60	180	50	—	13	6	5	4	3	29	24	50	105	—	Shipley.
Wakefield ..	42,978	1015	607	130	172	64	—	17	6	5	4	3	4	24	50	—	—	Todmorden.
YORKSHIRE (NORTH RIDING).																		
Scarborough ..	40,661	774	636	105	273	47	—	—	1	4	3	3	36	25	49	80	—	YORKSHIRE (N. RIDING).
DURHAM.																		Scarborough.
Darlington ..	48,132	1435	786	205	243	107	—	11	2	8	5	9	72	23	26	98	35	DURHAM.
Felling ..	25,205	906	429	126	97	27	—	2	3	1	4	—	12	20	20	23	17	Darlington.
Hartlepool ..	23,591	718	410	107	93	37	—	10	—	9	4	3	19	21	27	44	12	Felling.
Hebburn ..	23,249	811	409	113	81	42	—	2	2	2	2	2	25	19	26	39	24	Hartlepool.
Jarrow ..	34,791	1110	618	163	135	73	—	20	1	3	15	6	28	24	28	52	—	Hebburn.
NORTHUMBERLAND.																		
Wallsend ..	26,117	961	398	152	85	60	—	7	2	9	6	3	33	13	24	18	8	Jarrow.
CUMBERLAND.																		NORTHUMBERLAND.
Carlisle ..	49,029	1236	756	161	259	33	—	1	9	5	7	1	10	16	23	118	21	Wallsend.
Workington ..	26,772	886	489	134	121	36	—	7	2	1	10	4	12	21	22	36	12	CUMBERLAND.
MONMOUTHSHIRE.																		
Abertillery ..	27,908	1123	477	208	66	84	—	2	1	7	8	7	59	33	36	7	5	Carlisle.
Ebbw Vale ..	23,039	1017	402	149	80	46	—	—	1	4	28	1	14	23	30	23	4	Workington.
GLAMORGANSHIRE.																		
Aberdare ..	46,181	1469	871	305	193	106	—	3	11	16	25	5	46	39	40	29	3	Abertillery.
Barry ..	34,418	923	365	105	68	30	—	2	4	4	4	1	16	22	38	23	—	Ebbw Vale.
Mountain Ash ..	28,244	1476	609	254	98	80	—	6	—	13	6	3	50	43	62	26	12	GLAMORGANSHIRE.
Pontypridd ..	36,459	1189	523	185	130	50	—	1	1	2	2	6	38	27	36	43	3	Aberdare.
CARMARTHENSHIRE.																		
Llanelli ..	24,629	789	364	71	126	7	—	—	—	2	1	3	1	12	14	20	9	Barry.

TOWNS.		ANNUAL RATE PER 1000 PERSONS LIVING.										DEATHS under 1 Year to 1000 Births.		ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE to Total Deaths.			TOWNS.	
COLS.	1.	2.	3.	DEATHS from							12.	13.	14.	15.	16.	17.	COLS.			
				Principal Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.								Diarrhoea.	Violence.	
142 TOWNS.																				
SURREY.	32.6	11.4	1.54	—	0.03	0.13	0.18	0.15	0.12	1.06	0.35	118	5.2	83.8	5.4	17.4	2.8	Aldershot (Shampton Ad.)		
Guildford ..	21.6	12.2	0.84	—	0.04	0.03	0.04	0.18	—	0.45	0.54	76	5.4	64.8	5.9	24.2	1.1	Guildford ..		
Kingston on Thames.†	23.9	12.2	1.25	—	0.05	0.08	0.13	0.08	—	0.70	0.26	126	5.3	57.4	8.7	20.9	—	Kingston on Thames.†		
Penge (Kent Admin.).†	17.7	12.2	0.96	—	0.08	0.04	0.13	0.07	0.04	0.63	0.25	139	5.4	56.8	5.9	20.1	—	Penge (Kent Admin.).†		
Reigate ..	19.7	10.7	0.86	—	0.39	0.09	0.09	0.12	0.03	0.14	0.36	93	3.8	63.6	7.0	18.5	0.3	Reigate ..		
Richmond.†	18.6	10.8	0.86	—	0.09	0.09	0.09	0.10	0.04	0.44	0.52	84	5.2	53.1	11.1	20.0	—	Richmond.†		
Wimbledon†	23.6	12.9	2.71	—	0.38	0.10	0.18	0.10	0.10	1.85	0.44	159	6.3	56.1	8.6	14.2	—	Wimbledon.†		
KENT.	KENT.		
Beckenham†	23.9	9.5	0.81	—	0.03	—	0.03	0.07	0.07	0.61	0.24	95	4.0	56.5	4.3	15.4	1.4	Beckenham.†		
Bromley†	24.0	10.4	0.98	—	0.03	—	0.16	0.07	—	0.72	0.43	113	4.2	56.8	7.8	22.9	—	Bromley.†		
Canterbury ..	24.0	13.9	0.98	—	0.08	0.04	0.08	0.08	0.08	0.62	0.38	130	5.2	65.9	10.8	25.8	—	Canterbury ..		
Chatham ..	27.5	13.9	1.24	—	0.10	0.05	0.07	0.20	0.15	0.67	0.40	137	6.3	62.7	4.5	19.9	2.5	Chatham ..		
Dover ..	25.0	11.5	0.80	—	0.02	0.10	0.13	0.10	0.16	0.61	0.56	99	4.7	64.4	6.8	18.9	5.7	Dover ..		
Erith ..	28.9	10.3	2.28	—	0.25	0.10	0.57	0.10	0.16	1.10	0.73	89	5.9	48.5	11.0	18.3	0.3	Erith ..		
Folkestone ..	20.2	11.2	1.14	—	0.03	0.16	0.03	0.06	0.16	1.02	0.61	133	4.9	56.8	6.5	17.9	3.4	Folkestone ..		
Gillingham ..	27.2	12.9	1.76	—	0.08	0.10	0.04	0.16	0.21	0.76	0.24	95	6.7	57.3	5.5	14.3	4.7	Gillingham ..		
Gravesend ..	23.4	12.9	1.62	—	0.03	0.10	0.31	0.21	0.21	0.38	0.64	108	5.9	59.5	6.1	18.1	2.3	Gravesend ..		
Maidstone ..	24.2	14.0	0.73	—	0.12	0.06	0.17	0.23	0.23	0.98	0.23	116	6.2	60.8	1.9	17.9	1.9	Maidstone ..		
Margate ..	16.4	12.2	1.87	—	0.07	0.07	0.24	0.03	0.23	0.85	0.61	148	4.3	61.9	4.3	15.5	1.7	Margate ..		
Ramsgate ..	20.2	14.2	2.28	—	0.07	0.07	0.24	0.03	0.12	0.85	0.61	133	4.7	46.9	6.1	16.8	4.5	Ramsgate ..		
Rochester ..	20.2	10.8	1.33	—	0.06	0.03	0.24	0.03	0.03	0.31	0.20	85	4.5	63.1	3.1	18.4	0.7	Rochester ..		
Tunbridge Wells	18.4	11.7	0.34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Tunbridge Wells.		
SUSSEX.	SUSSEX.		
Eastbourne ..	18.6	10.3	0.50	—	0.21	—	0.04	—	—	0.25	0.58	89	4.7	59.2	10.3	15.0	0.4	Eastbourne ..		
Hove ..	16.3	11.7	0.90	—	0.05	—	0.02	0.12	—	0.66	0.49	113	4.6	61.0	5.6	11.3	0.4	Hove ..		
Worthing ..	20.9	15.5	1.04	—	—	—	0.38	—	—	0.52	0.40	121	6.6	69.1	5.4	9.8	0.5	Worthing ..		
HAMPSHIRE.	HAMPSHIRE.		
Gosport and Alverstoke	29.7	12.8	1.71	—	—	—	0.05	0.29	0.03	1.39	0.13	125	6.1	54.1	4.3	9.6	0.3	Gosport and Alverstoke.		
Winchester ..	22.4	12.3	0.10	—	—	—	—	—	—	0.05	0.14	72	5.0	70.5	4.2	22.5	0.4	Winchester ..		
MIDDLESEX.	MIDDLESEX.		
Acton†	34.3	15.6	2.96	—	0.62	0.16	0.04	0.18	0.07	1.89	0.44	130	7.4	72.8	4.7	17.3	1.1	Acton†		
Chiswick†	25.0	13.2	1.62	—	0.15	0.03	0.15	0.23	0.03	1.06	0.38	117	6.6	66.3	5.3	21.6	—	Chiswick.†		
Ealing ..	31.1	13.5	2.65	—	0.16	0.03	0.40	0.37	0.12	1.69	0.42	142	7.6	67.2	3.5	16.1	1.0	Ealing ..		
Edmonton†	32.2	12.6	2.84	—	0.32	0.20	0.19	0.14	0.12	1.85	0.24	126	6.8	36.7	13.7	20.9	—	Edmonton.†		
Enfield†	28.6	11.7	2.12	—	0.23	0.10	0.14	0.14	0.02	1.49	0.49	105	5.5	62.9	8.2	15.1	0.4	Enfield.†		
Finchley†	30.5	15.1	1.39	—	0.28	0.04	0.04	0.04	0.04	1.03	0.32	124	6.5	84.8	6.6	13.2	—	Finchley.†		

* See note at head of Table 6. † These towns are included within the Metropolitan Outer Ring.

TABLE 7 (continued).—One hundred and forty-two smaller Towns.—Birth-rates, Death-rates, and Analysis of Mortality in 1906.

TOWNS.	ANNUAL RATE PER 1000 PERSONS LIVING.										DEATHS under 1 Year to 1000 Births.			ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE to Total Deaths.			TOWNS.		
	DEATHS from										Violence.	Diarrhoea.	Typhoid.	Whooping-cough.	Scarlet Fever.	Measles.	Small-pox.	Principal Epidemic Diseases.			
	BIRTHS.	DEATHS.	3.	4.	5.	6.	7.	8.	9.	10.								11.		12.	13.
MIDDLESEX—continued.	Cols.																		Cols.		
Hendon* ..	27.4	11.5	1.35	—	0.19	0.08	0.12	0.19	0.04	0.73	0.69	102	5.7	51.9	9.7	20.7	0.3		MIDDLESEX—continued.		
Heston and Isleworth* ..	33.8	16.5	2.33	—	0.48	—	0.12	0.21	0.06	1.46	0.68	140	6.9	63.6	5.8	23.3	0.2		Hendon* ..		
Twickenham* ..	34.1	15.4	3.12	—	0.55	0.04	0.08	0.17	—	2.28	0.67	136	7.1	60.0	7.7	13.2	1.4		Heston and Isleworth* ..		
Wood Green* ..	31.9	12.4	1.73	—	0.13	0.08	0.23	0.23	—	1.06	0.62	104	6.2	62.0	10.8	16.7	0.2		Twickenham* ..		
HERTFORDSHIRE.																			Wood Green* ..		
Watford ..	26.2	10.7	1.18	—	0.28	0.17	0.17	0.08	0.06	0.42	0.31	97	5.0	56.0	6.5	10.6	—		HERTFORDSHIRE.		
OXFORDSHIRE.																			Watford ..		
Oxford ..	21.4	13.3	0.71	—	0.02	0.14	0.12	0.14	0.02	0.27	0.43	96	5.8	71.3	5.4	21.0	0.6		OXFORDSHIRE.		
NORTHAMPTONSHIRE.																			Oxford ..		
Kettering ..	22.8	9.1	1.07	—	0.18	—	0.09	—	0.12	0.68	0.18	130	4.3	44.8	4.6	13.4	3.6		NORTHAMPTONSHIRE.		
Peterborough ..	23.2	12.0	0.88	—	0.20	0.06	0.06	0.09	—	0.47	0.32	107	5.4	59.8	2.9	13.5	2.2		Kettering ..		
BEDFORDSHIRE.																			Peterborough ..		
Bedford ..	17.8	11.2	1.46	—	—	0.15	0.36	0.03	—	0.92	0.33	116	5.3	59.0	4.6	16.9	3.2		BEDFORDSHIRE.		
Luton ..	27.5	15.1	3.08	—	1.00	0.05	0.38	0.10	0.05	1.60	0.23	144	7.0	64.1	3.3	12.1	2.3		Bedford ..		
CAMBRIDGESHIRE.																			Luton ..		
Cambridge ..	20.1	13.4	1.61	—	0.03	0.08	0.33	0.36	—	0.81	0.36	129	6.5	58.5	6.4	18.0	0.2		CAMBRIDGESHIRE.		
ESSEX.																			Cambridge ..		
Barking Town* ..	33.8	14.8	3.81	—	0.63	0.16	0.35	0.43	0.04	2.20	0.82	171	6.9	63.0	9.3	15.7	0.5		ESSEX.		
Colchester ..	24.1	12.4	1.90	—	0.27	0.02	0.07	0.47	0.05	0.62	0.44	130	5.4	62.0	6.0	19.1	0.6		Barking Town* ..		
Ilford* ..	29.5	11.4	1.48	—	0.17	0.03	0.16	0.21	0.02	0.89	0.31	111	5.3	56.8	5.8	15.2	0.3		Colchester ..		
Southend on Sea ..	29.4	16.4	2.30	—	0.08	0.08	0.16	0.05	0.08	1.85	0.64	144	7.9	73.7	4.4	9.7	4.1		Ilford* ..		
SUFFOLK.																			Southend on Sea ..		
Lowestoft ..	29.0	14.4	1.56	—	0.21	0.03	0.15	0.18	0.03	0.96	0.69	130	6.4	68.2	10.0	13.5	0.6		SUFFOLK.		
NORFOLK.																			Lowestoft ..		
King's Lynn ..	27.2	14.2	1.73	—	—	0.05	0.05	0.33	0.23	1.07	0.19	131	5.8	61.1	3.9	17.4	0.7		NORFOLK.		
Salisbury ..	21.8	13.7	0.47	—	—	—	—	0.09	0.05	0.33	0.14	103	5.6	69.9	6.5	13.3	—		King's Lynn ..		
Swindon ..	28.5	10.3	0.79	—	0.02	0.19	0.16	0.17	0.02	0.23	0.31	91	5.2	60.4	6.0	11.3	—		Salisbury ..		
DORSETSHIRE.																			Swindon ..		
Poole ..	30.8	15.2	1.51	—	0.48	—	0.26	0.29	0.03	0.45	0.48	116	7.1	65.3	4.4	10.2	0.8		DORSETSHIRE.		
DEVONSHIRE.																			Poole ..		
Exeter ..	21.5	14.1	1.22	—	—	0.02	0.08	0.27	0.10	0.75	0.39	129	6.3	59.7	9.7	16.8	0.4		DEVONSHIRE.		
Torquay ..	16.5	14.8	0.24	—	—	—	—	0.03	0.03	0.18	0.21	108	5.9	65.6	4.4	14.9	1.2		Exeter ..		
SOMERSETSHIRE.																			Torquay ..		
Bath ..	19.2	15.5	1.06	—	0.37	0.06	0.10	0.27	0.04	0.22	0.69	119	6.8	61.4	8.5	23.0	0.3		SOMERSETSHIRE.		
Taunton ..	22.3	15.2	0.85	—	0.54	0.13	0.09	0.09	0.09	—	0.36	118	6.6	76.1	2.6	18.8	3.2		Bath ..		

TOWNS.	ANNUAL RATE PER 1000 PERSONS LIVING.										DEATHS under 1 Year to 1000 Births.		ANNUAL DEATH-RATE per 1000 LIVING.		PERCENTAGE to Total Deaths.		TOWNS.	
	BIRTHS.	DEATHS.	Principal Epidemic Diseases.	DEATHS from							Violence.	12.	13.	14.	Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.
				Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.								
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.		
COLS.																		
GLoucestershire.																		
Cheltenham ..	19.2	13.9	0.58	—	—	—	—	—	—	0.31	101	5.5	65.1	5.8	18.4	0.8	GLoucestershire.	
Gloucester ..	27.4	13.5	0.84	—	0.16	0.18	0.10	0.02	0.58	0.35	112	6.0	64.6	4.6	16.4	2.3	Cheltenham.	
HEREFORDSHIRE.																	Gloucester.	
Hereford ..	22.1	15.7	1.45	—	0.14	0.36	0.45	—	0.50	0.32	142	7.1	66.7	5.8	15.3	2.6	Hereford.	
SHROPSHIRE.																	Hereford.	
Shrewsbury ..	23.6	14.8	1.16	—	—	0.17	0.72	0.10	0.17	0.58	114	6.8	75.2	6.7	18.9	3.9	Shropshire.	
STAFFORDSHIRE.																	Shrewsbury.	
Bilston ..	36.8	21.8	3.76	—	0.82	0.12	0.90	0.20	1.68	0.45	179	11.1	81.5	5.4	8.1	1.1	Bilston.	
Burslem ..	33.7	18.3	2.76	—	0.71	0.24	0.02	0.14	1.46	0.66	185	9.2	73.6	5.5	9.2	2.9	Burslem.	
Cannock ..	33.4	13.7	1.48	—	—	0.12	0.70	—	0.66	0.38	122	6.1	64.5	3.7	5.1	5.6	Cannock.	
Coseley ..	34.4	15.9	1.75	—	0.27	0.18	0.36	0.27	0.67	0.58	128	7.5	69.4	4.3	4.7	0.6	Coseley.	
Dudley (Worce. Admin.)	30.8	16.6	1.75	—	0.02	0.12	0.51	0.20	1.21	0.45	162	7.5	73.4	4.2	10.9	3.5	Dudley (Worce. Admin.).	
Fenton ..	34.0	16.2	3.10	—	0.35	0.66	0.35	0.04	2.05	0.82	157	7.9	79.8	5.2	9.5	2.1	Fenton.	
Longton ..	36.0	22.5	5.00	—	0.14	0.19	0.08	0.35	1.16	0.78	242	10.4	86.3	6.4	9.0	3.3	Longton.	
Oldbury (Worce. Admin.)	32.6	16.6	2.70	—	0.41	0.16	0.65	0.23	1.46	0.45	166	6.8	77.1	4.1	5.3	2.0	Oldbury (Worce. Admin.).	
Rowley Regis ..	26.5	13.5	2.36	—	—	0.16	0.23	0.14	0.84	0.65	141	6.9	75.8	5.7	3.6	1.8	Rowley Regis.	
Stafford ..	31.3	14.2	1.41	—	—	0.09	0.23	—	0.80	0.66	119	7.3	68.4	7.0	18.9	1.3	Stafford.	
Stoke upon Trent ..	35.8	16.6	2.97	—	0.26	0.15	0.15	0.09	0.76	0.82	131	6.3	58.9	6.6	17.7	2.0	Stoke upon Trent.	
Tipton ..	35.8	20.7	1.93	—	0.13	0.03	0.29	0.54	1.47	0.70	154	7.0	76.5	6.5	7.9	3.3	Tipton.	
Tunstall ..	32.1	18.0	2.45	—	0.19	0.04	0.30	0.53	0.11	0.76	180	10.1	91.6	3.5	10.0	2.6	Tunstall.	
Wednesbury ..	32.1	18.0	2.45	—	0.04	0.11	0.11	0.51	1.57	0.37	152	8.6	83.9	3.0	9.9	4.3	Wednesbury.	
Wolstanton United ..	34.2	12.7	1.69	—	0.08	0.29	0.37	0.12	0.62	0.29	115	6.2	55.3	3.9	6.2	3.9	Wolstanton United.	
WORCESTERSHIRE.																	Wolstanton United.	
Kidderminster ..	24.6	13.7	0.93	—	0.04	—	0.08	0.28	—	0.53	132	5.8	63.1	6.8	19.0	2.4	Kidderminster.	
Worcester ..	25.5	15.0	0.71	—	—	0.06	0.16	0.10	0.02	0.37	121	7.0	63.5	6.8	21.6	1.9	Worcester.	
WARWICKSHIRE.																	Worcester.	
Nuneaton and Chilvers Ccton.	34.5	13.9	2.36	—	0.03	0.10	0.17	0.50	0.10	1.46	160	5.6	60.1	5.2	7.4	1.9	Nuneaton and Chilvers Ccton.	
Royal Leamington Spa	17.7	14.6	0.93	—	0.04	—	0.11	0.26	0.04	0.48	130	5.2	65.4	4.1	17.9	1.3	Royal Leamington Spa.	
LEICESTERSHIRE.																	Leamington Spa.	
Loughborough..	28.8	13.9	2.23	—	0.21	—	—	—	—	0.39	162	5.3	66.3	6.2	9.9	0.9	Loughborough.	
LINCOLNSHIRE.																	Loughborough.	
Lincoln ..	26.6	16.6	2.05	—	0.02	0.13	0.87	0.25	0.06	0.72	146	8.0	73.4	4.8	12.2	1.6	Lincoln.	

TABLE 7 (continued).—One hundred and forty-two smaller Towns.—Birth-rates, Death-rates, and Analysis of Mortality in 1906.

TOWNS.	ANNUAL RATE PER 1000 PERSONS LIVING.											DEATHS under 1 Year to 1000 Births.	ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE to Total Deaths.			TOWNS.
	DEATHS from												Aged 1 to 60 Years.	Aged 60 to 1000 Years and upwards.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
	Principal Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.									
	BIRTHS.	DEATHS.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	Cols.
NOTTINGHAMSHIRE. Ilkeston (Derby Admin.) Mansfield	36.8 38.8	16.2 15.4	2.71 2.00	—	0.07 —	—	0.18 0.16	0.11 0.29	0.14 0.57	2.21 0.90	0.67 0.69	180 121	7.3 6.5	61.3 72.5	5.6 5.3	4.1 8.5	1.9 3.2	Ilkeston (Derby Admin.) Mansfield.
	28.3 22.8	15.3 18.1	1.93 2.02	—	0.13 0.47	0.07 0.33	0.03 0.19	0.30 0.09	0.20 0.14	1.20 0.80	0.37 0.33	185 145	6.7 9.1	68.2 86.6	3.0 2.6	15.6 11.5	5.2 1.3	DERBYSHIRE. Chesterfield. Glossop.
	27.2 26.7 21.8	18.0 11.9 17.8	1.67 1.15 1.73 1.00	—	0.13 0.32 — 0.18	— 0.29 0.35	0.46 0.08 0.12	0.54 0.13 —	— 0.12 0.03	0.49 0.85 0.32	0.74 0.47 0.40 0.32	154 122 153 137	8.4 5.5 8.0 8.2	84.8 64.6 84.4 80.5	6.2 6.4 7.7 7.7	18.0 9.4 7.9 21.1	1.1 0.2 — 1.0	CHESHIRE. Chester. Crewe. Hyde. Macclesfield.
LANCASHIRE. Accrington. Ashton under Lyne Bacup. Blackpool. Chadderton. Chorley. Colne. Darwen. Eccles. Farnworth. Gorton. Heywood. Hindley. Ince in Makerfield. Lancaster. Leigh. Middleton. Nelson. Radcliffe. Rawtenstall. Southport. Stalybridge (Chester Ad.) Swinton. Pendlebury Waterloo with Seaforth. Widnes.	21.4 26.2 17.1 17.9 27.9 22.7 20.0 27.3 24.8 33.8 22.0 31.5 35.9 24.0 21.0 19.0 22.8 21.0 24.6 28.0 25.6 34.5	13.1 17.1 18.4 13.4 17.7 15.5 15.4 13.5 14.3 17.1 17.3 16.3 12.9 16.6 15.4 10.9 15.2 14.7 14.6 19.3 17.4 12.6 11.8 20.2	1.49 1.86 1.90 1.10 1.77 1.20 2.94 0.87 1.26 2.51 3.69 2.80 3.27 3.96 1.48 1.64 1.80 1.28 1.02 0.68 1.78 1.00 3.37 1.30 2.71	— —<														

TABLE 7 (continued).—One hundred and forty-two smaller Towns.—Birth-rates, Death-rates, and Analysis of Mortality in 1906.

TOWNS.	ANNUAL RATE PER 1000 PERSONS LIVING.										DEATHS under Year to 1000 Births.	ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE to Total Deaths.			TOWNS.	
	BIRTHS.	DEATHS.	Principal Epidemic Diseases.	DEATHS from						Aged to 60 Years.		Aged 60 Years and upwards.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
				Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.							Diarrhoea.		Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	Cols.
YORKSHIRE (W. RIDING).																		YORKSHIRE (W. RIDING).
Barnsley ..	35.4	18.7	3.61	—	0.27	0.41	0.11	0.38	0.18	2.26	0.72	172	9.2	76.1	7.4	10.7	—	Barnsley.
Batley ..	27.1	16.7	3.52	—	0.13	0.16	0.13	0.57	0.10	2.43	0.42	180	8.0	75.1	5.9	5.4	1.3	Batley.
Brighouse ..	20.5	14.1	1.33	—	0.31	0.27	0.18	0.18	0.04	0.43	0.31	143	6.6	85.4	3.5	7.3	—	Brighouse.
Dewsbury ..	23.4	17.7	2.22	—	0.51	0.16	0.07	0.62	0.18	0.73	0.55	171	9.5	77.5	5.8	14.7	2.2	Dewsbury.
Doncaster ..	24.2	15.0	2.32	—	0.51	0.09	0.07	0.10	0.07	1.40	0.29	167	65.1	67.4	5.0	14.1	5.0	Doncaster.
Harrrogate ..	18.9	12.1	1.36	—	0.40	0.04	0.34	0.03	0.49	0.53	0.44	135	5.4	65.1	5.2	7.5	5.3	Harrrogate.
Keighley ..	20.9	14.5	1.31	—	0.10	0.07	0.33	0.18	0.02	0.53	0.44	147	8.1	66.7	3.2	15.1	3.2	Keighley.
Morley ..	24.9	14.1	2.04	—	0.12	0.04	0.04	0.28	0.52	1.08	0.40	146	6.3	84.2	4.5	4.2	0.8	Morley.
Shipley ..	21.3	14.1	1.09	—	0.15	0.04	0.19	0.11	0.04	0.37	0.52	112	7.8	68.3	6.1	6.6	0.9	Shipley.
Todmorden ..	18.0	17.0	1.91	—	0.69	0.23	0.61	0.23	0.23	0.15	0.69	128	8.6	93.3	8.1	9.5	0.9	Todmorden.
Wakefield ..	23.6	14.1	1.49	—	0.40	0.14	0.12	0.09	0.07	0.67	0.56	128	7.8	60.2	8.2	17.3	—	Wakefield.
YORKSHIRE (N. RIDING).																		YORKSHIRE (N. RIDING).
Scarborough ..	19.0	15.6	1.15	—	—	0.02	0.10	0.07	0.07	0.89	0.61	136	7.2	67.6	7.7	12.6	—	Scarborough.
DURHAM.																		DURHAM.
Darlington ..	29.8	16.3	2.23	—	0.23	0.04	0.17	0.10	0.19	1.50	0.48	143	7.7	72.5	3.3	12.2	4.5	Darlington.
Felling ..	35.9	17.0	1.08	—	0.08	0.12	0.04	0.04	—	0.48	0.79	139	8.9	74.8	4.7	5.4	4.0	Felling.
Hartlepool ..	30.4	17.4	1.57	—	0.42	—	0.04	0.17	0.13	0.81	0.89	149	9.7	78.9	6.6	10.7	2.9	Hartlepool.
Hebburn ..	31.9	17.6	1.83	—	0.09	0.09	0.09	0.39	0.09	1.08	0.82	139	10.0	81.6	6.4	9.5	1.0	Hebburn.
Jarrow ..	31.9	17.8	2.09	—	0.57	0.03	0.03	0.43	0.17	0.80	0.69	147	10.0	78.9	4.5	8.4	3.9	Jarrow.
NORTHUMBERLAND.																		NORTHUMBERLAND.
Wallsend ..	36.8	15.2	2.29	—	0.27	0.08	0.34	0.23	0.11	1.26	0.50	158	6.7	78.1	6.0	4.5	2.0	Wallsend.
CUMBERLAND.																		CUMBERLAND.
Carlisle ..	25.2	15.4	0.66	—	0.02	0.18	0.10	0.14	0.02	0.20	0.33	130	7.6	77.9	3.0	15.6	2.8	Carlisle.
Workington ..	33.5	18.3	1.34	—	0.26	0.07	0.04	0.37	0.15	0.45	0.78	150	9.4	96.8	4.5	7.4	2.5	Workington.
MONMOUTHSHIRE.																		MONMOUTHSHIRE.
Abertillery ..	40.2	17.1	3.01	—	0.07	0.04	0.25	0.29	0.25	2.11	1.18	185	7.8	74.7	7.5	1.5	1.0	Abertillery.
Ebbw Vale ..	44.1	17.4	2.08	—	—	0.04	0.17	1.22	0.04	0.61	1.00	147	8.2	65.3	7.5	5.7	1.0	Ebbw Vale.
GLAMORGANSHIRE.																		GLAMORGANSHIRE.
Aberdare ..	31.8	18.9	2.30	—	0.06	0.24	0.35	0.54	0.11	1.00	0.84	208	8.8	77.8	4.6	3.3	0.3	Aberdare.
Barry ..	26.8	10.6	0.88	—	0.06	0.12	0.12	0.12	0.03	0.46	0.64	114	5.9	62.2	10.4	6.3	—	Barry.
Mountain Ash ..	38.6	15.9	2.10	—	0.13	0.13	0.34	0.16	0.13	1.31	1.12	172	7.3	71.7	8.5	4.3	2.0	Mountain Ash.
Pontypridd ..	32.6	14.3	1.36	—	0.03	0.03	0.05	0.05	0.16	1.04	0.74	166	6.2	81.3	6.9	8.2	0.6	Pontypridd.
CARMARTHENSHIRE.																		CARMARTHENSHIRE.
Llanelli ..	29.6	13.7	0.27	—	—	—	0.08	0.04	0.11	0.04	0.45	90	6.9	72.4	3.8	5.5	2.5	Llanelli.

TABLE 8.—Number of Cases of Infectious Diseases Notified in certain LARGE TOWNS of ENGLAND and WALES during the 52 Weeks ended 29th December, 1906.*

TOWNS.	Estimated Population in the middle of 1906.	Total Cases.	Small- pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
LONDON	4,721,217	35,340	31	20329	8045	7	1600	—	—	5019	298
CROYDON	151,011	855	4	432	308	—	35	—	—	67	9
WILLESDEN	143,622	1077	—	633	285	—	46	—	—	103	9
HORNSEY	86,935	627	—	410	155	—	25	—	—	36	1
TOTTENHAM	119,503	771	—	474	137	—	66	—	—	86	7
WEST HAM	301,617	2998	—	1709	669	—	372	—	—	230	18
EAST HAM	129,886	1242	—	793	254	—	43	—	—	146	6
LEYTON	118,287	1073	—	624	292	—	38	—	—	110	9
WALTHAMSTOW	121,334	1269	—	825	292	—	54	—	—	107	10
HASTINGS	67,144	282	—	212	26	—	4	—	—	35	5
BRIGHTON	128,095	569	—	215	227	—	20	—	—	98	9
PORTSMOUTH†	205,118	1108	1	387	431	—	149	—	—	120	13
BOURNEMOUTH	67,702	171	—	57	72	—	12	—	—	30	—
SOUTHAMPTON	117,312	409	—	65	258	—	19	—	—	58	9
READING	78,987	639	—	206	340	—	21	—	—	67	5
NORTHAMPTON	93,749	411	—	276	28	—	34	—	—	71	2
IPSWICH	71,809	280	—	116	77	—	36	—	—	48	3
GREAT YARMOUTH	52,613	315	3	148	67	—	49	—	—	39	6
NORWICH	117,958	1095	—	728	203	—	85	—	—	69	7
PLYMOUTH	118,014	1037	171	467	141	—	25	—	—	224	9
DEVONPORT	78,405	378	58	147	39	—	75	—	—	54	5
BRISTOL	363,223	2269	33	1016	833	—	114	—	—	236	37
HANLEY	66,360	675	—	392	186	—	58	—	—	26	8
BURTON-UPON-TRENT	52,922	326	—	210	24	—	15	—	—	71	6
WOLVERHAMPTON	100,729	779	—	535	98	—	49	—	—	84	13
WALSALL	94,577	332	—	124	59	—	42	—	—	101	6
HANDSWORTH (STAFFS.)	63,819	348	—	233	59	—	11	—	—	42	2
WEST BROMWICH	68,469	340	—	162	18	—	42	—	—	115	3
BIRMINGHAM	548,022	3467	—	1819	832	—	193	—	—	595	28
KINGS NORTON	72,608	342	—	221	38	—	13	—	—	68	2
SMETHWICK	64,531	494	—	273	126	—	35	—	—	54	6
ASTON MANOR	82,288	556	1	326	104	—	47	—	—	71	7
COVENTRY	76,374	440	—	299	63	—	11	—	—	57	9
LEICESTER	232,111	2860	1	2292	317	—	75	—	—	165	10
GRIMSBY	69,359	501	—	227	124	—	96	—	—	50	3
NOTTINGHAM	254,563	1696	—	608	568	—	283	—	—	219	15
DERBY	123,981	1045	—	289	563	—	69	—	—	112	12
STOCKPORT	99,646	285	—	152	39	—	45	—	—	42	5
BIRKENHEAD	117,292	1292	2	867	199	—	118	—	—	95	6
WALLASEY	64,578	414	—	264	55	—	65	—	—	28	2
LIVERPOOL	739,180	5562	12	2975	929	46	500	—	—	985	89
BOOTLE	65,989	512	—	345	79	—	46	—	—	36	6
ST. HELENS	91,153	649	—	233	198	—	105	—	—	107	5
WIGAN	87,588	539	—	256	49	—	139	—	—	86	9
WARRINGTON	69,280	210	1	63	28	—	42	—	—	68	8
BOLTON	180,502	1042	—	629	84	—	195	—	—	123	9
BURY	58,744	216	1	91	35	—	32	—	—	41	12
MANCHESTER	637,126	4860	5	3267	652	—	430	—	—	396	107
SALFORD	234,077	1728	—	908	432	—	226	—	—	140	21
OLDHAM	140,969	1514	460	791	92	—	31	—	—	124	16
ROCHDALE	87,189	529	4	332	82	—	24	—	—	74	13
BURNLEY	102,808	565	—	264	79	—	65	—	—	147	10
BLACKBURN	134,015	1213	—	845	165	—	82	—	—	109	12
PRESTON	116,399	770	3	472	66	—	153	—	—	69	4
BARROW-IN-FURNESS	60,967	311	—	179	57	—	23	—	—	45	5
HUDDERSFIELD	94,851	505	—	316	64	—	77	—	—	41	7
HALIFAX	109,272	472	—	214	156	—	38	—	—	57	7
BRADFORD	288,544	2006	2	1048	482	—	236	—	—	225	12
LEEDS	463,495	2424	2	1025	675	—	309	—	—	384	28
SHEFFIELD	447,951	6440	1	4914	681	—	388	—	—	399	54

* The figures in this Table, excepting those for London, which are derived from Table 9, are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

† The figures for Southsea District of Portsmouth are—population (1901), 18,612; small-pox, nil; scarlet fever 22; diphtheria (including membranous croup), 33; typhus, nil; enteric fever, 5 continued fever, 1; erysipelas, 7; and puerperal fever, nil.

TABLE 3 (continued).—Number of Cases of Infectious Diseases Notified in certain LARGE TOWNS of ENGLAND and WALES during the 52 Weeks ended 29th December, 1906.*

ENGLAND AND WALES during the 52 Weeks ended 29th December, 1906.											
TOWNS.	Estimated Population in the middle of 1906.	Total Cases.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Erysipelas.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
ROTHERHAM	61,098	853	—	657	63	—	66	1	—	64	2
YORK	83,467	439	—	217	104	—	79	—	—	34	5
HULL	262,426	2334	20	526	1254	—	258	11	—	236	23
MIDDLESBROUGH	100,069	779	—	507	107	—	88	2	—	69	6
STOCKTON-ON-TEES	52,664	283	—	142	50	—	54	—	—	36	1
WEST HARTLEPOOL	73,387	380	—	219	104	—	25	—	—	31	1
SUNDERLAND	154,335	764	—	286	230	—	133	7	—	102	6
SOUTH SHIELDS	111,402	541	1	217	167	—	53	—	—	102	1
GATESHEAD	123,191	420	1	192	114	—	42	3	—	63	6
NEWCASTLE-ON-TYNE	268,721	1370	8	736	362	—	72	1	—	185	5
TYNEMOUTH	54,138	320	1	147	68	—	20	1	—	81	2
NEWPORT (MON.)	74,227	504	2	258	169	—	37	—	—	33	5
CARDIFF	183,823	1323	2	777	333	—	76	1	—	117	17
RHONDDA	127,684	786	—	363	194	—	124	3	—	79	17
MERTHYR TYDFIL	74,961	508	1	242	122	—	85	—	—	51	7
SWANSEA	96,848	576	—	350	113	—	63	—	—	44	6
SURREY.											
ALDERSHOT (SOUTHAMP- TON ADMIN.)	33,963		Council have not authorised publication of figures.								
GUILDFORD	22,413	132	—	84	30	—	2	—	—	13	3
KINGSTON-ON-THAMES	38,404	133	—	78	31	—	10	—	—	14	—
PENGE (KENT ADMIN.)	23,678	110	—	72	23	—	1	—	—	11	3
REIGATE	27,886	155	—	83	61	—	2	—	—	8	1
RICHMOND	34,358	97	—	59	17	—	8	—	—	12	1
WIMBLEDON	50,231	334	—	229	59	—	14	—	—	31	1
KENT.											
BECKENHAM	29,362	123	—	85	20	—	6	—	—	12	—
BROMLEY	30,545	159	—	53	82	—	1	—	—	23	—
CANTERBURY	25,990	125	—	47	40	—	21	6	—	11	—
CHATHAM	40,087	305	—	203	29	—	51	—	—	22	—
DOVER	47,413	217	—	70	101	—	23	1	—	21	1
ERITH	31,688	316	—	145	106	—	29	—	—	35	1
FOLKESTONE	34,358	110	—	47	37	—	12	—	—	12	2
GILLINGHAM	50,712	454	—	354	29	—	40	—	—	31	—
GRAVESEND	29,081	233	—	156	48	—	10	—	—	17	2
MAIDSTONE	34,403	322	—	266	23	—	6	—	—	24	3
MARGATE	25,582	143	—	66	36	—	31	—	—	9	1
RAMSGATE	29,452	207	—	109	64	—	17	—	—	17	2
ROCHESTER	33,009	195	—	61	71	—	35	—	—	26	2
TUNBRIDGE WELLS	35,688	122	—	78	9	—	19	—	—	14	2
SUSSEX.											
EASTBOURNE	47,975	204	—	145	18	—	8	—	—	32	1
HOVE	41,040	90	—	39	26	—	15	—	—	9	1
WORTHING	24,918	138	—	53	64	—	5	—	—	14	2
HAMPSHIRE.											
GOSPORT AND ALVERSTOKE	30,828	85	—	41	5	—	20	—	—	15	4
WINCHESTER	21,225	64	—	15	32	—	6	—	—	10	1
MIDDLESEX.											
ACTON	45,071	271	—	171	48	—	13	1	—	35	3
CHISWICK	34,095	204	—	119	28	—	7	—	—	49	—
EALING	37,969	325	—	134	142	—	7	—	—	36	6
EDMONTON	58,481	588	—	386	92	—	26	—	—	79	5
ENFIELD	48,857	375	—	254	55	—	21	—	—	43	2
FINCHLEY	25,125	190	—	129	30	1	9	—	—	18	3
HENDON	26,046	155	—	116	18	—	6	—	—	13	2
HESTON & ISLEWORTH	33,577	162	—	70	67	—	7	1	—	17	—
TWICKENHAM	23,713	134	—	85	24	—	6	—	—	17	2
WOOD GREEN	38,833	339	—	219	73	—	15	—	—	29	3

* See note * on preceding page.

TABLE 8 (continued).—Number of Cases of Infectious Diseases Notified in certain LARGE TOWNS of ENGLAND and WALES during the 52 Weeks ended 29th December, 1906.*

TOWNS.	Estimated Population in the middle of 1906.	Total Cases.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
HERTFORDSHIRE.											
WATFORD	36,064	361	—	198	128	—	7	—	—	23	5
OXFORDSHIRE.											
OXFORD	51,473	415	—	313	35	—	3	—	—	60	4
NORTHAMPTONSHIRE.											
KETTERING	33,647	127	—	61	14	—	14	—	—	36	2
PETERBOROUGH	34,031	196	—	131	27	—	8	—	—	29	1
BEDFORDSHIRE.											
BEDFORD	39,073	334	—	221	94	—	4	—	—	15	—
LUTON	39,933	340	—	180	101	—	8	—	—	51	—
CAMBRIDGESHIRE.											
CAMBRIDGE	39,304	180	—	102	30	—	4	—	—	23	1
ESSEX.											
BARKING TOWN	25,475	242	—	136	71	—	11	—	—	24	—
COLCHESTER	40,573	127	—	34	29	—	14	—	—	50	—
ILFORD	57,432	545	—	325	130	—	35	—	—	52	3
SOUTHEND-ON-SEA ..	37,236	314	—	194	72	—	19	2	—	23	4
SUFFOLK.											
LOWESTOFT	33,427	175	—	101	37	—	15	—	—	20	2
NORFOLK.											
KING'S LYNN	21,405	99	—	42	9	—	22	—	—	25	1
WILTSHIRE.											
SALISBURY	21,360	52	—	32	10	—	5	—	—	4	1
SWINDON	51,560	368	—	201	134	—	6	—	—	27	—
DORSETSHIRE.											
POOLE	31,056	105	—	27	33	—	27	—	—	18	—
DEVONSHIRE.											
EXETER	48,164	213	—	139	12	—	37	—	—	24	1
TORQUAY	33,520	50	—	35	2	—	11	—	—	2	—
SOMERSETSHIRE.											
BATH	49,025	167	2	83	37	—	12	—	—	31	2
TAUNTON	22,312	77	—	53	12	—	1	—	—	11	—
GLOUCESTERSHIRE.											
CHELTENHAM	50,904	231	1	102	61	—	23	1	—	37	6
GLOUCESTER	51,700	159	—	59	51	—	16	—	—	30	3
HEREFORDSHIRE.											
HEREFORD	22,075	243	—	30	160	—	3	—	—	47	3
SHROPSHIRE.											
SHREWSBURY	29,288	103	—	34	47	—	11	—	—	10	1
STAFFORDSHIRE.											
BILSTON	24,458	152	—	104	10	—	15	—	—	20	3
BURSLEM	42,526	276	—	141	88	—	24	—	—	17	6
CANNOCK	25,865	299	—	245	11	—	2	—	—	37	4
COSELEY	22,498	214	—	154	17	—	25	—	—	16	2

* See note * on first page of table.

TABLE 8 (continued).—Number of Cases of Infectious Diseases Notified in certain LARGE TOWNS of ENGLAND and WALES during the 52 Weeks ended 29th December, 1906.*

TOWNS.	Estimated Population in the middle of 1906.	Total Cases.	Small- pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
STAFFORDSHIRE—cont.											
DUDLEY (WORCESTER AD.)	50,559	200	—	98	28	—	33	—	—	41	—
FENTON	25,884	385	—	190	165	—	13	—	—	14	3
LONGTON	36,775	270	—	154	56	—	31	—	—	26	2
OLDBURY (WORCES. AD.)..	26,630	123	—	61	6	—	26	1	—	26	4
ROWLEY REGIS	36,886	267	—	185	23	—	17	—	—	39	3
STAFFORD	21,327	55	—	44	2	—	4	—	—	5	—
STOKE-UPON-TRENT	34,000	310	—	160	76	—	30	—	—	40	3
TIPTON	31,341	206	—	61	29	—	78	1	—	34	4
TUNSTALL	26,437	172	—	62	65	—	11	—	—	37	1
WEDNESBURY	27,321	186	—	80	47	—	16	—	—	33	1
WOLSTANTON UNITED ..	24,150	277	—	175	66	—	15	—	—	21	6
WORCESTERSHIRE.											
KIDDERMINSTER	24,617	55	—	27	9	—	—	—	—	18	1
WORCESTER	48,813	357	—	151	145	—	15	—	—	42	4
WARWICKSHIRE.											
NUNEATON AND CHILVERS COTON.	30,235	142	2	98	15	—	10	—	—	18	1
ROYAL LEAMINGTON SPA	26,866	144	—	91	26	—	1	—	—	25	1
LEICESTERSHIRE.											
LOUGHBOROUGH	23,361	70	—	31	1	—	19	—	—	19	—
LINCOLNSHIRE.											
LINCOLN	52,871	470	—	137	276	—	22	—	—	34	1
NOTTINGHAMSHIRE.											
ILKESTON (DERBY ADMIN.)	28,484	83	—	17	27	—	32	—	—	5	2
MANSFIELD	24,462	347	1	172	27	—	104	—	—	42	1
DERBYSHIRE.											
CHESTERFIELD	30,049	143	—	64	17	—	21	—	—	38	3
GLOSSOP	21,162	256	—	204	17	—	14	—	—	19	2
CHESHIRE.											
CHESTER	39,133	288	—	101	153	—	17	—	—	16	1
CREWE	47,187	179	—	118	32	—	3	—	—	21	6
HYDE	34,032	375	—	282	23	—	17	—	—	52	1
MACCLESFIELD	34,063	459	—	392	23	2	12	—	—	28	2
LANCASHIRE.											
ACCRINGTON	45,717	204	—	82	51	—	20	—	—	48	3
ASHTON-UNDER-LYNE ..	45,901	278	120	97	10	—	19	—	—	27	4
BACUP	22,091	100	—	42	18	—	15	1	—	22	3
BLACKPOOL	59,979	304	9	133	53	—	39	—	—	18	2
CHADDERTON	26,494	196	28	121	23	—	10	—	—	12	2
CHORLEY	23,970	60	—	24	14	—	8	—	—	13	1
COLNE	26,397	227	—	189	11	—	6	—	—	21	—
DARWEN	40,520	106	—	50	18	—	17	—	—	17	4
ECLES	37,036	276	—	214	29	—	22	—	—	10	1
FARNWORTH	27,195	106	—	29	8	—	56	1	—	11	1
GORTON	32,682	282	—	195	26	—	40	—	—	20	1
HEYWOOD	26,731	254	1	137	13	—	15	—	—	36	2
HINDLEY	26,010	155	—	75	25	—	30	—	—	24	1
INCE-IN-MAKERFIELD ..	22,425	181	—	82	14	—	54	—	—	30	4
LANCASTER	44,259	189	—	87	24	—	29	—	—	44	5
LEIGH	45,003	438	—	332	15	—	51	—	—	37	3
MIDDLETON	26,892	132	13	80	14	—	5	—	—	15	5

* See note * on first page of table.

TABLE 8 (continued).—Number of Cases of Infectious Diseases Notified in certain LARGE TOWNS of ENGLAND and WALES during the 52 Weeks ended 23rd December, 1906.*

TOWNS.	Estimated Population in the middle of 1906.	Total Cases.	Small-pox	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE—cont.											
NELSON.. ..	38,285	213	—	144	35	—	9	—	—	25	—
RADCLIFFE	25,702	147	—	71	8	—	23	1	—	43	1
RAWTENSTALL	32,020	69	—	17	15	—	8	—	—	24	5
SOUTHPORT	51,837	267	—	179	39	—	13	—	—	35	1
STALYBRIDGE (CHESTER ADMIN.).	28,278	78	3	30	12	—	11	—	—	19	3
STRET福德	35,167	216	—	139	54	—	12	—	—	9	2
SWINTON & PENDLEBURY	29,969	163	—	77	19	2	30	—	—	9	1
WATERLOO - WITH - SEA-FORTH.	26,316	144	—	83	25	—	23	—	—	12	1
WIDNES.. ..	27,965	161	—	57	22	—	67	—	—	13	2
YORKSHIRE (W. RIDING).											
BARNSELY	44,272	388	—	244	45	—	53	—	—	42	4
BATLEY	31,314	196	—	70	18	—	32	1	—	12	3
BRIGHHOUSE	22,405	104	—	67	12	—	9	—	—	15	1
DEWSBURY	27,255	104	—	4	23	—	20	1	—	9	2
DONCASTER	30,856	194	—	143	15	—	13	—	—	23	—
HARROGATE	34,949	236	—	112	108	—	4	—	—	10	2
KEIGHLEY	45,224	284	—	176	74	—	5	—	—	25	1
MORLEY	25,107	118	—	20	17	—	62	—	—	18	4
SHIPLEY	26,851	127	—	92	9	—	12	—	—	14	—
TODMORDEN	26,039	212	—	138	46	—	13	—	—	13	2
WAKEFIELD	42,978	280	2	195	32	—	15	—	—	30	6
YORKSHIRE (N. RIDING).											
SCARBOROUGH	40,661	93	—	28	18	—	14	—	—	32	1
DURHAM.											
DARLINGTON	48,132	237	—	117	57	—	39	1	—	21	2
FELLING	25,205	180	—	95	39	—	13	—	—	29	4
HARTLEPOOL	23,591	32	—	19	10	—	3	—	—	—	—
HEBBURN	23,249	211	—	156	10	—	14	—	—	31	—
JARROW	34,791	108	—	39	21	—	16	5	—	27	—
NORTHUMBERLAND.											
WALLSEND	26,117	164	—	84	48	—	10	—	—	22	—
CUMBERLAND.											
CARLISLE	49,029	778	—	670	25	4†	5	—	—	71	3
WORKINGTON.. ..	26,772	167	—	99	13	—	24	—	—	31	—
MONMOUTHSHIRE.											
ABERTILLERY.. ..	27,908	276	—	145	62	—	23	—	—	43	3
EBBW VALE	23,039	236	—	44	131	—	13	1	—	43	4
GLAMORGANSHIRE.											
ABERDARE	46,181	439	—	206	114	—	35	—	—	78	6
BARRY	34,418	330	—	246	30	—	15	—	—	36	3
MOUNTAIN ASH	38,244	171	—	57	66	—	18	—	—	21	2
PONTYPRIDD	36,459	230	—	89	63	—	48	—	—	27	3
CARMARTHENSHIRE.											
LLANELLY	26,629	50	—	14	12	—	7	—	—	17	—

* See note * on first page of table.

† Notified as suspected typhus; subsequently diagnosed in hospital as epidemic pneumonia.

TABLE 9.—Number of Cases of Infectious Disease Notified in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 52 Weeks ended 29th December, 1906.*

BOROUGHs.	Estimated Population in the middle of 1906.	Total Cases.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.											
Paddington	148,913	1,087	1	717	183	—	34	1	—	139	12
Kensington	180,952	848	—	470	178	—	39	—	—	148	13
Hammersmith	120,679	886	—	437	278	—	33	1	—	125	12
Fulham	181,965	1,281	—	674	404	—	45	—	—	140	18
Chelsea	74,672	522	—	271	182	—	17	—	—	60	12
City of Westminster ..	173,905	931	—	537	209	—	47	2	—	127	9
NORTH.											
St. Marylebone	128,580	740	—	396	141	—	48	—	1	148	6
Hampstead	89,633	561	—	387	99	—	21	1	—	51	2
St. Pancras	236,455	1,417	—	798	279	—	95	—	—	235	10
Islington	344,937	2,283	1	1,392	439	3	146	1	—	277	24
Stoke Newington	53,217	240	—	135	47	—	10	—	—	47	1
Hackney	230,721	1,863	9	1,049	389	1	93	2	—	301	19
CENTRAL.											
Holborn	55,805	278	—	138	66	—	15	—	—	57	2
Finsbury	97,466	838	—	449	198	—	45	—	—	139	7
City of London	21,367	159	—	113	18	—	10	—	—	18	—
EAST.											
Shoreditch	116,108	964	—	627	144	—	37	—	—	150	6
Bethnal Green	130,609	1,219	6	650	252	—	55	—	—	245	11
Stepney	307,176	2,373	4	1,219	604	1	124	—	—	415	6
Poplar	170,673	1,122	2	571	249	—	86	—	—	206	8
SOUTH.											
Southwark	209,143	2,328	—	1,470	401	—	111	—	1	332	13
Bermondsey	128,629	1,567	1	990	336	2	41	—	—	195	2
Lambeth	315,774	2,075	—	1,264	422	—	90	1	—	273	25
Battersea	179,622	1,542	—	1,048	275	—	45	—	—	161	13
Wandsworth	273,381	2,013	—	1,069	556	—	96	—	—	269	23
Camberwell	274,132	1,901	6	1,161	355	—	59	—	—	305	15
Deptford	115,495	1,157	1	643	305	—	41	—	—	158	9
Greenwich	105,350	1,125	—	567	409	—	43	—	—	100	6
Lewisham	148,463	946	—	557	261	—	25	—	—	97	6
Woolwich	127,345	1,057	—	525	386	—	41	—	—	97	8
Port of London	—	17	—	5	—	—	8	—	—	4	—
ADMINISTRATIVE COUNTY OF LONDON		4,721,217	31	20,329	8,045	7	1,600	9	2	5,019	298
Age not stated											
Ages 0-1		595	—	219	185	—	2	—	—	189	—
" 1-5		9,287	2	6,024	2,961	—	48	—	—	232	—
" 5-		11,612	4	8,475	2,750	—	199	2	—	182	—
" 10-		4,676	7	3,244	912	1	261	2	—	249	—
" 15-		1,868	3	1,005	360	1	226	—	—	265	8
" 20-		1,504	5	647	292	1	201	1	—	287	70
" 25-		2,115	5	547	368	1	330	4	—	706	154
" 35-		1,436	4	130	151	1	193	—	1	895	61
" 45-		1,071	—	29	52	2	100	—	—	883	5
" 55-		651	1	8	10	—	32	—	1	599	—
" 65 and upwards		541	—	1	4	—	8	—	—	528	—
Age not stated		4	—	—	—	—	—	—	—	4	—

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

TABLE 10.—Proportion to Population of Cases of Infectious Disease Notified in certain LARGE TOWNS of ENGLAND and WALES during the 52 weeks ended 29th December, 1906.

TOWNS.	Annual Rate per 1000 Persons living.									
	Total Cases.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
LONDON	7.51	0.01	4.32	1.71	0.00	0.34	0.00	0.00	1.07	0.06
216 Provincial Towns	6.90	0.06	3.88	1.48	0.00	0.61	0.01	—	0.79	0.07
CROYDON	5.68	0.03	2.87	2.05	—	0.23	—	—	0.44	0.06
WILLESDEN	7.52	—	4.42	1.99	—	0.32	0.01	—	0.72	0.06
HORNSEY	7.24	—	4.73	1.79	—	0.29	—	—	0.42	0.01
TOTTENHAM	6.47	—	3.98	1.15	—	0.55	0.01	—	0.72	0.06
WEST HAM	9.96	—	5.68	2.22	—	1.24	—	—	0.76	0.06
EAST HAM	9.59	—	6.12	1.96	—	0.33	—	—	1.13	0.05
LEYTON	9.10	—	5.29	2.48	—	0.32	—	—	0.93	0.08
WALTHAMSTOW	10.48	—	6.82	2.41	—	0.28	0.01	—	0.88	0.08
HASTINGS	4.26	—	3.17	0.39	—	0.06	—	—	0.52	0.07
BRIGHTON	4.41	—	1.68	1.78	—	0.18	—	—	0.77	0.07
PORTSMOUTH	5.41	0.00	1.89	2.11	—	0.73	0.03	—	0.59	0.06
BOURNEMOUTH	2.53	—	0.84	1.07	—	0.18	—	—	0.44	—
SOUTHAMPTON	3.51	—	0.56	2.21	—	0.16	—	—	0.50	0.08
READING	8.12	—	2.62	4.32	—	0.27	—	—	0.85	0.06
NORTHAMPTON	4.39	—	2.95	0.30	—	0.36	—	—	0.76	0.02
IPSWICH	3.91	—	1.62	1.08	—	0.50	—	—	0.87	0.04
GREAT YARMOUTH	6.00	0.06	2.82	1.28	—	0.93	0.06	—	0.74	0.11
NORWICH	9.32	—	6.19	1.73	—	0.72	0.03	—	0.59	0.06
PLYMOUTH	8.81	1.45	3.97	1.20	—	0.21	—	—	1.90	0.08
DEVONPORT	4.83	0.74	1.88	0.50	—	0.96	—	—	0.69	0.06
BRISTOL	6.26	0.09	2.81	2.39	—	0.31	—	—	0.65	0.10
HANLEY	10.20	—	5.92	2.81	0.02	0.88	0.06	—	0.39	0.12
BURTON-UPON-TRENT	6.19	—	3.96	0.45	0.02	0.28	—	—	1.35	0.11
WOLVERHAMPTON	7.77	—	5.33	0.98	—	0.49	—	—	0.84	0.13
WALSALL	3.52	—	1.31	0.63	—	0.45	—	—	1.07	0.06
HANDSWORTH (STAFFS.)	5.47	—	3.66	0.93	—	0.17	0.02	—	0.66	0.03
WEST BROMWICH	4.97	—	2.37	0.26	—	0.62	—	—	1.68	0.04
BIRMINGHAM	6.33	—	3.32	1.52	—	0.35	—	—	1.09	0.05
KINGS NORTON	4.72	—	3.05	0.52	—	0.18	—	—	0.94	0.03
SMETHWICK	7.67	—	4.24	1.96	—	0.54	—	—	0.84	0.09
ASTON MANOR	6.78	0.01	3.97	1.27	—	0.57	—	—	0.87	0.09
COVENTRY	5.78	—	3.93	0.83	—	0.14	0.01	—	0.75	0.12
LEICESTER	12.34	0.00	9.90	1.37	—	0.32	—	—	0.71	0.04
GRIMSBY	7.23	—	3.28	1.79	—	1.39	0.01	—	0.72	0.04
NOTTINGHAM	6.68	—	2.39	2.24	—	1.11	0.02	—	0.86	0.06
DERBY	8.46	—	2.34	4.55	—	0.56	—	—	0.91	0.10
STOCKPORT	2.86	—	1.53	0.39	—	0.45	0.02	—	0.42	0.05
BIRKENHEAD	11.04	0.02	7.41	1.70	—	1.01	0.04	—	0.81	0.05
WALLASEY	6.42	—	4.10	0.85	—	1.01	—	—	0.43	0.03
LIVERPOOL	7.55	0.02	4.04	1.26	0.03	0.68	0.04	—	1.34	0.12
BOOTLE	7.78	—	5.24	1.29	—	0.70	—	—	0.55	0.09
ST. HELENS	7.15	—	2.56	2.18	—	1.16	0.01	—	1.18	0.06
WIGAN	6.16	—	2.93	0.56	—	1.59	—	—	0.98	0.10
WARRINGTON	3.04	0.01	0.91	0.41	—	0.61	—	—	0.98	0.12
BOLTON	5.79	—	3.49	0.47	—	1.09	0.01	—	0.68	0.05
BURY	3.69	0.02	1.55	0.60	—	0.55	0.07	—	0.70	0.20
MANCHESTER	7.65	0.01	5.14	1.03	—	0.68	0.00	—	0.62	0.17
SALFORD	7.40	—	3.89	1.85	—	0.97	0.00	—	0.60	0.09
OLDHAM	10.74	3.27	5.63	0.65	—	0.22	—	—	0.88	0.11
ROCHDALE	6.09	0.05	3.82	0.94	—	0.28	—	—	0.85	0.15
BURNLEY	5.51	—	2.58	0.77	—	0.63	—	—	1.43	0.10
BLACKBURN	9.07	—	6.32	1.23	—	0.61	—	—	0.82	0.09
PRESTON	6.64	0.03	4.07	0.57	—	1.32	0.03	—	0.59	0.08
BARROW-IN-FURNESS	5.11	—	2.94	0.94	—	0.38	0.03	—	0.74	0.03
HUDDERSFIELD	5.33	—	3.34	0.68	—	0.81	—	—	0.43	0.07
HALIFAX	4.32	—	1.96	1.43	—	0.35	—	—	0.52	0.06
BRADFORD	6.97	0.01	3.64	1.68	—	0.82	0.00	—	0.78	0.04
LEEDS	5.24	0.00	2.22	1.46	—	0.67	0.00	—	0.83	0.06
SHEFFIELD	14.41	0.00	11.00	1.52	—	0.87	0.01	—	0.89	0.12

TABLE 10 (continued).—Proportion to Population of Cases of Infectious Disease Notified in certain LARGE TOWNS of ENGLAND and WALES during the 52 Weeks ended 29th December, 1906.

TOWNS,	Annual Rate per 1,000 Persons living.									
	Total Cases.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
ROTHERHAM.. .. .	13'99	—	10'78	1'03	—	1'08	0'02	—	1'05	0'03
YORK	5'28	—	2'61	1'25	—	0'95	—	—	0'41	0'06
HULL	8'92	0'10	2'01	4'79	—	0'99	0'04	—	0'90	0'09
MIDDLESBROUGH	7'80	—	5'08	1'07	—	0'88	0'02	—	0'69	0'06
STOCKTON-ON-TEES	5'39	—	2'70	0'95	—	1'03	—	—	0'69	0'02
WEST HARTLEPOOL	5'18	—	2'99	1'42	—	0'34	—	—	0'42	0'01
SUNDERLAND	4'96	—	1'86	1'49	—	0'86	0'05	—	0'66	0'04
SOUTH SHIELDS	4'87	0'01	1'95	1'50	—	0'48	—	—	0'92	0'01
GATESHEAD	3'41	0'01	1'56	0'93	—	0'34	0'02	—	0'51	0'04
NEWCASTLE-ON-TYNE	5'11	0'03	2'75	1'35	—	0'27	0'00	—	0'69	0'02
TYNEMOUTH.. .. .	5'93	0'02	2'72	1'26	—	0'37	0'02	—	1'50	0'04
NEWPORT (MON.)	6'82	0'03	3'49	2'28	—	0'50	—	—	0'45	0'07
CARDIFF	7'22	0'01	4'24	1'82	—	0'41	0'01	—	0'64	0'09
RHONDDA	6'11	—	2'85	1'52	—	0'97	0'02	—	0'62	0'13
MERTHYR TYDFIL	6'79	0'01	3'24	1'63	—	1'14	—	—	0'88	0'09
SWANSEA	5'96	—	3'62	1'17	—	0'65	—	—	0'46	0'06
SURREY.										
ALDERSHOT (SOUTHAMPTON ADMIN.)	5'90	—	3'76	1'34	—	0'09	—	—	0'58	0'13
GUILDFORD	3'48	—	2'04	0'81	—	0'26	—	—	0'37	—
KINGSTON-ON-THAMES	4'66	—	3'05	0'97	—	0'04	—	—	0'47	0'13
PENGE (KENT ADMIN.)	5'57	—	2'98	2'19	—	0'07	—	—	0'29	0'04
RICHMOND.. .. .	2'83	—	1'72	0'60	—	0'23	—	—	0'35	0'03
WIMBLEDON	6'67	—	4'57	1'18	—	0'28	—	—	0'62	0'02
KENT.										
BECKENHAM	4'19	—	2'90	0'68	—	0'20	—	—	0'41	—
BROMLEY	5'22	—	1'74	2'69	—	0'03	—	—	0'76	—
CANTERBURY	4'81	—	1'81	1'54	—	0'81	0'23	—	0'42	—
CHATHAM	7'64	—	5'08	0'73	—	1'28	—	—	0'55	—
DOVER	4'59	—	1'48	2'14	—	0'49	0'02	—	0'44	0'02
ERITH	10'00	—	4'59	3'35	—	0'92	—	—	1'11	0'03
FOLKESTONE	3'21	—	1'37	1'08	—	0'35	—	—	0'35	0'06
GILLINGHAM	8'97	—	7'00	0'57	—	0'79	—	—	0'61	—
GRAVESEND	8'04	—	5'38	1'66	—	0'34	—	—	0'59	0'07
MAIDSTONE	9'38	—	7'75	0'67	—	0'17	—	—	0'70	0'09
MARGATE	5'61	—	2'59	1'41	—	1'22	—	—	0'35	0'04
RAMSGATE.. .. .	7'05	—	3'71	2'18	—	0'58	—	—	0'58	—
ROCHESTER	5'92	—	1'85	2'16	—	1'06	—	—	0'79	0'06
TUNBRIDGE WELLS	3'42	—	2'19	0'25	—	0'53	—	—	0'39	0'06
SUSSEX.										
EASTBOURNE	4'27	—	3'03	0'38	—	0'17	—	—	0'67	0'02
HOVE	2'20	—	0'95	0'64	—	0'37	—	—	0'22	0'02
WORTHING.. .. .	5'55	—	2'13	2'58	—	0'20	—	—	0'56	0'08
HAMPSHIRE.										
GOSPORT AND ALVERSTOKE	2'76	—	1'33	0'16	—	0'65	—	—	0'49	0'13
WINCHESTER	3'02	—	0'71	1'51	—	0'28	—	—	0'47	0'05
MIDDLESEX.										
ACTON	6'03	—	3'80	1'07	—	0'29	0'02	—	0'78	0'07
CHISWICK	6'00	—	3'50	0'82	—	0'21	0'03	—	1'44	—
EALING	8'58	—	3'54	3'75	—	0'18	—	—	0'95	0'16
EDMONTON	10'09	—	6'62	1'58	—	0'45	—	—	1'35	0'09
ENFIELD	7'69	—	5'21	1'13	—	0'43	—	—	0'88	0'04
FINCHLEY	7'59	—	5'15	1'20	0'04	0'36	—	—	0'72	0'12
HENDON	5'97	—	4'47	0'69	—	0'23	—	—	0'50	0'08
HESTON & ISLEWORTH	4'84	—	2'09	2'00	—	0'21	0'03	—	0'51	—
TWICKENHAM	5'65	—	3'59	1'01	—	0'25	—	—	0'72	0'08
WOOD GREEN	8'75	—	5'65	1'88	—	0'39	—	—	0'75	0'08

TABLE 10 (continued).—Proportion to Population of Cases of Infectious Disease Notified in certain LARGE TOWNS of ENGLAND and WALES during the 52 Weeks ended 29th December, 1906.

TOWNS.	Annual Rate per 1,000 Persons living.									
	Total Cases.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
HERTFORDSHIRE.										
WATFORD	10'04	—	5'51	3'56	—	0'19	—	—	0'64	0'14
OXFORDSHIRE.										
OXFORD	8'09	—	6'10	0'68	—	0'06	—	—	1'17	0'08
NORTHAMPTONSHIRE.										
KETERING	3'79	—	1'82	0'42	—	0'42	—	—	1'07	0'06
PETERBOROUGH	5'78	—	3'86	0'80	—	0'24	—	—	0'85	0'03
BEDFORDSHIRE.										
BEDFORD	8'57	—	5'67	2'41	—	0'10	—	—	0'39	—
LUTON	8'54	—	4'52	2'54	—	0'20	—	—	1'28	—
CAMBRIDGESHIRE.										
CAMBRIDGE	4'09	—	2'60	0'77	—	0'10	—	—	0'59	0'03
ESSEX.										
BARKING TOWN	9'51	—	5'35	2'79	—	0'43	—	—	0'94	—
COLCHESTER	3'15	—	0'81	0'72	—	0'35	—	—	1'24	—
ILFORD	9'51	—	5'67	2'27	—	0'61	—	—	0'91	0'05
SOUTHEND-ON-SEA	8'45	—	5'22	1'94	—	0'51	0'05	—	0'62	0'11
SUFFOLK.										
LOWESTOFT	5'25	—	3'03	1'11	—	0'45	—	—	0'60	0'06
NORFOLK.										
KING'S LYNN	4'64	—	1'97	0'42	—	1'03	—	—	1'17	0'06
WILTSHIRE.										
SALISBURY	2'44	—	1'50	0'47	—	0'23	—	—	0'19	0'05
SWINDON	7'17	—	3'91	2'61	—	0'12	—	—	0'53	—
DORSETSHIRE.										
POOLE	3'39	—	0'87	1'07	—	0'87	—	—	0'58	—
DEVONSHIRE.										
EXETER	4'43	—	2'89	0'25	—	0'77	—	—	0'50	0'02
TORQUAY	1'50	—	1'05	0'06	—	0'33	—	—	0'06	—
SOMERSETSHIRE.										
BATH	3'42	0'04	1'70	0'76	—	0'25	—	—	0'63	0'04
TAUNTON	3'45	—	2'33	0'54	—	0'04	—	—	0'49	—
GLOUCESTERSHIRE.										
CHELTENHAM	4'55	0'02	2'01	1'20	—	0'45	0'02	—	0'73	0'12
GLOUCESTER	3'08	—	1'14	0'99	—	0'31	—	—	0'58	0'06
HEREFORDSHIRE.										
HEREFORD	11'04	—	1'36	7'27	—	0'14	—	—	2'13	0'14
SHROPSHIRE.										
SHREWSBURY	3'52	—	1'16	1'61	—	0'38	—	—	0'34	0'03
STAFFORDSHIRE.										
BILSTON	6'23	—	4'26	0'41	—	0'62	—	—	0'82	0'12
BURSLER	6'51	—	3'32	2'08	—	0'57	—	—	0'40	0'14
CANNOCK	11'60	—	9'50	0'43	—	0'08	—	—	1'43	0'16
COSELEY	9'53	—	6'86	0'76	—	1'11	—	—	0'71	0'09

TABLE 10 (continued).—Proportion to Population of Cases of Infectious Disease Notified in certain LARGE TOWNS of ENGLAND and WALES during the 52 Weeks ended 29th December, 1906.

TOWNS.	Annual Rate per 1000 Persons living.									
	Total Cases.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
STAFFORDSHIRE—cont.										
DUDLEY (WORCESTER AD.)	3'98	—	1'94	0'53	—	0'65	—	—	0'81	—
FENTON	14'91	—	7'36	6'39	—	0'50	—	—	0'54	0'12
LONGTON	7'37	—	4'20	1'53	—	0'85	0'03	—	0'71	0'05
OLDBURY (WORCES. AD.)	4'64	—	2'30	0'23	—	0'98	—	—	0'98	0'15
ROWLEY REGIS	7'26	—	5'03	0'63	—	0'46	—	—	1'06	0'08
STAFFORD	2'59	—	2'07	0'09	—	0'19	—	—	0'24	—
STOKE-UPON-TRENT	9'14	—	4'72	2'21	—	0'88	0'03	—	1'18	0'09
TIPTON	6'60	—	1'95	0'93	—	2'50	—	—	1'09	0'13
TUNSTALL	6'53	—	2'35	2'47	—	0'42	—	—	1'25	0'04
WEDNESBURY	6'84	—	2'94	1'73	—	0'59	—	—	1'36	0'22
WOLSTANTON UNITED	11'60	—	7'27	2'74	—	0'62	—	—	0'87	—
WORCESTERSHIRE.										
KIDDERMINSTER	2'24	—	1'10	0'37	—	—	—	—	0'73	0'04
WORCESTER	7'33	—	3'10	2'98	—	0'31	—	—	0'86	0'08
WARWICKSHIRE.										
NUNEATON AND CHILVERS COTON.	4'71	0'07	3'25	0'50	—	0'33	—	—	0'53	0'03
ROYAL LEAMINGTON SPA ..	5'38	—	3'40	0'97	—	0'04	—	—	0'93	0'04
LEICESTERSHIRE.										
LOUGHBOROUGH	3'01	—	1'33	0'04	—	0'82	—	—	0'82	—
LINCOLNSHIRE.										
LINCOLN	8'91	—	2'60	5'23	—	0'42	—	—	0'64	0'02
NOTTINGHAMSHIRE.										
ILKESTON (DERBY ADMIN.)	2'93	—	0'60	0'95	—	1'13	—	—	0'18	0'07
MANSFIELD	14'22	0'04	7'05	1'11	—	4'26	—	—	1'72	0'04
DERBYSHIRE.										
CHESTERFIELD	4'78	—	2'14	0'57	—	0'70	—	—	1'27	0'10
GLOSSOP	12'13	—	9'67	0'81	—	0'66	—	—	0'90	0'09
CHESHIRE.										
CHESTER	7'39	—	2'59	3'02	—	0'44	—	—	0'41	0'03
CREWE	3'81	—	2'51	0'68	—	0'06	—	—	0'45	0'11
HYDE	11'05	—	8'31	0'68	—	0'50	—	—	1'53	0'03
MACCLESFIELD	13'51	—	11'54	0'68	0'06	0'35	—	—	0'82	0'06
LANCASHIRE.										
ACCRINGTON	4'48	—	1'80	1'12	—	0'44	—	—	1'05	0'07
ASHTON-UNDER-LYNE	6'08	2'62	2'12	0'22	—	0'42	0'02	—	0'59	0'09
BACUP	4'55	—	1'91	0'82	—	0'68	—	—	1'00	0'14
BLACKPOOL	5'03	0'15	3'06	0'89	—	0'65	—	—	0'30	0'03
CHADDERTON	7'42	1'06	4'58	0'87	—	0'38	—	—	0'45	0'08
CHORLEY	2'07	—	0'83	0'48	—	0'28	—	—	0'45	0'03
COLNE	8'63	—	7'18	0'42	—	0'23	—	—	0'80	—
DARWEN	2'63	—	1'24	5'45	—	0'42	—	—	0'42	0'10
ECCLES	7'48	—	5'79	0'79	—	0'60	—	—	0'27	0'03
FARNWORTH	3'91	—	1'07	0'29	—	2'06	0'04	—	0'41	0'04
GORTON	8'65	—	5'98	0'80	—	1'23	—	—	0'61	0'03
HEYWOOD	9'53	0'04	7'01	0'49	—	0'56	—	—	1'35	0'08
HINDLEY	5'98	—	2'89	0'96	—	1'16	—	—	0'93	0'04
INCE-IN-MAKERFIELD	8'09	—	3'67	0'63	—	2'41	—	—	1'34	0'04
LANCASTER	4'28	—	1'97	0'54	—	0'66	—	—	1'00	0'11
LEIGH	9'76	—	7'40	0'33	—	1'14	—	—	0'82	0'07
MIDDLETON	4'92	0'48	2'98	0'52	—	0'19	—	—	0'56	0'19

TABLE 10 (continued).—Proportion to Population of Cases of Infectious Disease Notified in certain Large Towns of England and Wales during the 52 Weeks ended 29th December, 1906.

TOWNS.	Annual Rate per 1000 Persons living.									
	Total Cases.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE—cont.										
NELSON	5·58	—	3·77	0·92	—	0·24	—	—	0·65	—
RADCLIFFE	5·74	—	2·77	0·31	—	0·90	0·04	—	1·68	0·04
RAWTENSTALL	2·16	—	0·53	0·47	—	0·25	—	—	0·75	0·16
SOUTHPORT	5·16	—	3·46	0·75	—	0·25	—	—	0·68	0·02
STALYBRIDGE (CHESTER ADMIN.).	2·77	0·11	1·06	0·43	—	0·39	—	—	0·67	0·11
STRETFORD	6·16	—	3·96	1·54	—	0·34	—	—	0·26	0·06
SWINTON & PENDLEBURY ..	5·46	—	2·58	0·64	0·07	1·00	—	—	1·14	0·03
WATERLOO-WITH-SEA-FORTH.	5·49	—	3·16	0·95	—	0·88	—	—	0·46	0·04
WIDNES	5·77	—	2·04	0·79	—	2·40	—	—	0·47	0·07
YORKSHIRE (W. RIDING).										
BARNLEY	8·79	—	5·53	1·02	—	1·20	—	—	0·95	0·09
BATLEY	4·35	—	2·24	0·58	—	1·02	0·03	—	0·38	0·10
BRIGHTHOUSE	4·65	—	3·00	0·54	—	0·40	—	—	0·67	0·04
DEWSBURY	3·83	—	1·80	0·85	—	0·74	0·04	—	0·33	0·07
DONCASTER	6·35	—	4·68	0·49	—	0·43	—	—	0·75	—
HARROGATE	6·77	—	3·21	3·10	—	0·11	—	—	0·29	0·06
KEIGHLEY	6·29	—	3·90	1·64	—	0·11	—	—	0·55	0·09
MORLEY	4·72	—	0·80	0·68	—	2·48	—	—	0·72	0·04
SHIPLEY	4·75	—	3·44	0·34	—	0·45	—	—	0·52	—
TODMORDEN	8·16	—	5·31	1·77	—	0·50	—	—	0·50	0·08
WAKEFIELD	6·54	0·05	4·55	0·75	—	0·35	—	—	0·70	0·14
YORKSHIRE (N. RIDING).										
SCARBOROUGH	2·29	—	0·69	0·44	—	0·35	—	—	0·79	0·02
DURHAM.										
DARLINGTON	4·94	—	2·44	1·19	—	0·81	0·02	—	0·44	0·04
FELLING	7·16	—	3·78	1·55	—	0·52	—	—	1·15	0·16
HARTLEPOOL	1·37	—	0·81	0·43	—	0·13	—	—	—	—
HEBBURN	9·10	—	6·73	0·43	—	0·60	—	—	1·34	—
JARROW	3·11	—	1·12	0·61	—	0·46	0·14	—	0·78	—
NORTHUMBERLAND.										
WALLSEND	6·29	—	3·23	1·84	—	0·38	—	—	0·84	—
CUMBERLAND.										
CARLISLE	15·90	—	13·70	0·51	0·08*	0·10	—	—	1·45	0·06
WORKINGTON	6·26	—	3·71	0·49	—	0·90	—	—	1·16	—
MONMOUTHSHIRE.										
ABERTILLERY	9·93	—	5·21	2·23	—	0·83	—	—	1·55	0·11
EBBW VALE	10·27	—	1·92	5·70	—	0·57	0·04	—	1·87	0·17
GLAMORGANSHIRE.										
ABERDARE	9·53	—	4·47	2·48	—	0·76	—	—	1·69	0·13
BARRY	9·62	—	7·17	0·87	—	0·44	—	—	1·05	0·09
MOUNTAIN ASH	4·48	—	1·49	1·73	—	0·47	—	—	0·55	0·24
PONTYPRIDD	6·32	—	2·45	1·73	—	1·32	—	—	0·74	0·08
CARMARTHENSHIRE.										
LLANELLY	1·88	—	0·53	0·45	—	0·26	—	—	0·64	—

* Notified as suspected typhus ; subsequently diagnosed in hospital as epidemic pneumonia.

TABLE 11.—Proportion to Population of Cases of Infectious Disease Notified in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 52 Weeks ended 29th December, 1906.

BOROUGH.				Annual Rate per 1,000 Persons living.									
				Total Cases.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.													
Paddington	7.33	0.01	4.83	1.23	—	0.23	0.01	—	0.94	0.08			
Kensington	4.79	—	2.60	0.99	—	0.22	—	—	0.82	0.07			
Hammersmith	7.36	—	3.63	2.31	—	0.27	0.01	—	1.04	0.10			
Fulham	7.93	—	4.17	2.50	—	0.28	—	—	0.87	0.11			
Chelsea	7.02	—	3.64	2.18	—	0.23	—	—	0.81	0.16			
City of Westminster	5.37	—	3.10	1.21	—	0.27	0.01	—	0.73	0.05			
NORTH.													
St. Marylebone	5.77	—	3.09	1.10	—	0.37	—	0.01	1.15	0.05			
Hampstead	6.27	—	4.33	1.11	—	0.23	0.01	—	0.57	0.02			
St. Pancras	6.00	—	3.38	1.18	—	0.40	—	—	1.00	0.04			
Islington	6.64	0.00	4.05	1.28	0.01	0.42	0.00	—	0.81	0.07			
Stoke Newington	4.53	—	2.54	0.89	—	0.19	—	—	0.89	0.02			
Hackney	8.09	0.04	4.56	1.69	0.00	0.40	0.01	—	1.31	0.08			
CENTRAL.													
Holborn	5.00	—	2.48	1.19	—	0.27	—	—	1.02	0.04			
Finsbury	8.62	—	4.62	2.04	—	0.46	—	—	1.43	0.07			
City of London	7.45	—	5.30	0.84	—	0.47	—	—	0.84	—			
EAST.													
Shoreditch	8.32	—	5.41	1.24	—	0.32	—	—	1.30	0.05			
Bethnal Green	9.36	0.05	4.90	1.04	—	0.42	—	—	1.88	0.08			
Stepney	7.73	0.01	3.98	1.97	0.00	0.40	—	—	1.35	0.02			
Poplar	6.59	0.01	3.35	1.46	—	0.51	—	—	1.21	0.05			
SOUTH.													
Southwark	11.15	—	7.05	1.92	—	0.53	—	0.00	1.59	0.06			
Bermondsey	12.23	0.01	7.72	2.62	0.02	0.32	—	—	1.52	0.02			
Lambeth	6.59	—	4.01	1.34	—	0.29	0.00	—	0.87	0.08			
Battersea	8.61	—	5.85	1.64	—	0.25	—	—	0.90	0.07			
Wandsworth	7.38	—	3.92	2.04	—	0.35	—	—	0.99	0.08			
Camberwell	6.96	0.02	4.25	1.30	—	0.22	—	—	1.12	0.05			
Deptford	10.05	0.01	5.58	2.65	—	0.36	—	—	1.37	0.08			
Greenwich	10.71	—	5.40	3.89	—	0.41	—	—	0.95	0.06			
Lewisham	6.39	—	3.76	1.76	—	0.17	—	—	0.66	0.04			
Woolwich	8.31	—	4.13	3.04	—	0.32	—	—	0.76	0.06			
Port of London	?	—	?	—	—	?	—	—	?	—			
ADMINISTRATIVE COUNTY OF LONDON				7.51	0.01	4.32	1.71	0.00	0.34	0.00	0.00	1.07	0.06
Ages 0-1	5.22	—	1.92	1.62	—	0.02	—	—	1.66	—			
" 1-5	23.13	0.00	15.04	7.39	—	0.12	—	—	0.58	—			
" 5-	25.28	0.01	18.45	5.99	—	0.43	0.00	—	0.40	—			
" 10-	10.73	0.02	7.45	2.09	0.00	0.60	0.00	—	0.57	—			
" 15-	4.07	0.01	2.18	0.79	0.00	0.49	—	—	0.58	0.02			
" 20-	3.03	0.01	1.30	0.59	0.00	0.41	0.00	—	0.58	0.14			
" 25-	2.51	0.01	0.65	0.44	0.00	0.39	0.00	—	0.84	0.18			
" 35-	2.34	0.01	0.21	0.25	0.00	0.31	—	0.00	1.46	0.10			
" 45-	2.49	—	0.07	0.12	0.00	0.23	—	—	2.06	0.01			
" 55-	2.41	0.00	0.03	0.04	—	0.12	—	0.00	2.22	—			
" 65 and upwards	2.81	—	0.01	0.02	—	0.04	—	—	2.74	—			
Age not stated	?	—	—	—	—	—	—	—	?	—			

TABLE 12.—**LONDON**:—Deaths caused by **Horses** and **Vehicles** in the **Streets, 1891-1906**.

NOTE.—The figures given in this Table relate to deaths that were registered within the limits of the Administrative County of London: they have been classified from the information given in the Death Registers.

Year.	Description of Vehicle, &c.														TOTAL FATALITIES.			
	Carriage, Brake, Wagonette.		Cab.		Omnibus.		Tram-car.		Van, Wagon, Dray, Cart.		Cycle.		All other Vehicles.					
Horse, &c.	Horse.	Motor.	Horse.	Motor.	Horse.	Motor.	Horse.	Electric or Cable.	Horse.	Motor.	Horse.	Motor.	Others.	Motor not described.	Others.	Motors (including Electric and Cable Tram-cars).	Horse, Horse drawn Vehicles, &c.	
1891	9	7	—	35	—	17	—	12	1	153	—	—	—	2	—	8	1	243
1892	17	11	—	46	—	27	—	11	—	149	—	—	—	—	—	8	—	269
1893	21	12	—	43	—	28	—	16	—	161	—	—	—	3	—	20	—	304
1894	17	10	—	35	—	24	—	13	—	133	—	—	—	3	—	20	—	255
1895	12	10	—	34	—	34	—	12	—	164	—	—	—	3	—	22	—	291
1896	18	11	—	51	—	30	—	17	—	155	—	—	—	5	—	13	—	300
1897	14	11	—	50	1	32	—	11	—	186	—	—	—	5	—	24	1	333
1898	16	13	1	47	—	32	—	19	—	147	—	—	—	9	—	25	1	308
1899	21	10	1	45	—	36	—	12	—	206	—	—	—	10	—	18	1	358
1900	20	7	1	46	—	40	—	18	—	200	—	—	—	11	—	28	1	370
1901	12	15	1	27	—	30	—	15	2	161	—	—	—	11	—	28	3	299
1902	21	5	1	38	—	40	—	20	3	161*	—	—	—	1	—	22	5	324*
1903	10	9	12	37	—	23	—	24	2	147	1	2	29	—	—	10	17	289
1904	8	8	9	33	—	21	1	16	2	124	3	3	25	—	—	19	18	254
1905	9	7	11	30	—	24	6	7	9	154	3	4	28	—	—	21	33	280
1906	9	4	22	43	—	25	30	10	8	130	8	—	27	—	—	12	68	260

TABLE 13.—LONDON.—Mortality in Five Groups of Districts (not corrected for Deaths in Institutions), and Meteorology at Greenwich, 1857-1906.

		GROUPS OF DISTRICTS.					METEOROLOGY AT GREENWICH.				
LONDON.		WEST.	NORTH.	CENTRAL.	EAST.	SOUTH.	Mean Temperature of Air.	Degree of Humidity, Saturation = 100.	Rainfall, in Inches.	Mean Hourly Movement of the Air.	
Area in Square Miles ..	116.9	16.2	21.4	3.2	8.6	67.4					
Average Annual Rate of Increase of Population per Cent., 1891-1901 ..	0.706	0.839	0.410	-1.551 (decrease).	0.142	1.389					
Unenumerated Population, 1901 ..	4,536,429	805,311	1,056,070	209,465	715,739	1,749,844					
Population Density: Persons per Acre	<div><div>1851</div><div>1861</div><div>1871</div><div>1881</div><div>1891</div><div>1896</div><div>1901</div></div> <div><div>30</div><div>36</div><div>42</div><div>49</div><div>56</div><div>59</div><div>60</div></div>	<div><div>35</div><div>44</div><div>52</div><div>62</div><div>71</div><div>75</div><div>77</div></div>	<div><div>36</div><div>46</div><div>56</div><div>67</div><div>74</div><div>77</div><div>77</div></div>	<div><div>203</div><div>175</div><div>150</div><div>127</div><div>116</div><div>110</div><div>101</div></div>	<div><div>78</div><div>92</div><div>107</div><div>116</div><div>128</div><div>130</div><div>130</div></div>	<div><div>14</div><div>17</div><div>21</div><div>28</div><div>35</div><div>38</div><div>41</div></div>					
YEARS.		ANNUAL RATE OF MORTALITY PER 1000.					METEOROLOGY IN EACH YEAR.				
57 ..	22.4	21.2	21.5	23.8	24.6	21.5	51.0	83	21.4	Miles.	
58 ..	23.9	22.4	22.9	24.5	25.8	24.0	49.2	79	17.8	9.3	
59 ..	22.7	21.4	21.7	24.1	24.0	22.6	50.7	80	25.9	9.7	
60 ..	22.4	22.2	21.2	23.3	24.1	22.1	47.0	84	32.0	9.5	
61 ..	23.2	22.1	22.3	25.4	24.0	22.8	49.4	84	20.8	10.0	
62 ..	23.6	22.0	22.0	26.2	26.0	22.7	49.5	84	26.2	9.9	
63 ..	24.5	22.9	23.8	26.9	26.5	23.3	50.3	80	20.0	10.0	
64 ..	26.4	24.4	25.3	29.5	29.0	25.3	48.5	78	16.7	9.5	
65 ..	24.5	22.6	24.5	27.1	26.5	23.2	50.3	80	29.0	9.3	
66 ..	26.5	22.6	25.3	27.1	34.0	24.1	49.8	82	30.7	11.4	
67 ..	23.0	21.7	23.1	24.8	24.2	22.1	48.6	82	28.4	11.8	
68 ..	23.5	22.2	22.7	25.2	25.4	22.9	51.5	78	25.2	12.2	
69 ..	24.6	22.2	23.5	26.6	27.9	23.8	49.5	81	24.0	12.2	
70 ..	24.1	23.8	23.5	26.0	25.0	23.4	48.7	79	18.5	11.1	
71 ..	24.6	22.5	25.6	25.0	26.1	24.0	48.7	81	22.3	10.5	
72 ..	21.4	19.6	21.2	23.6	23.6	20.7	50.7	82	30.0	11.9	
73 ..	22.4	20.5	21.2	25.1	25.3	21.7	48.9	82	23.4	11.8	
74 ..	22.4	20.9	21.7	25.7	25.5	21.0	49.3	82	20.0	11.5	
75 ..	23.6	22.2	22.2	26.2	25.7	23.3	49.2	80	28.2	11.5	
76 ..	21.9	21.0	21.2	24.1	24.0	21.2	50.1	80	24.2	12.1	
77 ..	21.6	19.2	21.5	24.2	24.5	20.5	49.4	79	26.9	13.0	
78 ..	23.1	21.6	22.0	25.2	25.1	23.0	49.6	81	29.2	11.1	
79 ..	22.6	20.9	21.5	26.3	25.5	21.8	46.2	83	31.3	11.3	
80 ..	21.7	19.8	20.8	23.8	24.3	21.3	49.4	84	29.8	11.7	
81 ..	21.3	19.6	20.7	23.4	24.3	20.5	48.7	81	25.2	12.1	
82 ..	21.5	20.0	19.8	24.0	25.3	20.8	49.7	84	25.2	12.8	
83 ..	20.8	19.8	19.4	23.3	24.4	19.8	49.4	82	21.9	12.1	
84 ..	20.9	19.7	19.6	23.8	23.4	20.2	50.7	80	18.1	11.9	
85 ..	20.4	19.9	19.3	22.9	23.0	19.1	48.6	81	24.0	12.0	
86 ..	20.6	19.8	18.9	23.4	23.9	19.9	48.7	81	24.2	11.8	
87 ..	20.3	19.9	18.9	23.5	23.3	19.4	47.8	79	19.9	11.5	
88 ..	19.3	19.3	17.7	22.7	22.7	18.1	47.7	82	27.5	12.3	
89 ..	18.4	18.1	16.9	20.9	21.2	17.7	48.8	83	23.3	10.2	
90 ..	21.4	20.5	19.6	24.8	25.1	19.6	48.6	81	21.9	11.2	
91 ..	21.4	20.8	20.0	26.4	24.1	19.8	48.4	82	25.1	11.7	
92 ..	20.7	20.0	19.4	23.8	23.4	19.1	48.1	80	22.3	11.0	
93 ..	21.2	19.6	20.0	25.4	24.7	19.5	51.1	76	20.1	11.2	
94 ..	17.8	17.1	16.3	20.0	20.7	16.4	49.9	81	26.9	12.5	
95 ..	19.9	18.6	18.3	23.7	23.3	18.5	49.3	78	19.7	11.6	
96 ..	18.6	17.6	17.1	21.4	21.3	17.5	50.1	79	22.4	11.4	
97 ..	18.2	17.1	17.0	21.9	21.2	16.9	50.3	79	22.1	12.2	
98 ..	18.8	18.0	17.4	22.2	21.9	17.4	51.3	78	18.9	11.8	
99 ..	20.6	19.1	18.5	22.8	23.2	18.6	50.6	77	22.3	11.5	
00 ..	19.2	17.9	17.6	22.1	22.4	17.9	50.4	79	22.3	12.2	
01 ..	17.7	16.5	16.0	20.3	21.0	16.4	49.2	78	20.3	11.6	
02 ..	17.7	16.6	16.1	21.2	19.9	16.0	49.2	80	19.3	11.4	
03 ..	15.7	14.6	14.4	19.1	18.6	14.2	50.1	80	35.5	13.3	
04 ..	16.6	15.4	15.5	20.2	19.5	15.3	49.8	82	20.7	11.4	
05 ..	15.6	14.8	14.2	19.3	18.4	14.1	49.9	81	23.0	12.3	
06 ..	15.7	14.5	14.3	20.3	18.6	14.4	50.7	79	24.7	12.5	

2.—The deaths for the 49 years 1857-1905 are for the calendar years, while those for 1906 are the numbers registered in weeks ended 29th December, 1906.
 3.—Changes affecting the West and Central groups of districts were made in the year 1888, but no corrections for changes have been made in this Table for any year prior to 1881. The hamlet of Mottingham was transferred from the North Group of Districts to the Outer Ring on 1st April 1887. See also Note † to Table 14.
 4.—The results of Robinson's anemometer by reduction from Whewell's, up to 1859.

TABLE 14.—LONDON.—Population

[NOTE.—The boundaries of the Administrative and Registration Counties of London were made co-extensive in 1889. The figures for 1857-1905 relate to calendar years.]

PERIOD AND YEAR.	ESTIMATED POPULATION IN THE MIDDLE OF EACH YEAR.	MARRIAGES.	BIRTHS.*			DEATHS.†	Excess of Births over Deaths.	Deaths of Infants under One Year of Age.†
			Legitimate.	Illegitimate.	Total.			
1841-50	(Mean.) 2,103,487	207,502	?	?	665,661	523,110	142,551	104,461
1851-60	2,570,489	264,153	828,998	35,565	864,563	610,473	254,090	133,775
1861-70	3,018,193	306,870	1,023,020	44,968	1,067,988	736,342	331,646	173,454
1871-80	3,513,843	334,706	1,197,171	48,270	1,245,441	791,736	453,705	196,343
1881-90	4,000,475	351,042	1,277,724	51,448	1,329,172	818,788	510,384	201,551
1891-1900	4,388,868	391,619	1,282,096	48,918	1,331,014	859,098	471,916	212,674
1857	2,636,174	25,924	85,829	3,748	89,577	59,103	30,474	13,931
1858	2,680,700	25,766	85,260	3,752	89,012	64,093	24,919	14,280
1859	2,725,374	27,263	89,007	3,902	92,909	61,860	31,049	13,976
1860	2,770,181	27,987	89,472	3,942	93,414	62,309	31,105	14,269
1861	2,815,101	26,876	92,829	4,235	97,064	65,251	31,813	15,076
1862	2,860,117	28,839	93,530	4,320	97,850	67,371	30,479	13,999
1863	2,905,210	29,963	97,685	4,434	102,119	71,060	31,059	15,433
1864	2,950,361	31,541	98,314	4,311	102,625	78,238	24,387	17,314
1865	2,995,551	33,364	102,101	4,702	106,803	73,531	33,272	18,283
1866	3,040,761	33,592	104,157	4,508	108,665	80,453	28,212	18,733
1867	3,085,971	31,689	108,058	4,633	112,691	70,924	41,767	17,973
1868	3,131,160	30,607	109,199	4,738	113,937	73,798	40,139	18,891
1869	3,176,308	30,017	107,857	4,475	112,332	78,082	34,250	19,078
1870	3,221,394	30,382	109,290	4,612	113,902	77,634	36,268	18,673
1871	3,267,251	31,843	108,166	4,451	112,617	80,430	32,187	19,244
1872	3,319,736	33,155	113,558	4,882	118,440	71,355	47,085	18,740
1873	3,373,065	33,425	114,206	4,809	119,015	75,459	43,556	19,007
1874	3,427,250	33,248	117,142	4,808	121,950	76,899	45,051	18,966
1875	3,482,306	34,072	118,632	4,634	123,266	82,069	41,197	19,080
1876	3,538,246	34,007	122,860	4,584	127,444	77,762	49,682	19,954
1877	3,595,085	33,593	123,305	4,787	128,092	77,543	50,549	18,685
1878	3,652,837	33,742	124,738	5,027	129,765	84,298	45,467	21,276
1879	3,711,517	33,477	126,427	5,115	131,542	83,964	47,578	19,448
1880	3,771,139	34,144	128,137	5,173	133,310	81,957	51,353	21,043
1881	3,824,980	34,578	127,716	5,188	132,904	81,431	51,473	19,648
1882	3,862,956	35,612	128,092	5,217	133,309	83,015	50,294	20,151
1883	3,901,309	35,379	129,232	5,271	134,503	81,108	53,395	19,612
1884	3,940,042	35,381	130,514	5,137	135,651	82,448	53,203	21,143
1885	3,979,160	34,560	127,638	5,314	132,952	80,978	51,974	19,649
1886	4,018,666	34,482	129,223	5,116	134,339	82,691	51,648	21,320
1887	4,058,565	34,251	128,052	5,307	133,359	82,443	50,916	21,109
1888	4,098,860	34,635	126,797	4,964	131,761	79,244	52,517	19,302
1889	4,139,555	35,412	127,201	5,032	132,233	76,162	56,071	18,664
1890	4,180,654	36,752	123,259	4,902	128,161	89,268	38,893	20,953
1891	4,223,720	37,341	129,697	4,787	134,484	90,595	43,889	20,784
1892	4,269,634	37,191	127,368	4,960	132,328	88,440	43,888	20,451
1893	4,312,263	37,016	128,149	4,913	133,062	91,552	41,510	21,853
1894	4,351,501	36,924	126,520	4,934	131,454	77,407	54,047	18,836
1895	4,387,248	37,629	129,258	4,897	134,155	87,298	46,857	22,276
1896	4,419,411	39,872	128,790	5,043	133,833	82,390	51,443	21,628
1897	4,447,907	41,217	129,287	4,900	134,187	81,119	53,068	21,296
1898	4,472,664	42,043	127,741	5,008	132,749	84,154	48,595	22,206
1899	4,493,617	41,876	128,385	4,749	133,134	89,705	43,429	22,298
1900	4,510,711	40,510	126,901	4,727	131,628	86,438	45,190	21,046
1901	4,544,983	40,037	126,999	4,830	131,829	80,251	51,578	19,694
1902	4,579,110	40,866	125,776	4,702	130,478	81,098	49,380	18,397
1903	4,613,812	40,202	126,525	4,753	131,278	72,331	58,947	17,233
1904	4,648,950	39,608	125,121	4,974	130,095	77,526	52,569	19,025
1905	4,684,794	39,658	121,773	4,786	126,559	72,997	53,562	16,615
1906	4,721,217	40,412	120,814	4,838	125,652	73,990	51,662	16,661

* The registration of births was made compulsory at the beginning of 1875; before that year many births were probably unregistered.

† For the years 1874-1906 approximate corrections have been applied to the number of deaths, on account of those occurring in certain public institutions. For statement of the correction applied to deaths in 1906, see note at head of Table 19. The figures relating to the year 1906 do not in all cases agree with those in Table 2 and 21, the figures in the latter tables having been further corrected by the exclusion of all deaths of persons not belonging to London.

Marriages, Births, and Deaths, 1857-1906.

1901. Previous to that year the figures in the table relate to the Registration County as constituted at the several years; those for 1906 to a period of 52 weeks.]

DEATHS FROM PRINCIPAL EPIDEMIC DISEASES.†										PERIOD AND YEAR.
Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Pyæmia† (Origin uncertain).	Diarrhoea, Dysen- tery, and Cholera.		
8,416	13,011	18,314		18,079	20,890			32,514	1841-50	
7,150	13,766	26,317		22,497	22,597			39,248	1851-60	
8,347	17,338	34,391	5,323	26,550	27,149			38,981	1861-70	
15,539	17,947	21,247	4,319	28,728	1,887	8,536	2,579	34,496	1871-80	
5,634	25,449	13,268	10,435	27,686	327	7,503	717	30,863	1881-90	
431	25,587	8,193	21,942	21,898	51	6,275	152	34,423	1891-1900	
156	1341	1599		2527	2195			3512	1857	
242	2369	4184		2708	1919			2351	1858	
1158	1330	3481	773	1742	1840			3706	1859	
898	2090	2017	484	2067	1476			1536	1860	
217	1062	2381	674	3548	1848			2908	1861	
366	2334	3492	730	2168	3673			1945	1862	
1996	1634	4955	799	2175	2871			2651	1863	
547	2788	3244	611	2423	3782			3169	1864	
640	1290	2179	431	2935	3217			3917	1865	
1391	2220	1892	462	2860	2688			8830	1866	
1345	1143	1451	447	2278	2184			3300	1867	
597	1962	2916	495	2338	2468			4434	1868	
275	1456	5841	340	3769	716	1069	615	3714	1869	
973	1449	6040	334	1956	472	976	570	4053	1870	
7912	1427	1902	344	2291	384	871	436	4189	1871	
1786	1680	918	267	3259	174	807	322	3769	1872	
113	2149	645	320	2620	277	908	325	4112	1873	
57	1680	2648	419	1867	312	879	337	3324	1874	
46	1408	3677	581	3204	128	817	272	3397	1875	
736	1720	2308	387	2737	159	769	202	3720	1876	
2551	2387	1580	316	1817	157	901	194	2509	1877	
1417	1500	1808	566	4483	151	1033	197	3658	1878	
450	2475	2661	575	2934	71	849	160	1947	1879	
471	1521	3100	544	3516	74	702	134	3871	1880	
2367	2536	2114	657	1973	92	971	134	3150	1881	
430	2338	2006	857	4682	53	975	95	2223	1882	
136	2441	2006	952	1598	55	963	102	2735	1883	
1236	2271	1430	951	3156	32	925	78	4066	1884	
1419	2909	722	904	2481	28	597	78	2800	1885	
24	2086	690	851	2871	13	618	73	4133	1886	
9	2904	1443	953	2935	19	613	44	3908	1887	
9	2425	1214	1311	2993	9	694	35	2260	1888	
—	2308	785	1617	1787	16	538	42	2754	1889	
4	3231	858	1382	3210	10	609	36	2834	1890	
8	1807	598	1435	2872	11	558	44	2506	1891	
41	3415	1167	1969	2507	11	436	22	2644	1892	
206	1652	1590	3271	2326	5	692	21	3560	1893	
88	3295	966	2707	2096	6	640	13	1777	1894	
55	2692	829	2344	1517	4	628	9	3688	1895	
9	3662	916	2657	2904	5	576	17	3300	1896	
16	1909	782	2273	1839	1	585	8	4261	1897	
1	3073	582	1766	2160	4	588	10	4516	1898	
3	2134	398	1951	1720	2	807	2	4377	1899	
4	1948	365	1569	1957	2	765	6	3794	1900	
242	1968	584	1346	1613	4	595	8	3919	1901	
1300	2321	556	1162	1834	1	576	4	2663	1902	
13	2057	356	759	1646	4	384	10	3023	1903	
25	2282	368	739	1517	—	302	3	4696	1904	
10	1715	546	557	1508	—	246	2	3417	1905	
—	1918	533	703	1239	—	275	4	4507	1906	

† Called Simple Continued Fever previous to 1901.

TABLE 15.—LONDON.—Annual Marriage,

PERIOD AND YEAR.	MARRIAGES.	BIRTHS.*				DEATHS TO 1,000 LIVING.†	Deaths of Infants under One Year of Age to 1,000 Births †
	Persons Married in 1,000 living.	Births to 1,000 living.			Illegitimate Births in 1,000 Births.		
		Total.	Legitimate	Illegitimate.			
1841-50	19·7	31·6	?	?	?	24·8	157
1851-60	20·6	33·6	32·2	1·4	41	23·7	155
1861-70	20·3	35·4	33·9	1·5	42	24·4	162
1871-80	19·1	35·4	34·0	1·4	39	22·5	158
1881-90	17·6	33·2	31·9	1·3	39	20·5	152
1891-1900	17·8	30·3	29·2	1·1	37	19·6	160
1857	19·7	34·0	32·6	1·4	42	22·4	156
1858	19·2	33·2	31·8	1·4	42	23·9	160
1859	20·0	34·1	32·7	1·4	42	22·7	150
1860	20·2	33·6	32·2	1·4	42	22·4	153
1861	19·1	34·5	33·0	1·5	44	23·2	155
1862	20·2	34·2	32·7	1·5	44	23·6	143
1863	20·6	35·1	33·6	1·5	43	24·5	151
1864	21·3	34·7	33·2	1·5	42	26·4	169
1865	22·3	35·7	34·1	1·6	44	24·5	171
1866	22·1	35·7	34·2	1·5	41	26·5	172
1867	20·5	36·5	35·0	1·5	41	23·0	159
1868	19·5	36·3	34·8	1·5	42	23·5	166
1869	18·9	35·4	34·0	1·4	40	24·6	170
1870	18·9	35·4	34·0	1·4	40	21·1	164
1871	19·5	34·5	33·1	1·4	40	24·6	171
1872	19·9	35·6	34·1	1·5	41	21·4	158
1873	19·8	35·3	33·9	1·4	40	22·4	160
1874	19·4	35·6	34·2	1·4	39	22·4	156
1875	19·6	35·4	34·1	1·3	38	23·6	162
1876	19·2	35·9	34·6	1·3	36	21·9	157
1877	18·7	35·6	34·3	1·3	37	21·6	146
1878	18·5	35·5	34·1	1·4	39	23·1	164
1879	18·0	35·4	34·0	1·4	39	22·6	148
1880	18·1	35·3	33·9	1·4	39	21·7	158
1881	18·1	34·7	33·3	1·4	39	21·3	148
1882	18·4	34·5	33·1	1·4	39	21·5	151
1883	18·1	34·5	33·1	1·4	39	20·8	146
1884	17·9	34·3	33·0	1·3	38	20·9	156
1885	17·4	33·4	32·1	1·3	40	20·4	148
1886	17·2	33·4	32·1	1·3	38	20·6	159
1887	16·9	32·9	31·6	1·3	40	20·3	158
1888	16·9	32·1	30·9	1·2	38	19·3	146
1889	17·1	31·9	30·7	1·2	38	18·4	141
1890	17·6	30·7	29·5	1·2	38	21·4	163
1891	17·7	31·8	30·7	1·1	36	21·4	155
1892	17·4	30·9	29·7	1·2	37	20·7	155
1893	17·2	30·9	29·8	1·1	37	21·2	164
1894	17·0	30·2	29·1	1·1	38	17·8	143
1895	17·2	30·6	29·5	1·1	37	19·9	166
1896	18·0	30·2	29·1	1·1	38	18·6	162
1897	18·5	30·2	29·1	1·1	37	18·2	159
1898	18·8	29·7	28·6	1·1	38	18·8	167
1899	18·6	29·6	28·5	1·1	36	20·0	167
1900	18·0	29·2	28·2	1·0	36	19·2	160
1901	17·6	29·0	27·9	1·1	37	17·7	149
1902	17·8	28·5	27·5	1·0	36	17·7	141
1903	17·5	28·5	27·5	1·0	36	15·7	131
1904	17·0	27·9	26·8	1·1	38	16·6	146
1905	16·9	27·0	26·0	1·0	38	15·6	131
1906	17·1	26·7	25·7	1·0	39	15·7	133

* See note * to preceding Table.

† See note † to preceding Table.

Birth, and Death Rates, 1857-1906.

ANNUAL MORTALITY, PER MILLION PERSONS LIVING, FROM PRINCIPAL EPIDEMIC DISEASES.†									PERIOD AND YEAR.
Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Pyrexia† (Origin uncertain).	Diarrhea, Dysen- tery and Cholera.	
402	623	863		867	979			1469	1841-50
280	530	1017		877	886			1544	1851-60
276	576	1133	179	882	904			1284	1861-70
457	510	600	122	815	55	244	75	987	1871-80
145	636	335	259	693	8	189	18	772	1881-90
10	583	188	500	500	1	143	3	781	1891-1900
59	509	607		959	833			1332	1857
90	884	1561		1010	716			877	1858
425	488	1277	284	639	675			1360	1859
323	752	726	174	744	531			553	1860
77	377	846	239	1260	656			1033	1861
128	816	1221	255	758	1284			680	1862
687	562	1706	275	749	988			913	1863
185	942	1097	207	819	1278			1071	1864
214	431	727	144	980	1074			1307	1865
457	730	622	152	973	884			2922	1866
436	370	470	145	738	708			1070	1867
190	625	929	158	745	786			1412	1868
87	458	1839	107	1187	225	337	194	1169	1869
302	450	1875	104	607	147	303	177	1258	1870
2422	437	582	105	701	118	267	133	1282	1871
537	505	276	80	979	52	242	97	1132	1872
34	637	191	95	777	82	269	96	1219	1873
17	490	773	122	545	91	266	98	970	1874
13	404	1056	167	920	37	235	78	975	1875
207	485	651	109	771	45	217	57	1048	1876
710	664	439	88	505	44	251	54	697	1877
388	411	495	155	1227	41	283	54	1001	1878
121	667	717	155	791	19	229	43	524	1879
125	402	820	144	930	20	186	35	1024	1880
619	663	553	172	516	24	254	35	824	1881
111	605	519	222	1212	14	252	25	575	1882
35	626	514	244	410	14	247	26	701	1883
313	575	362	241	799	8	234	20	1029	1884
357	731	181	227	624	7	150	20	703	1885
6	519	172	212	714	3	154	18	1028	1886
2	716	356	235	723	5	151	11	963	1887
2	590	295	319	728	2	169	9	550	1888
—	558	190	391	432	4	130	10	665	1889
1	773	206	331	768	2	146	9	678	1890
2	428	142	340	680	3	132	10	594	1891
10	798	273	460	586	3	102	5	617	1892
48	383	369	759	539	1	160	5	826	1893
20	757	222	622	482	1	147	3	408	1894
13	614	189	534	346	1	143	2	841	1895
2	826	207	600	655	1	130	4	745	1896
4	429	176	511	413	0	132	2	958	1897
0	687	130	395	483	1	131	2	1009	1898
1	475	89	434	383	0	180	0	974	1899
1	432	81	348	434	0	170	1	841	1900
53	433	128	296	355	1	118	2	862	1901
284	507	121	254	401	0	126	1	582	1902
3	446	77	165	357	1	83	2	655	1903
5	490	79	159	325	—	65	1	1007	1904
2	366	117	119	322	—	53	0	729	1905
—	407	113	149	263	—	58	1	957	1906

† Called Simple Continued Fever previous to 1901.

TABLE 16.—Causes of Death REGISTERED in London in each of the 11 Years 1896-1906.
(Corrected for deaths in certain Public Institutions. See Table 19.)

CAUSES OF DEATH.	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906
	371 Days.	364 Days.	364 Days.	364 Days.	364 Days.	364 Days.	371 Days.	364 Days.	364 Days.	364 Days.	364 Days.
ALL CAUSES	83511	80943	83936	89689	86007	79924	82540	72109	77094	73002	73961
Small-pox	9	16	1	3	4	229	1314	13	25	10	—
Cowpox	7	8	8	7	2	4	4	3	2	2	—
Measles (Morbilli)	3697	1929	3075	2143	1936	1958	2361	2054	2261	1715	1911
Scarlet Fever	942	780	583	398	361	584	563	362	365	549	531
Typhus	5	1	4	2	2	4	—	3	—	—	—
Plague	—	—	—	—	—	—	—	—	1+	—	—
Influenza	496	671	1283	1817	1950	664	1073	644	709	689	891
Whooping-cough	2937	1842	2160	1720	1948	1609	1880	1631	1507	1507	1231
Diphtheria	2683	2261	1772	1964	1558	1344	1181	752	729	553	701
Cerebro-spinal Fever	?	?	?	?	?	?	4	6	6	5	—
Pyrexia* (origin uncertain)	13	8	9	1	7	7	5	6	6	3	—
Enteric Fever	591	584	585	801	756	537	585	387	296	243	271
Asiatic Cholera	—	—	—	—	—	—	—	—	—	—	—
Epidemic Diarrhoea, Infective Enteritis, Diarrhoea, Dysentery	3318	4219	4506	4349	3640	3931	1079	1397	2856	2125	2871
Tetanus	?	?	?	?	?	?	9	38	41	39	51
Rabies, Hydrophobia	4	1	—	—	—	—	1	—	—	—	—
Glanders	—	2	2	2	2	1	2	4	2	6	—
Anthrax (Splenic Fever)	?	?	?	?	?	?	4	4	4	3	—
Venereal Dis.	445	454	421	424	416	380	455	429	389	387	341
Puerperal Septicæmia	225	215	184	209	169	184	149	134	159	148	151
Puerperal Pyæmia	225	215	184	209	169	184	10	7	12	7	11
Puerperal Fever	225	215	184	209	169	184	42	29	27	28	11
Infective Endocarditis	?	?	?	?	?	?	141	131	131	139	131
Pneumonia	5537	5053	5440	6666	7189	6121	495	518	611	824	731
{ Lobar	5537	5053	5440	6666	7189	6121	3140	2690	3061	3063	2831
{ Broncho-Epidemic	5537	5053	5440	6666	7189	6121	13	2	—	—	—
{ Not defined	5537	5053	5440	6666	7189	6121	3153	2616	2937	3078	2931
Erysipelas	207	184	165	213	182	171	183	183	232	226	221
Septicæmia (not Puerperal)	90	99	67	93	110	116	55	47	66	64	71
Pyæmia (not Puerperal)	90	99	67	93	110	116	85	50	39	52	41
Other Infective Processes	?	?	?	?	?	?	191	498	571	202	211
Tuberculous Phthisis	7778	7864	7966	8510	8030	7735	2696	3676	4250	4061	4411
"Phthisis"	7778	7864	7966	8510	8030	7735	4925	3671	3488	2748	2511
Tuberculous Meningitis	1187	1208	1232	1122	1169	1113	1058	1131	1023	1091	1081
Tuberculous Peritonitis	1066	989	1000	962	829	818	350	417	449	427	411
Tubes Mesenterica	1066	989	1000	962	829	818	311	247	194	130	111
Tuberculous Dis., Other	1005	923	930	994	1101	948	970	931	940	855	911
Serofula	1005	923	930	994	1101	948	27	15	15	11	—
Alcoholism	540	632	666	788	696	667	666	644	576	498	511
Rheumatic Fever	?	?	?	?	?	?	300	236	252	225	311
Gout	149	134	137	125	124	126	130	109	120	98	—
Carcinoma	3864	3908	4084	4234	4251	4203	2476	2554	2713	2686	2911
Sarcoma	3864	3908	4084	4234	4251	4203	284	298	304	282	311
Cancer (undefined)	3864	3908	4084	4234	4251	4203	1870	1843	1619	1707	1711
Diabetes Mellitus	?	?	?	?	?	?	411	371	432	427	411
Premature Birth	2534	2678	2663	2688	2591	2514	2741	2490	2640	2506	2311

* Called Simple Continued Fever previous to 1901.

† See note * on next page.

‡ The death of a Physician, certified as due to cardiac dilatation (after plague).

TABLE 16 (cont.)—Causes of Deaths REGISTERED in London in each of the 11 Years 1896-1906.

CAUSES OF DEATH.	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906
	371 Days.	364 Days.	364 Days.	364 Days.	364 Days.	364 Days.	371 Days.	364 Days.	364 Days.	364 Days.	364 Days.
Meningitis (not tuberc.)											
Gen. Par. of Insane, Insanity											
Epilepsy							884	779	779	792	797
Convulsions							806	767	790	761	734
Locomotor Ataxy							308	359	353	366	327
Paraplegia, Dis. of Cord.							1474	1152	1206	990	835
Nervous Sys., Other Dis.							76	74	103	83	80
							320	227	245	275	295
							1255	1100	982	910	973
Valv. Dis., Endocarditis	15356	15008	14949	15946	15531	15233					
Cereb. Hæm., Cereb. Embol.							2160	2066	2123	2208	2317
Apoplexy, Hemiplegia							1460	1597	1679	1736	1778
Aneurysm							1349	910	885	777	785
Embolism, Thrombosis (not Cere- bral)							256	258	247	214	260
Heart & Blood Vessels, Other Dis. ..							140	56	51	67	52
							4875	4102	4467	4314	4042
Croup (not Spasmodic: nor Memb.)	147	72	57	77	51	39	37	23	25	20	23
Bronchitis	7558	7408	7779	9195	8699	7317	7901	5240	6373	6049	5373
Emphysema, Asthma†	?	?	?	?	?	?	397	230	253	256	225
Pleurisy	251	271	281	288	321	285	309	139	133	251	179
Respiratory Dis., Other†	1171	1183	1149	1385	1235	1130	762	609	563	544	545
Tonsillitis, Quinsy	71	78	56	68	74	71	41	27	21	35	48
Enteritis (not Epid.)					902	944	533	565	619	549	816
Gastro-enteritis	1680	2207	2489	3180	1202	488	341	340	451	467	678
Peritonitis (not Puer.)	284	263	280	248	228	261	192	151	131	125	145
Cirrhosis of Liver							760	673	686	673	706
Liver Dis., Other	1215	1279	1248	1431	1332	1183	369	262	286	268	284
Digestive Sys., Other Dis.	1524	1600	1587	1660	1733	1838	2075	1895	1976	1993	1808
Acute Nephritis							396	340	357	312	337
Bright's Dis., Albuminuria	2277	2424	2411	2632	2599	2558	1771	1748	1783	1814	1830
Urinary Sys., Other Dis.							545	463	525	546	590
Generative Organs Dis.	280	308	268	294	231	252	259	228	227	214	235
Childbirth (Accid. of)	280	229	177	217	230	219	210	197	159	177	170
Old Age	2294	2411	2530	2911	2782	2802	2741	2406	2686	2652	2802
Other Diseases	6355	6070	6168	6157	6163	5917	5261	5185	4946	4785	4685
ACCIDENT.‡											
By Railways	79	100	109	111	122	87	84	72	88	81	69
By Vehicles and Horses	300	334	309	359	371	302	328	306	272	313	328
By Ships, Boats, Docks, (exclusive of Drowning)	28	30	30	43	32	30	22	43	25	26	32
In Building Operations	57	41	47	56	50	37	33	57	53	63	55
In Conflagrations	47	24	19	24	20	28	44	74	31	18	33
By Burns, Scalds, Explosions	373	319	338	356	340	356	355	283	285	341	302
By Drowning	260	324	271	299	302	265	227	245	221	244	220
By Suffocation in Bed	643	595	660	641	611	553	600	538	541	445	369
By Poisons or Poisonous Vapours	100	136	121	125	117	109	132	87	101	120	126
Other Deaths by Accident	1049	1056	1099	1206	1190	1067	972	772	782	818	892
VIOLENCE OTHER THAN ACCIDENTAL.											
Attitude	—	—	—	—	1	2	—	—	—	—	—
omicide	70	66	73	54	58	77	71	58	57	53	48
icide	426	443	437	485	451	502	535	568	517	513	537
ecution	7	1	1	6	6	4	7	6	3	7	1

* For the years 1896-1901 deaths from Infective Endocarditis are included in these figures.
† For the years 1896-1901 deaths from Emphysema and Asthma are included under the heading "Other Respira-
Diseases."
‡ See note * to Table 17 (p. 47).

TABLE 17.—Deaths REGISTERED from different Causes in London, in each Quarter of 1906, and in several Groups of Ages during the 52 Weeks of 1906.

Note.—The figures in this Table differ in some cases from those published in the Annual Report. This is due largely to the fact that in the tables of the Summary, but not in those of the Report, correction is made for deaths occurring in certain Public Institutions (see Note to Table 19). The figures also differ in some cases from those in Tables 2 and 21, from which all deaths of non-Londoners are excluded.

CAUSES OF DEATH.	Quarter ended				Fifty-two Weeks ended December 29th, 1906.							
	Mar. 31 (13 wks.)	Jun. 30 (13 wks.)	Sep. 29 (13 wks.)	Dec. 29 (13 wks.)	TOTAL AT ALL AGES.	Under 1 Year.	1 and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and up- wards.
ALL CAUSES.. ..	19502	17474	18178	18836	73990	16661	8639	3852	8700	14547	17071	4520
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—
Cowpox	1	2	—	—	3	3	—	—	—	—	—	—
Measles (Morbilli) ..	684	765	256	213	1918	419	1422	73	3	1	—	—
Scarlet Fever	129	144	108	152	533	15	325	176	17	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—
Plague	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	221	261	58	355	895	38	27	42	108	238	359	83
Whooping-cough	458	406	195	180	1239	506	692	41	—	—	—	—
Diphtheria	197	139	154	213	703	62	433	189	16	2	1	—
Cerebro-spinal Fever ..	1	—	—	3	4	—	2	1	1	—	—	—
Pyæmia* (origin uncertain)	—	1	2	1	4	3	—	1	—	—	—	—
Enteric Fever	45	49	73	108	275	—	8	71	143	49	4	—
Asiatic Cholera	—	—	—	—	—	—	—	—	—	—	—	—
Epidemic Diarrhoea, In- fective Enteritis	58	83	2390	341	2872	2239	519	18	5	15	20	6
Diarrhoea, Dysentery ..	116	122	1146	251	1635	1153	222	10	36	45	133	36
Tetanus	12	6	10	9	37	20	4	4	5	4	—	—
Rabies, Hydrophobia ..	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splemic Fever)	2	1	—	1	4	—	—	—	2	2	—	—
Venereal Dis.	99	78	77	87	341	242	16	5	34	32	11	1
Puerperal Septicæmia ..	54	25	34	44	157	—	—	1	145	11	—	—
Puerperal Pyæmia	3	4	2	2	11	—	—	1	9	1	—	—
Puerperal Fever	6	4	4	5	19	—	—	—	15	4	—	—
Infective Endocarditis ..	21	34	37	45	137	—	2	30	66	32	6	1
Pneumonia { Lobar	194	271	128	197	790	36	64	42	181	266	188	13
{ Broncho-	957	695	343	860	2855	1042	1104	83	74	178	294	80
{ Epidemic	2	—	—	—	2	—	2	—	—	—	—	—
{ Not defined	861	829	447	802	2939	329	420	174	425	759	729	108
Erysipelas	54	55	54	82	245	61	6	37	58	69	—	8
Septicæmia (not Puer- peral)	19	31	10	13	73	21	6	8	14	13	11	—
Pyæmia (not Puerperal)	11	5	17	9	42	13	4	2	10	11	2	—
Other Infective Processes	79	36	52	56	223	26	10	15	45	53	70	4
Tuberculous Phthisis ..	1091	1105	939	1265	4420	55	176	341	1820	1655	366	7
“Phthisis”	741	621	545	650	2557	7	25	186	1149	959	225	6
Tuberculous Meningitis..	283	299	268	236	1086	263	563	211	35	11	3	—
Tuberculous Peritonitis..	103	106	171	104	484	174	149	77	46	27	10	1
Tubes Mesenterica	27	13	44	31	115	74	35	5	1	—	—	—
Tuberculous Dis., Other	242	271	210	220	943	170	248	185	173	106	54	7
Scrofula	1	—	2	—	3	2	—	1	—	—	—	—
Alcoholism	129	119	129	145	522	—	—	—	146	297	78	1
Rheumatic Fever	72	89	52	107	320	1	10	15	92	47	12	4
Gout	22	25	16	34	97	—	—	—	1	33	56	7
Carcinoma	691	695	792	750	2928	—	—	4	170	1319	1320	115
Sarcoma	81	75	74	82	312	3	23	39	66	98	74	9
Cancer (undefined)	427	403	419	459	1708	1	2	10	116	699	809	71
Diabetes Mellitus	122	106	85	124	437	—	1	24	63	147	180	17
Premature Birth	617	545	569	585	2316	2316	—	—	—	—	—	—

Note.—For the population at each group of ages, estimated to the middle of 1906, see Table 27.

* Called Simple Continued Fever previous to 1901.

TABLE 17 (continued).--Deaths REGISTERED from different Causes in London, in each Quarter of 1906, and in several Groups of Ages during the 52 Weeks of 1906.

CAUSES OF DEATH.	Quarter ended				Fifty-two Weeks ended December 29th, 1906.							
	Mar.31 (13 wks.)	Jun. 30 (13 wks.)	Sep. 29 (13 wks.)	Dec. 29 (13 wks.)	TOTAL AT ALL AGES.	Under 1 Year.	1 and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and up- wards.
Meningitis (not tuberc.)..	202	220	221	154	797	308	295	103	51	29	8	3
Gen. Par. of Insane, {	197	176	165	196	734	—	3	16	166	295	189	65
Insanity	89	82	62	94	327	13	9	42	103	81	69	7
Epilepsy	238	192	202	203	835	769	63	3	—	—	—	—
Convulsions	23	15	17	25	80	—	—	—	5	42	32	1
Locomotor Ataxy.. ..	80	69	69	71	295	3	14	9	47	82	119	21
Paraplegia, Dis. of Cord	204	237	219	253	973	41	39	61	113	227	419	73
Nervous Sys., Other Dis.												
Valv. Dis., Endocarditis..	640	559	482	636	2317	1	6	224	379	777	818	112
Cereb. Hæm., Cereb. Emb.	565	421	394	458	1778	3	4	6	74	488	997	206
Apoplexy, Hemiplegia ..	204	176	181	224	785	1	—	4	19	165	481	115
Aneurysm	71	66	56	68	260	—	—	—	56	136	63	5
Embolism, Thrombosis {	20	13	6	13	52	—	1	1	16	19	11	4
(not Cerebral)												
Heart & Blood Vess., Oth. Dis.	1122	1042	797	1081	4042	1	22	172	332	1124	2003	388
Croup (not Spasmodic : {	7	6	1	9	23	1	18	4	—	—	—	—
nor Memb.)												
Bronchitis	1969	1227	472	1705	5373	997	366	29	110	723	2347	801
Emphysema, Asthma ..	88	49	20	68	225	1	2	2	16	72	115	17
Pleurisy	43	44	43	49	179	11	23	13	31	44	46	7
Respiratory Dis., Other ..	155	118	102	170	545	86	85	30	33	69	142	80
Tonsillitis, Quinsy ..	10	7	16	15	48	5	16	15	4	4	2	2
Enteritis (not Epid.) ..	99	131	374	212	816	502	114	11	45	65	71	8
Gastro-enteritis	71	62	425	120	678	526	99	6	7	10	27	3
Peritonitis (not Puer.) ..	39	32	37	37	145	17	9	34	35	23	27	—
Cirrhosis of Liver.. ..	182	147	185	192	706	—	1	5	84	399	209	8
Liver Dis., Other	59	68	84	73	284	2	6	9	43	83	125	16
Digestive Sys., Other Dis.	451	461	468	428	1808	268	102	233	334	387	410	74
Acute Nephritis	102	98	59	78	337	17	20	29	76	104	81	10
Bright's Dis., Albumin- uria	503	491	386	450	1830	1	7	38	243	716	741	84
Urinary Sys., Other Dis.	178	125	141	146	590	4	1	5	38	101	335	106
Generative Organs Dis. ..	70	44	57	64	235	5	5	7	71	92	51	4
Childbirth (Accid. of) ..	44	38	46	42	170	—	—	4	143	23	—	—
Old Age	870	701	513	718	2802	—	—	—	—	9	1231	1562
Other Diseases	1211	1078	1178	1218	4685	3145	472	198	207	253	354	56
ACCIDENT.*												
By Railways	20	21	9	19	69	—	—	8	33	18	10	—
By Vehicles and Horses..	70	92	90	76	328	3	49	89	54	73	56	4
In Ships, Boats, Docks {												
(exclusive of Drown- ing)	10	6	5	11	32	—	—	3	12	13	4	—
In Building Operations..	9	13	19	14	55	—	—	—	20	26	9	—
In Conflagrations	9	10	5	9	23	4	9	7	7	3	2	1
By Burns, Scalds, Ex- plosions	102	56	56	85	302	31	151	41	23	19	33	4
By Drowning	33	55	88	44	220	7	4	45	53	89	21	1
By Suffocation in Bed ..	125	88	80	96	389	382	4	—	2	1	—	—
By Poisons or Poisonous Vapours	27	31	34	34	126	7	14	11	37	37	20	—
Other Deaths by Acci- dent	235	206	233	218	892	137	83	78	108	174	222	90
VIOLENCE OTHER THAN ACCIDENTAL.												
Homicide	10	16	11	11	48	18	3	5	14	8	—	—
Suicide	116	153	139	124	537	—	—	17	181	249	88	2
Execution	—	—	—	1	1	—	—	—	1	—	—	—

* The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death resulted from accident, murder, manslaughter, or suicide. All such cases are classed under "Accident."

TABLE 18.—Deaths REGISTERED in the London Registration Districts, and Mean Temperature and Registered Sunshine at Greenwich, in each of the 11 Years 1896-1906.

Note.—The deaths for the years 1896-1905 relate to calendar years, and are derived from the Abstracts published in the Annual Reports; those for 1906 refer to 52 weeks, and are derived from the Registrars' Weekly Returns. The figures are partially corrected for deaths in Institutions. See note at head of Table 19.

REGISTRATION DISTRICTS.	AREA in Acres.	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906
Mean Temperature ..	—	50°·1	50°·3	51°·3	50°·6	50°·4	49°·2	49°·2	50°·1	49°·8	49°·9	50°·7
Registered Sunshine in Hours.	—	1016	1543	1415	1708	1506	1567	1228	1445	1459	1422	1734
LONDON.	74,817	82,390	81,119	84,154	89,705	86,433	80,251	81,098	72,331	77,526	72,997	73,990
1a. PADDINGTON ..	1356	2066	1954	2190	2207	2322	2175	2255	2125	2233	2210	2041
1b. KENSINGTON ..	2291	3117	3036	3168	3425	3102	2995	3049	2825	2932	2854	2814
2. FULHAM ..	3990	3863	3822	4089	4514	4135	3960	4123	3497	3983	3769	3776
3. CHELSEA ..	660	1881	1779	1831	1931	1817	1617	1865	1571	1691	1614	1707
4. ST. GEO. HANOVER SQUARE ..	1887	2338	2435	2509	2661	2540	2209	1888	1652	1708	1663	1641
5. WESTMINSTER ..	216	517	446	472	486	408	369	364	319	280	283	252
6. ST. MARYLEBONE ..	1473	2463	2220	2182	2288	2261	1925	2042	1868	1839	1690	1746
7. HAMPSTEAD ..	2265	1276	1232	1293	1257	1197	1192	1191	1046	1129	1085	1102
8. ST. PANCRAS ..	2694	4475	4642	4658	4998	4775	4336	4373	3890	4218	3747	3805
9. ISLINGTON ..	3092	5661	5377	5759	6389	5798	5243	5437	4785	5282	4874	4996
10. HACKNEY ..	4152	4029	4265	4274	4414	4269	4229	4023	3820	4153	3928	3805
11. ST. GILES ..	232	573	544	632	592	531	447	457	367	342	310	315
12. STRAND ..	399	808	795	771	796	766	627	636	606	694	639	633
13. HOLBORN ..	762	2468	2591	2600	2606	2476	2142	2274	1955	2035	1880	1964
14. LONDON CITY ..	672	1109	1094	1005	1047	1012	1013	988	927	948	949	981
15. SHOREDITCH ..	658	2623	2659	2719	2926	2747	2644	2388	2228	2320	2230	2144
16. BETHNAL GREEN ..	759	2679	2538	2655	2668	2557	2436	2466	2263	2405	2351	2398
17. WHITECHAPEL ..	378	2322	2377	2383	2650	2509	2554	2435	2311	2421	2282	2456
18. ST. GEORGE IN THE EAST ..	244	943	1041	999	1088	995	908	846	836	862	773	728
19. STEPNEY ..	466	1203	1304	1272	1238	1329	1193	1132	1021	1099	1060	1146
20. MILE END OLD TOWN ..	678	1960	1829	1950	2115	2032	1785	1713	1510	1690	1541	1518
21. POPLAR ..	2328	3596	3471	3690	3917	3879	3504	3325	3215	3281	3044	3072
22. SOUTHWARK ..	1132	3374	3548	3387	3691	3669	3607	3709	3251	3761	3397	3244
23. ST OLAVE (BERMONDSEY) ..	1500	3219	3125	3060	3503	3392	2460	2279	1986	2155	1915	1978
24. LAMBETH ..	4080	5288	5507	5581	6062	5612	5386	5451	4860	5193	4896	5027
25. WANDSWORTH ..	11268	5513	5115	5499	5866	5990	5646	5471	5318	5736	5661	5657
26. CAMBERWELL ..	4480	4786	4527	4659	4941	4766	4624	4583	4021	4376	4061	4310
27. GREENWICH ..	3424	3376	3144	3379	3504	3406	3083	3026	2750	2913	2619	2858
28. LEWISHAM ..	10774	1422	1362	1763	1944	1962	1996	2000	1650	1920	1891	1999
29. WOOLWICH ..	6507	1950	1868	2190	2132	2294	1920	1999	1819	1940	1723	1796
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON.	—	1492	1482	1535	1649	1890	2026	3310	2039	1987	2058	2087

TABLE 19.—LONDON.—Population; Births and Deaths in Registration Districts during the 52 Weeks of 1906.

Note.—The deaths in this table include those of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums outside the County, but exclude those of non-Londoners in the London Fever Hospital, the Metropolitan Asylums Hospitals, and the Middlesex County Asylum within the County of London.

REGISTRATION DISTRICTS.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the 52 Weeks include														Deaths in Public Institutions.	Unclassified Causes of Death.
				Deaths of		Deaths from													
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.				
LONDON	4,536,429	125652	73990	16661	21591	—	1918	533	703	1239	—	275	4	4507	3032	7255	28326	147	
WEST DISTRICTS ..	805,311	18368	12231	2500	3996	—	281	69	120	123	—	40	1	796	496	1077	4810	12	
NORTH DISTRICTS ..	1,056,070	26616	15452	3076	4921	—	451	132	128	163	—	56	1	659	646	1522	5363	7	
CENTRAL DISTRICTS ..	204,165	5623	3891	913	802	—	127	2	28	110	—	13	—	234	257	499	2047	3	
EAST DISTRICTS ..	715,739	24473	13457	3682	3150	—	411	9	56	272	—	47	—	1059	650	1923	5970	13	
SOUTH DISTRICTS ..	1,749,844	50572	26872	6483	7998	—	639	254	341	535	—	94	2	1678	970	2207	8049	112	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON.	—	—	2087	7	724	—	9	67	30	1	—	25	—	81	13	27	2087	—	
WEST DISTRICTS.																			
1. PADDINGTON ..	143,976	3165	2041	395	648	—	16	2	7	13	—	8	—	140	112	202	775	1	
2. KENSINGTON ..	176,638	3323	2814	470	1145	—	82	1	7	19	—	2	—	143	78	210	1188	1	
3. FULHAM ..	249,528	7768	3776	1035	1032	—	112	64	92	50	—	27	—	359	146	349	1084	6	
4. CHELSEA ..	73,842	1506	1707	248	671	—	58	1	6	21	—	—	—	69	35	102	1018	—	
5. ST. GEORGE, HANOVER SQUARE.	128,256	2123	1641	306	420	—	9	1	7	17	—	3	1	82	111	184	681	2	
6. WESTMINSTER ..	33,081	403	252	46	80	—	4	—	1	3	—	—	—	3	14	30	64	2	
NORTH DISTRICTS.																			
1. ST. MARLEBONE ..	133,301	4029	1746	311	534	—	43	—	9	7	—	—	—	68	76	162	531	1	
2. HAMPSHIRE ..	81,942	1433	1102	136	393	—	13	73	36	2	—	7	—	25	41	73	460	—	
3. ST. PANCRAS ..	235,317	5742	3805	728	1154	—	95	3	13	61	—	7	1	137	180	410	1671	2	
4. ISLINGTON ..	334,991	8484	4966	1044	1612	—	220	7	16	71	—	15	—	186	164	447	1497	3	
5. HACKNEY ..	270,519	6928	3803	857	1228	—	80	49	54	57	—	27	—	243	185	430	1204	1	
CENTRAL DISTRICTS.																			
1. ST. GILES ..	31,436	1020	313	63	113	—	7	—	—	2	—	—	—	3	13	31	96	1	
2. STRAND ..	21,674	177	633	63	166	—	2	—	—	2	—	1	—	13	58	81	493	—	
3. HOLBORN ..	124,432	4085	1964	677	349	—	105	1	9	99	—	—	—	199	53	174	727	2	
4. LONDON CITY ..	26,923	341	981	110	174	—	13	1	17	7	—	12	—	19	128	213	731	—	
EAST DISTRICTS.																			
1. SHOREDITCH ..	118,637	3802	2144	547	594	—	74	—	3	48	—	1	—	152	108	293	814	2	
2. BETHNAL GREEN ..	129,680	4130	2398	722	549	—	55	4	8	58	—	6	—	153	98	276	1028	9	
3. WHITECHAPEL ..	78,768	2718	2456	518	361	—	43	1	21	16	—	24	—	94	158	367	1888	—	
4. ST. GEORGE IN THE EAST.	49,068	2043	723	236	160	—	16	—	—	24	—	1	—	77	24	119	233	2	
5. STEPNEY ..	57,937	1797	1146	455	132	—	43	1	11	56	—	2	—	159	57	177	436	—	
6. MILE END OLD TOWN.	112,827	4399	1518	422	465	—	55	1	4	24	—	3	—	134	47	197	447	—	
7. POPLAR ..	168,822	5284	3072	782	869	—	125	2	9	46	—	10	—	290	158	494	1124	—	
SOUTH DISTRICTS.																			
1. SOUTHWARK ..	206,180	6079	3244	957	597	—	87	—	22	57	—	4	—	231	178	398	1026	15	
2. ST. OLAVE (BERMONDSEY).	130,760	4036	1979	534	473	—	79	—	5	49	—	1	—	144	90	215	461	1	
3. LAMBETH ..	301,895	8972	5027	1188	1521	—	83	53	70	71	—	31	1	280	187	394	1879	23	
4. WANDSWORTH ..	400,829	11665	5657	1398	1892	—	108	61	73	138	—	22	—	358	177	450	1342	31	
5. CAMBERWELL ..	259,339	6909	4310	859	1456	—	125	1	16	72	—	6	—	239	116	272	1518	32	
6. GREENWICH ..	185,034	5429	2858	709	860	—	97	23	38	92	—	9	—	192	105	268	740	5	
7. LEWISHAM ..	134,721	3711	1999	423	724	—	22	66	55	27	—	1	1	128	60	136	627	3	
8. WOOLWICH ..	131,086	3771	1798	415	475	—	38	50	62	29	—	20	—	106	57	134	466	2	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON.	—	—	2087	7	724	—	9	67	30	1	—	25	—	81	13	27	2087	—	

* Called Simple Continued Fever previous to 1901.

D

TABLE 20.—LONDON.—Population; Births and Deaths in Registration Sub-Districts during the 52 Weeks of 1906.

(See Note at head of Table 19.)

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the 52 Weeks include																Deaths in Public Institu- tions.	Unidentified Cause of Death.
				Deaths of Infants under 1 Year of Age. Persons aged 60 Years and upwards.	Deaths from										Violence.	Inquest Cases.					
					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia* (Origin un- certain).	Diarrhoea.								
WEST DISTRICTS.																					
St. Mary Paddington <i>W,3H</i> ..	93,173	2358	1297	287	457	—	15	2	3	8	—	5	—	100	47	110	420	1			
St. John Paddington <i>H</i> ..	33,617	370	609	69	157	—	—	—	2	4	—	3	—	24	64	85	355	—			
North-west Paddington ..	17,181	437	135	39	34	—	1	—	2	1	—	—	—	16	1	7	—	—			
Kensington Town <i>2W,w,2H</i> ..	128,037	2817	2364	437	931	—	80	1	4	19	—	2	—	134	61	167	1117	1			
Brompton <i>2H</i>	48,591	506	450	33	214	—	2	—	3	—	—	—	—	9	17	43	71	—			
North Hammersmith <i>2W,w,H</i> ..	49,192	1533	730	215	225	—	30	—	1	11	—	—	—	80	22	67	134	2			
South Hammersmith <i>w,2H</i> ..	63,047	1488	861	203	251	—	26	—	4	9	—	3	—	48	54	99	234	1			
North-west Fulham <i>W</i> ..	45,180	2022	1048	315	261	—	21	—	5	11	—	3	—	150	29	87	542	2			
North-east Fulham <i>F</i> ..	46,405	1344	668	157	165	—	18	64	80	10	—	19	—	44	22	56	174	1			
South Fulham <i>W</i> ..	45,704	1401	469	145	130	—	17	—	2	9	—	2	—	37	19	40	—	—			
Chelsea North <i>W,w,3H</i> ..	42,514	772	1201	103	508	—	29	—	4	15	—	—	—	33	17	58	882	—			
Chelsea South <i>W,2H</i> ..	31,328	734	506	145	163	—	29	1	2	6	—	—	—	36	18	44	136	—			
Mayfair and Knightsbridge ..	28,743	213	138	18	67	—	—	—	—	1	—	—	—	3	20	27	—	—			
Belgrave <i>W,2H</i>	55,815	1007	822	147	219	—	4	—	3	7	—	2	—	28	51	87	380	1			
St. Margaret and St. John <i>5H</i> ..	43,698	903	681	141	134	—	5	1	4	9	—	1	1	51	40	70	301	1			
St. James and St. Anne† <i>W,6H</i>	33,081	463	252	46	80	—	4	—	1	3	—	—	—	3	14	30	64	2			
NORTH DISTRICTS.																					
All Souls <i>8H</i>	35,391	479	724	64	211	—	6	—	6	2	—	—	—	17	41	76	378	—			
St. Mary <i>W,4H</i>	37,948	2232	451	102	153	—	14	—	1	1	—	—	—	20	9	31	125	—			
Christchurch	39,536	942	358	106	78	—	23	—	1	4	—	—	—	24	17	34	—	—			
St. John <i>2H</i>	20,426	376	213	39	92	—	—	—	1	—	—	—	—	7	9	21	28	1			
Hampstead <i>W,F,7H</i>	81,942	1433	1102	136	393	—	13	73	36	2	—	7	—	25	41	73	460	—			
West St. Pancras <i>2H</i> ..	60,562	1397	701	174	183	—	29	—	1	17	—	1	1	32	37	82	136	—			
South St. Pancras† <i>w,11H</i> ..	55,707	1147	1130	191	251	—	27	—	9	10	—	3	—	45	73	144	696	1			
East St. Pancras <i>W,2H</i> ..	60,320	1727	1039	192	397	—	28	3	1	16	—	2	—	31	50	119	440	1			
North St. Pancras <i>2W</i> ..	58,738	1471	935	171	323	—	11	—	2	18	—	1	—	29	20	65	399	—			

* NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—A Hospital for Infectious Diseases; *H*—Other Hospital; *L*—Lunatic or Imbecile Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

† Called Simple Continued Fever previous to 1901.

‡ On 1st February, 1906, St. James, Westminster, and St. Anne, Soho, sub-districts were united and called St. James and St. Anne. The figures are shown as if the change had taken place at the beginning of the year.

§ On 1st December, 1906, Tottenham Court and Gray's Inn Lane sub-districts were united and called South St. Pancras. The figures are shown as if the change had taken place at the beginning of the year.

London: Population, Births and Deaths in Registration Sub-Districts.

51

TABLE 20 (continued). LONDON.—Population; Births and Deaths in Registration Sub-Districts during the 52 Weeks of 1906.

REGISTRATION SUB-DISTRICTS.		Enumerated Population, 1901.	BIRTHS.	The DEATHS registered in the 52 Weeks include																	Deaths in Public Institu- tions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
				DEATHS.	Deaths of		Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
NORTH DISTRICTS—cont.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											</

On 1st August, 1906, Bethnal Green North, Bethnal Green South, and Bethnal Green East sub-districts were abolished, and two new sub-districts were formed, viz., Bethnal Green North-east and Bethnal Green South-west, age 73. The births and deaths for the new sub-districts cannot be shown separately.

TABLE 20 (continued). LONDON.—Population; Births and Deaths in Registration Sub-Districts during the 52 Weeks of 1906.

REGISTRATION SUB-DISTRICTS.		Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the 52 Weeks include														Deaths in Public Institutions
					Deaths of	Deaths from													
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Eutenic (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	
EAST DISTRICTS—cont.																			
Spitalfields	27,969	815	193	61	42	—	11	—	1	5	—	2	—	11	12	33	—		
Mile End New Town W,H ..	28,718	1354	2078	402	273	—	22	1	20	7	—	22	—	74	136	289	1888		
Goodman's Fields.. ..	22,081	549	185	55	46	—	10	—	—	4	—	—	—	9	10	45	—		
St. George and St. John 2W ..	49,008	2043	723	236	160	—	16	—	—	24	—	1	—	77	24	119	233		
Shadwell and Ratcliff W,H ..	25,568	727	742	324	58	—	21	1	9	48	—	1	—	105	41	103	436		
Limehouse W	32,369	1070	404	131	74	—	22	—	2	8	—	1	—	54	16	74	—		
Mile End Old Town South-western H.	63,698	2905	603	228	132	—	28	—	2	11	—	1	—	68	24	100	10		
Mile End Old Town North-eastern W,w.	49,129	1494	915	194	338	—	27	1	2	13	—	2	—	66	23	97	437		
Bow L	41,989	1330	473	176	119	—	13	—	3	9	—	1	—	63	27	77	1		
Bromley 3w,H.	68,319	2090	1818	368	565	—	77	—	4	7	—	9	—	158	90	279	1030		
Poplar W,w.	58,514	1864	781	238	205	—	35	2	2	30	—	—	—	69	41	138	93		
SOUTH DISTRICTS.																			
Christchurch and St. Saviour, Southwark* W,2H. ..	23,319	595	957	180	126	—	26	—	15	6	—	1	—	34	96	146	746		
Kent-road	21,904	672	270	98	48	—	19	—	1	6	—	1	—	42	14	29	—		
St. George the Martyr West W,2H,L.	39,094	1177	611	231	78	—	10	—	3	16	—	1	—	39	20	66	224		
Newington, North	49,022	1452	538	185	103	—	20	—	1	13	—	1	—	57	17	71	—		
Newington, South W	72,841	2183	868	263	240	—	12	—	2	16	—	—	—	59	31	86	56		
St. Olave 2W	9,817	310	140	37	45	—	5	—	—	2	—	—	—	11	13	27	37		
Bermondsey W	82,483	2650	958	330	187	—	41	—	4	24	—	—	—	90	40	116	1		
Rotherhithe W,F.	38,460	1076	881	167	241	—	33	—	1	23	—	1	—	43	37	72	423		
Waterloo 2H	27,440	1426	387	156	48	—	10	1	1	2	—	2	1	32	21	41	68		
Lambeth Church† H	27,440	7546	4640	1032	1473	—	73	52	69	69	—	29	—	248	166	353	1811		
Kennington† W	52,518																		
Stockwell† H,F.	63,826																		
Brixton† H	73,673																		
Norwood† W,H.	56,998																		

* On 1st August, 1906, Christchurch, Southwark and St. Saviour, Southwark sub-districts were united and called Christchurch and St. Saviour, Southwark. The figures are shown as if the change had taken place at the beginning of the year.

† On 1st October, 1906, Lambeth Church 1st, Lambeth Church 2nd, Kennington 1st, Kennington 2nd, Brixton and Norwood sub-districts were abolished, and five new sub-districts were formed, viz.:—Lambeth Church, Kennington, Stockwell, Brixton, and Norwood. See pp. 73-74. The births and deaths for the new sub-districts cannot be shown separately.

Sub-Districts during the 52 Weeks of 1906.

[illegible]

TABLE 21.—LONDON and the METROPOLITAN BOROUGHs.—Births and Deaths of Persons belonging to London and the Metropolitan Boroughs during the 52 Weeks of 1906.*

BOROUGHs.	Population estimated to the middle of 1906.	Births.	Deaths from												
			All Causes.	Principal Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Phthisis.	
COUNTY OF LONDON	4,721,217	124,880	71155	9047	—	1909	533	691	1226	—	260	4	4424	6775	1
West.															
PADDINGTON	148,913	3375	1856	193	—	16	18	15	12	—	7	—	125	167	
KENSINGTON	180,952	3457	2499	280	—	81	11	19	20	—	5	—	144	229	
HAMMERSMITH	120,679	3112	1777	257	—	57	15	27	19	—	8	—	131	151	
FULHAM	161,965	4853	2214	388	—	53	18	32	31	—	13	—	241	182	
CHELSEA	74,672	1593	1168	151	—	58	9	15	17	—	—	—	52	117	
CITY OF WESTMINSTER	173,905	2977	2244	145	—	17	14	16	23	—	5	1	69	241	
North.															
ST. MARYLEBONE	128,580	2718	1910	164	—	47	14	12	11	—	3	—	77	200	
HAMPSTEAD	89,633	1473	844	51	—	10	5	8	2	—	3	—	23	60	
ST. PANCRAS	236,455	6122	3743	392	—	96	32	23	70	—	15	1	155	426	
ISLINGTON	344,987	8767	5071	555	—	193	37	30	74	—	20	—	201	422	1
STOKE NEWINGTON	53,217	1105	612	58	—	11	1	4	17	—	—	—	25	55	
HACKNEY	230,721	5694	3061	363	—	65	22	20	39	—	14	—	203	300	
Central.															
HOLBORN	55,805	1239	1001	80	—	25	3	6	10	—	1	—	35	132	
FINSBURY	97,466	2938	2011	349	—	123	15	23	54	—	14	—	120	212	
CITY OF LONDON	21,367	355	369	23	—	3	7	2	4	—	1	—	6	37	
East.															
SHOREDITCH	116,108	3963	2275	362	—	75	19	15	61	—	5	—	187	233	
BETHNAL GREEN	130,609	4488	2464	333	—	60	22	20	63	—	14	—	154	293	
STEPNEY	307,176	10811	5431	840	—	175	37	61	104	—	26	—	437	526	14
POPLAR	170,673	5384	2999	503	—	108	13	28	52	—	11	—	291	263	
South.															
SOUTHWARK	209,143	6225	3768	462	—	95	45	31	54	—	12	—	225	429	
BERMONDSEY	128,629	4075	2532	377	—	94	29	34	51	—	4	—	165	258	
LAMBETH	315,774	8270	4726	532	—	77	28	51	71	—	22	1	282	430	10
BATTERSEA	179,622	4688	2392	327	—	41	24	18	78	—	8	—	158	230	5
WANDSWORTH	273,381	7199	3481	435	—	66	19	49	60	—	15	—	226	274	8
CAMBERWELL	274,132	7020	3998	514	—	112	25	40	77	—	13	—	247	344	9
DEPTFORD	115,495	3292	1849	310	—	69	15	20	62	—	6	—	138	148	4
GREENWICH	105,350	2672	1415	196	—	31	17	29	42	—	5	—	72	125	3
LEWISHAM	148,463	3466	1777	215	—	21	14	21	27	—	1	1	130	122	3
WOOLWICH	127,345	3549	1668	192	—	30	5	22	21	—	9	—	105	169	3

* The Births in this Table have been corrected by distributing those which occurred in the chief Lying-in Institution to the boroughs in which the mothers had resided previous to admission. In 772 cases the residence was outside the County of London, and these cases have been excluded from this Table. With regard to Deaths, all those of persons in, on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the boroughs in which the deceased had previously resided. The deaths of 2206 London residents who died outside the County of London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Shoreditch Workhouse at Wood Green, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. Of the deaths shown in Table 19, the previous residence was outside the County of London in 2835 cases, and these have been excluded from the above Table.

† Called Simple Continued Fever previous to 1901.

TABLE 22.—LONDON and the METROPOLITAN BOROUGHs.—Birth-rates and Death-rates of Persons belonging to London and the Metropolitan Boroughs during the 52 Weeks of 1906.*

BOROUGHs.		PER 1000 PERSONS LIVING.												Deaths under 1 year to 1000 Births.	
		Births.	Deaths from												
			All Causes.	Principal Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Pyrexia† (Origin uncertain).	Diarrhoea.		Phthisis.
COUNTY OF LONDON ..		26·5	15·1	1·93	—	0·41	0·11	0·15	0·26	—	0·06	0·00	0·94	1·44	131
West.															
PADDINGTON	22·7	12·5	1·30	—	0·11	0·12	0·10	0·08	—	0·05	—	0·84	1·12	105	
KENSINGTON	19·2	13·8	1·56	—	0·45	0·06	0·11	0·11	—	0·03	—	0·80	1·27	132	
HAMMERSMITH	25·9	14·8	2·13	—	0·47	0·12	0·22	0·16	—	0·07	—	1·09	1·25	138	
FULHAM	30·0	13·7	2·40	—	0·33	0·11	0·20	0·19	—	0·08	—	1·49	1·13	134	
CHELSEA	21·4	15·7	2·03	—	0·78	0·12	0·20	0·23	—	—	—	0·70	1·57	133	
CITY OF WESTMINSTER ..	17·2	12·9	0·84	—	0·10	0·08	0·09	0·13	—	0·03	0·01	0·40	1·39	110	
North.															
ST. MARYLEBONE	21·2	14·9	1·28	—	0·37	0·11	0·09	0·09	—	0·02	—	0·60	1·56	117	
STAMPSTEAD	16·5	9·4	0·57	—	0·11	0·06	0·09	0·02	—	0·03	—	0·26	0·67	77	
ST. PANCRAS	26·0	15·9	1·65	—	0·41	0·14	0·10	0·30	—	0·06	0·00	0·64	1·81	123	
BLINGTON	25·5	14·7	1·62	—	0·56	0·11	0·09	0·22	—	0·06	—	0·58	1·23	124	
STOKE NEWINGTON	20·8	11·5	1·10	—	0·21	0·02	0·08	0·32	—	—	—	0·47	1·04	102	
ST. JAMES'S PARK	24·7	13·3	1·58	—	0·28	0·10	0·09	0·17	—	0·06	—	0·88	1·30	119	
Central.															
ST. JAMES'S PARK	22·3	18·0	1·44	—	0·45	0·05	0·11	0·18	—	0·02	—	0·63	2·37	120	
ST. JAMES'S PARK	30·2	20·7	3·59	—	1·27	0·15	0·24	0·56	—	0·14	—	1·23	2·18	160	
CITY OF LONDON	16·7	17·3	1·08	—	0·14	0·33	0·09	0·19	—	0·05	—	0·28	1·74	101	
East.															
ST. JAMES'S PARK	34·2	19·6	3·13	—	0·65	0·16	0·13	0·53	—	0·04	—	1·62	2·01	163	
ST. JAMES'S PARK	34·5	18·9	2·55	—	0·46	0·17	0·15	0·48	—	0·11	—	1·18	2·25	155	
ST. JAMES'S PARK	35·3	17·7	2·74	—	0·57	0·12	0·20	0·34	—	0·08	—	1·43	1·72	134	
ST. JAMES'S PARK	31·6	17·6	2·95	—	0·63	0·08	0·16	0·31	—	0·06	—	1·71	1·55	152	
South.															
ST. JAMES'S PARK	29·8	18·1	2·23	—	0·46	0·22	0·15	0·26	—	0·06	—	1·08	2·06	144	
ST. JAMES'S PARK	31·8	19·7	2·94	—	0·73	0·23	0·26	0·40	—	0·03	—	1·29	2·01	153	
ST. JAMES'S PARK	26·3	15·0	1·69	—	0·24	0·09	0·16	0·23	—	0·07	0·00	0·90	1·37	131	
ST. JAMES'S PARK	26·2	13·4	1·82	—	0·23	0·13	0·10	0·44	—	0·04	—	0·88	1·28	126	
ST. JAMES'S PARK	26·4	12·8	1·60	—	0·24	0·07	0·18	0·22	—	0·06	—	0·83	1·01	121	
ST. JAMES'S PARK	25·7	14·6	1·88	—	0·41	0·09	0·15	0·28	—	0·05	—	0·90	1·26	130	
ST. JAMES'S PARK	28·6	16·1	2·69	—	0·60	0·13	0·17	0·54	—	0·05	—	1·20	1·28	143	
ST. JAMES'S PARK	25·4	13·5	1·87	—	0·29	0·16	0·28	0·40	—	0·05	—	0·69	1·19	119	
ST. JAMES'S PARK	23·4	12·0	1·45	—	0·14	0·09	0·14	0·18	—	0·01	0·01	0·88	0·82	113	
ST. JAMES'S PARK	27·9	13·1	1·52	—	0·24	0·04	0·17	0·17	—	0·07	—	0·83	1·33	109	

In this Table 0·00 indicates that the deaths were too few to give a rate of 0·005; where no death occurred,—is inserted.

* The rates for the County of London do not in all cases agree with those in some of the other Tables. (See note * on preceding page.)

† Called Simple Continued Fever previous to 1901.

TABLE 23.—**London** and the **Metropolitan Boroughs**.—**Death-rates** per 1000 persons living, and **Infantile Mortality**, after Distribution of Births in the chief Lying-in Institutions, and of Deaths in all Public Institutions, &c., in the Five Years **1901-5**, and in **1906**.*

BOROUGH.	ALL CAUSES.		SMALL-POX.		MEASLES.		SCARLET FEVER.		DIPH- THERIA.		WHOOPING COUGH.		TYPHUS.		ENTERIC FEVER.		PYREXIA.		DIAR- RHEA.		PHTHISIS.		DEATHS UNDER ONE YEAR TO 1000 BIRTHS.	
	1901- 1905.	1906.	1901- 1905.	1906.	1901- 1905.	1906.	1901- 1905.	1906.	1901- 1905.	1906.	1901- 1905.	1906.	1901- 1905.	1906.	1901- 1905.	1906.	1901- 1905.	1906.	1901- 1905.	1906.	1901- 1905.	1906.	1901- 1905.	1906.
COUNTY OF LONDON ..	16.1	15.1	0.07	—	0.45	0.41	0.11	0.11	0.20	0.15	0.35	0.26	0.00	—	0.08	0.06	0.00	0.00	0.75	0.94	1.57	1.44	139	131
PADDINGTON ..	13.8	12.5	0.03	—	0.32	0.11	0.07	0.12	0.16	0.10	0.27	0.08	—	—	0.07	0.05	—	—	0.64	0.84	1.07	1.12	123	105
KENSINGTON ..	14.5	13.8	0.02	—	0.37	0.45	0.09	0.06	0.12	0.11	0.28	0.11	—	—	0.06	0.03	—	—	0.60	0.80	1.30	1.27	145	132
HAMMERSMITH ..	15.4	14.8	0.02	—	0.46	0.47	0.08	0.11	0.22	0.20	0.40	0.16	—	—	0.08	0.07	—	—	0.82	1.09	1.37	1.25	145	138
FULHAM ..	15.5	13.7	0.02	—	0.32	0.33	0.12	0.21	0.23	0.20	0.45	0.19	—	—	0.08	0.08	—	—	1.23	1.49	1.36	1.43	134	134
CHELSEA ..	16.2	15.7	0.02	—	0.32	0.78	0.08	0.12	0.10	0.20	0.32	0.23	—	—	0.06	—	—	—	0.56	0.70	1.57	1.35	135	133
CITY OF WESTMINSTER ..	14.5	12.9	0.06	—	0.23	0.10	0.07	0.08	0.09	0.09	0.18	0.13	—	—	0.08	0.03	—	—	0.35	0.40	1.68	1.39	118	110
ST. MARYLEBONE ..	16.6	14.9	0.05	—	0.35	0.37	0.11	0.11	0.16	0.09	0.24	0.09	—	—	0.07	0.02	—	—	0.60	0.60	1.76	1.56	134	117
HAMPESTEAD ..	17.2	16.4	0.01	—	0.11	0.11	0.05	0.06	0.11	0.09	0.18	0.02	—	—	0.06	0.03	—	—	0.19	0.26	0.83	0.67	95	77
ST. PANCRAS ..	15.3	15.0	0.03	—	0.49	0.41	0.13	0.14	0.27	0.10	0.39	0.30	—	—	0.09	0.06	—	—	0.64	0.79	1.79	1.81	137	123
ISLINGTON ..	15.3	14.7	0.04	—	0.41	0.56	0.10	0.11	0.20	0.09	0.35	0.22	—	—	0.09	0.06	—	—	0.50	0.58	1.44	1.23	127	124
ST. MARK'S ..	13.1	11.5	0.04	—	0.22	0.21	0.06	0.02	0.15	0.08	0.24	0.32	—	—	0.07	—	—	—	0.46	0.47	1.38	1.04	115	102
ST. JOSEPH'S ..	13.1	13.3	0.07	—	0.40	0.28	0.09	0.10	0.25	0.09	0.29	0.17	—	—	0.13	0.06	—	—	0.77	0.88	1.35	1.30	132	119
HOLBORN ..	19.2	18.0	0.06	—	0.43	0.45	0.07	0.05	0.14	0.28	0.18	—	—	—	0.11	0.02	—	—	0.53	0.63	2.37	2.38	138	120
FINSBURY ..	20.7	20.7	0.09	—	0.62	1.27	0.16	0.15	0.22	0.24	0.45	0.56	—	—	0.10	0.14	—	—	0.98	1.23	2.93	2.18	160	160
CITY OF LONDON ..	17.8	17.3	0.07	—	0.12	0.14	0.06	0.33	0.19	0.09	0.16	0.19	—	—	0.06	0.05	—	—	0.24	0.26	1.70	1.74	134	101
SHOREDITCH ..	20.4	19.6	0.14	—	0.69	0.65	0.13	0.16	0.19	0.13	0.56	0.53	—	—	0.09	0.04	—	—	1.31	1.62	2.10	2.01	173	163
BETHNAL GREEN ..	19.4	18.9	0.11	—	0.56	0.46	0.18	0.17	0.31	0.15	0.42	0.48	—	—	0.09	0.08	—	—	0.89	1.18	2.09	2.25	150	155
STEPNEY ..	17.4	17.7	0.16	—	0.56	0.57	0.12	0.12	0.24	0.20	0.44	0.34	—	—	0.10	0.08	—	—	1.07	1.43	1.99	1.73	150	134
POPULAR ..	18.7	17.6	0.13	—	0.58	0.63	0.12	0.08	0.38	0.16	0.49	0.31	—	—	0.11	0.06	—	—	1.15	1.71	1.70	1.65	154	152
SOUTHWARK ..	19.8	18.1	0.09	—	0.72	0.46	0.15	0.22	0.20	0.15	0.46	0.26	—	—	0.09	0.06	—	—	1.01	1.08	2.40	2.06	158	144
BERMONDSEY ..	19.7	19.7	0.07	—	0.74	0.73	0.10	0.23	0.18	0.26	0.42	0.40	—	—	0.11	0.03	—	—	1.03	1.29	2.01	1.86	159	153
LAMBETH ..	16.1	15.0	0.04	—	0.79	0.74	0.09	0.10	0.13	0.26	0.30	0.23	—	—	0.07	0.07	—	—	0.78	0.90	1.32	1.37	138	131
RATERSH ..	16.1	15.0	0.04	—	0.69	0.73	0.09	0.13	0.18	0.26	0.30	0.23	—	—	0.08	0.04	—	—	0.84	0.88	1.36	1.28	138	126
WANDSWORTH ..	14.9	13.4	0.03	—	0.37	0.23	0.08	0.07	0.18	0.10	0.39	0.44	—	—	0.07	0.06	—	—	0.60	0.83	1.03	1.01	120	121
CAMBERWELL ..	13.1	14.6	0.02	—	0.47	0.41	0.11	0.09	0.20	0.15	0.27	0.28	—	—	0.07	0.05	—	—	0.67	0.90	1.36	1.28	133	130
DEPTFORD ..	15.7	16.1	0.06	—	0.50	0.60	0.13	0.13	0.23	0.17	0.35	0.54	—	—	0.06	0.05	—	—	0.80	1.20	1.56	1.28	136	143
GREENWICH ..	14.3	13.5	0.05	—	0.36	0.39	0.06	0.16	0.18	0.28	0.33	0.40	—	—	0.06	0.05	—	—	0.75	0.69	1.21	1.19	131	119
NEWINGTON ..	12.3	12.0	0.02	—	0.23	0.14	0.08	0.09	0.16	0.14	0.24	0.18	—	—	0.06	0.05	—	—	0.56	0.88	0.91	0.82	112	113
WOLWICH ..	14.1	13.1	0.06	—	0.21	0.24	0.07	0.04	0.17	0.17	0.28	0.17	—	—	0.07	0.07	—	—	0.73	0.83	1.58	1.33	120	109

* The rates for the County of London do not in all cases agree with those in some of the other Tables. (See note * to Table 21.)

TABLE 24.—Death-rates during 1906 in London and the several Metropolitan Boroughs, from All Causes, and from Certain Diseases (1) before Distribution,* and (2) after Distribution of Deaths in Public Institutions, &c.

BOROUGH.	DEATH-RATES PER 1000 LIVING.									
	All Causes.		Scarlet Fever.		Diphtheria.		Enteric Fever.		Phthisis.	
	Before Distribution.	After Distribution.	Before Distribution.	After Distribution.	Before Distribution.	After Distribution.	Before Distribution.	After Distribution.	Before Distribution.	After Distribution.
COUNTY OF LONDON	15'3	15'1	0'10	0'11	0'14	0'15	0'05	0'06	1'42	1'44
West.										
PADDINGTON	13'7	12'5	0'01	0'12	0'05	0'10	0'05	0'05	1'13	1'12
KENSINGTON	15'8	13'8	0'01	0'06	0'04	0'11	0'01	0'03	1'03	1'27
HAMMERSMITH	13'2	14'8	—	0'12	0'04	0'22	0'02	0'07	0'90	1'25
FULHAM	13'6	13'7	0'41	0'11	0'55	0'20	0'15	0'08	1'15	1'13
CHELSEA	22'9	15'7	0'01	0'12	0'08	0'20	—	—	3'10	1'57
CITY OF WESTMINSTER	14'3	12'9	0'01	0'08	0'06	0'09	0'02	0'03	0'84	1'39
North.										
ST. MARYLEBONE ..	13'6	14'9	—	0'11	0'07	0'09	—	0'02	0'86	1'56
HAMPSTEAD	12'3	9'4	0'82	0'06	0'40	0'09	0'08	0'03	1'72	0'67
ST. PANCRAS	16'1	15'9	0'01	0'14	0'06	0'10	0'03	0'06	1'81	1'81
ISLINGTON	14'5	14'7	0'03	0'11	0'05	0'09	0'04	0'06	1'40	1'23
STOKE NEWINGTON ..	9'3	11'5	—	0'02	0'02	0'08	—	—	0'83	1'04
HACKNEY	14'4	13'3	0'22	0'10	0'23	0'09	0'12	0'06	1'45	1'30
Central.										
HOLBORN	21'8	18'0	—	0'05	0'16	0'11	—	0'02	1'53	2'37
FINSBURY	10'5	20'7	0'01	0'15	—	0'24	—	0'14	0'80	2'18
CITY OF LONDON	44'5	17'3	0'05	0'33	0'80	0'09	0'56	0'05	2'16	1'74
East.										
SHOREDITCH	18'5	19'6	—	0'16	0'03	0'13	0'01	0'04	1'06	2'01
BETHNAL GREEN ..	18'4	18'9	0'03	0'17	0'06	0'15	0'05	0'11	2'40	2'25
STEPNEY	19'1	17'7	0'01	0'12	0'12	0'20	0'10	0'08	1'46	1'72
POPLAR	18'0	17'6	0'01	0'08	0'05	0'16	0'06	0'06	1'81	1'55
South.										
SOUTHWARK	15'6	18'1	—	0'22	0'11	0'15	0'02	0'06	1'15	2'06
BERMONDSEY	15'4	19'7	—	0'23	0'04	0'26	0'01	0'03	1'73	2'01
LAMBETH	16'0	15'0	0'17	0'09	0'22	0'16	0'10	0'07	1'32	1'37
BATTERSEA	13'5	13'4	—	0'13	0'02	0'10	0'01	0'04	1'32	1'28
WANDSWORTH	12'3	12'8	0'22	0'07	0'26	0'18	0'07	0'06	1'05	1'01
CAMBERWELL	15'8	14'6	0'00	0'09	0'06	0'15	0'02	0'05	1'81	1'26
DEPTFORD	12'1	16'1	0'20	0'13	0'30	0'17	0'06	0'05	0'80	1'28
GREENWICH	17'5	13'5	0'47	0'16	0'57	0'28	0'17	0'05	1'71	1'19
LEWISHAM	12'8	12'0	0'44	0'09	0'37	0'14	0'01	0'01	0'80	0'82
WOOLWICH	12'1	13'1	0'02	0'04	0'05	0'17	0'03	0'07	1'28	1'33

* The deaths "before Distribution" are those actually registered in the several Boroughs without any correction whatever.

TABLE 25.—LONDON: Deaths in Public Institutions registered during the 52 Weeks of 1906.

			DEATHS.		
			Persons.	Males.	Females.
TOTAL DEATHS IN PUBLIC INSTITUTIONS			28,326	15,815	12,511
WORKHOUSES AND WORKHOUSE INFIRMARIES			14,256	7,950	6,306
METROPOLITAN ASYLUM HOSPITALS (London Residents only)			1,187	606	581
GENERAL HOSPITALS			9,576	5,443	4,133
HOSPITALS FOR SPECIAL DISEASES			498	306	192
LYING-IN HOSPITALS		{ Women	23	—	23
		{ Children	154	95	59
MILITARY AND NAVAL HOSPITALS			189	178	11
HOSPITALS FOR FOREIGNERS			171	118	53
LUNATIC ASYLUMS			2,272	1,119	1,153

WORKHOUSES AND WORKHOUSE INFIRMARIES.			DEATHS.		
DISTRICT	SUB-DISTRICT.	NAME OF INSTITUTION.	Persons.	Males.	Females.
1a.—PADDINGTON ..	1. St. Mary Paddington	{ WORKHOUSE	51	24	27
		{ Infirmary	263	130	133
1b.—KENSINGTON ..	1. Kensington Town ..	{ WORKHOUSE	2	1	1
		{ Infirmary	536	252	284
		WORKHOUSE, Mary Place	—	—	—
		Workhouse Infirmary, Rackham Street (Marylebone) ..	485	268	217
2.—FULHAM	1. North Hammersmith	WORKHOUSE, Children's Receiving Home (Hammersmith) ..	—	—	—
		WORKHOUSE Infirmary (Hammersmith)	134	74	60
	2. South Hammersmith	Workhouse, Children's Receiving Home (Paddington) ..	—	—	—
	3. North-west Fulham..	Workhouse, Kensington and Chelsea District Schools { WORKHOUSE	33	21	12
		{ Infirmary	509	263	246
	5. South Fulham.. ..	WORKHOUSE School (Elm House)	—	—	—
3.—CHELSEA	1. Chelsea North ..	{ WORKHOUSE (Chelsea)	23	11	12
		{ Infirmary (Do.)	268	162	106
		{ Workhouse (St. George, Hanover Square)	3	1	2
		{ Infirmary (Do. do.)	417	253	164
3.—CHELSEA	2. Chelsea South ..	WORKHOUSE, Casual Ward	—	—	—
4.—ST. GEORGE, HANOVER SQUARE.	2. Belgrave.. ..	WORKHOUSE, Wallis's Yard	5	2	3
5.—WESTMINSTER ..	1. St. James and St. Anne	WORKHOUSE	21	11	10
6.—ST. MARYLEBONE	2. St. Mary	{ WORKHOUSE	59	29	30
		{ Casual Wards (Houseless Poor Wards)	1	1	—
7.—HAMPSTEAD ..	1. Hampstead	WORKHOUSE	88	50	38
8.—ST. PANCRAS ..	2. South St. Pancras ..	Workhouse Infirmary (Central London Sick Asylum) ..	156	113	43
	3. East St. Pancras ..	{ WORKHOUSE	78	51	27
		{ Infirmary, South	279	145	134
	4. North St. Pancras ..	WORKHOUSE Infirmary (Highgate)	399	214	185
		Casual Wards	—	—	—
9.—ISLINGTON.. ..	1. Tufnell	WORKHOUSE Infirmary, Highgate Hill	744	425	319
	2. Upper Holloway ..	WORKHOUSE, Cornwallis Road	10	6	4
		WORKHOUSE, St. John's Road	89	45	44
		Workhouse Infirmary (Holborn Union)	417	253	164
	3. Tollington	WORKHOUSE Schools	—	—	—
10.—HACKNEY ..	3. Central Hackney ..	Workhouse (City of London)	8	5	3
		Workhouse Schools (Shoreditch) Lower Clapton Road ..	—	—	—
	5. South-east Hackney	{ WORKHOUSE	26	2	24
		{ Infirmary	608	327	281
		WORKHOUSE (Cottage Homes) (Branch School) ..	—	—	—
		Workhouse (West Ham)	—	—	—
11.—ST. GILES.. ..	1. St. Giles and Bloomsbury.	WORKHOUSE	55	33	22
		WORKHOUSE Casual Wards	—	—	—
12.—STRAND	1. Strand	WORKHOUSE	6	6	—

NOTE.—Whenever a Workhouse and an Infirmary are situated in the same enclosure they are bracketed together in this Table, and are indicated in Table 20 by a single W.

TABLE 25 (continued).—LONDON: Deaths in Public Institutions registered during the **52 Weeks** of **1906.**

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	Deaths.		
			Persons.	Males.	Females.
13.—HOLBORN ..	1. Holborn ..	WORKHOUSE, Casual Wards	—	—	—
14.—LONDON CITY ..	2. St. Sepulchre and All-hallows.	WORKHOUSE	11	6	5
15.—SHOREDITCH ..	2. Shoreditch North-west.	{ WORKHOUSE	—	—	—
		{ Infirmary	482	273	209
		Workhouse (Holborn Union)	270	137	133
16.—BETHNAL GREEN	1. Bethnal Green North-east.	WORKHOUSE	32	21	11
		WORKHOUSE Infirmary	500	327	263
17.—WHITECHAPEL ..	2. Mile End New Town	WORKHOUSE Infirmary	375	248	127
18.—ST. GEORGE IN THE EAST.	1. St. George and St. John	{ WORKHOUSE	1	—	1
		{ Infirmary	232	130	102
		WORKHOUSE, Casual Ward	—	—	—
19.—STEPNEY ..	1. Shadwell and Ratcliff	WORKHOUSE	—	—	—
20.—MILE END OLD TOWN.	2. Limehouse	WORKHOUSE, Casual Wards	—	—	—
	2. Mile End Old Town North-eastern.	{ WORKHOUSE	3	1	2
		{ Infirmary (Bancroft Road)	407	205	202
		Workhouse (Whitechapel, South Grove)	27	11	16
21.—POPLAR ..	2. Bromley	Workhouse Infirmary (City of London)	88	36	52
		Workhouse (Stepney)	129	84	45
		Workhouse Infirmary (Poplar and Stepney Sick Asylum)	703	411	289
	3. Poplar	WORKHOUSE	77	49	28
		Workhouse Infirmary (Branch of Poplar and Stepney Sick Asylum)	16	3	13
22.—SOUTHWARK ..	1. Christchurch and St. Saviour Southwark.	WORKHOUSE	4	4	—
	3. St. George the Martyr West.	WORKHOUSE	17	17	—
	5. Newington South ..	WORKHOUSE	56	18	38
23.—ST. OLAVE (BERMONDSEY).	1. St. Olave	WORKHOUSE	37	19	18
		WORKHOUSE School (St. Olave's Union Children's Home)	—	—	—
	2. Bermondsey	WORKHOUSE	1	1	—
	3. Rotherhithe	{ WORKHOUSE Infirmary	423	276	147
		{ WORKHOUSE (Casual Ward)	—	—	—
24.—LAMBETH ..	3. Kennington	{ WORKHOUSE, Renfrew Road	108	54	54
		{ Infirmary, Brook Street	713	421	292
		WORKHOUSE, Princes Road	1	1	—
	6. Norwood	WORKHOUSE Schools	15	9	6
25.—WANDSWORTH ..	3. South-west Battersea	WORKHOUSE (Branch), St. James Road	2	1	1
		WORKHOUSE Infirmary	689	372	317
	5. Streatham	WORKHOUSE (Wandsworth and Clapham Unions) Tooting Home	115	69	46
		Workhouse (Chelsea), Fairfield House	—	—	—
		Workhouse (St. Pancras), St. Anne's Home	10	10	—
	6. Springfield	WORKHOUSE	8	3	5
		WORKHOUSE (Wandsworth and Clapham Unions' Intermediate School)	—	—	—
26.—CAMBERWELL ..	2. Camberwell South ..	WORKHOUSE	149	67	82
		Workhouse Infirmary (Southwark)	700	405	295
	3. Camberwell North ..	WORKHOUSE Infirmary	586	309	277
	6. Peckham South ..	WORKHOUSE, Gordon Road	1	—	1
		WORKHOUSE (Camberwell Union Children's Homes)	—	—	—
		Workhouse (St. Olave's Union Children's Home)	—	—	—
27.—GREENWICH ..	5. Greenwich East ..	{ WORKHOUSE	153	58	95
		{ Infirmary	374	234	140
		WORKHOUSE School	—	—	—
28.—LEWISHAM ..	1. Eltham	Workhouse (St. Mary's Roman Catholic School for Boys)	—	—	—
	2. Lee	Workhouse, Grove Park (Greenwich)	7	2	5
	3. Lewisham	{ WORKHOUSE	9	5	4
		{ Infirmary	369	199	170
		Workhouse (St. Olave)	75	30	45
29.—WOOLWICH ..	3. Plumstead West ..	WORKHOUSE (Furze Lodge)	—	—	—
	4. Plumstead East ..	{ WORKHOUSE	252	148	104
		{ Infirmary	—	—	—
		WORKHOUSE Schools	—	—	—
38.—CROYDON ..	6. Mitcham	Workhouse (Holborn)	42	26	16
47.—HENDON ..	4. Hendon	Workhouse Infirmary (Central London Sick Asylum)	80	42	38
49.—EDMONTON ..	2. Wood Green	Workhouse (Shoreditch)	—	—	—
	5. Edmonton	Workhouse (Strand)	44	27	17

TABLE 25 (continued).—LONDON: Deaths in Public Institutions registered during the 52 Weeks of 1906.

DISTRICT	SUB-DISTRICT.	NAME OF INSTITUTION.	Deaths.		
			Persons.	Males.	Females.
METROPOLITAN ASYLUM HOSPITALS (LONDON RESIDENTS ONLY).					
2.—FULHAM	4. North-east Fulham ..	Western Fever Hospital	174	88	86
7.—HAMPSTEAD ..	1. Hampstead	North Western Fever Hospital	145	75	70
10.—HACKNEY ..	3. Central Hackney ..	Eastern Fever Hospital	143	70	73
23.—ST. OLAVE (BERMONDSEY).	3. Rotherhithe	South Wharf Shelters	—	—	—
24.—LAMBETH ..	4. Stockwell	South Western Fever Hospital	119	58	61
25.—WANDSWORTH ..	5. Streatham	Fountain Fever Hospital	19	6	13
		Grove Fever Hospital.. .. .	128	67	61
27.—GREENWICH ..	2. Deptford Central ..	South Eastern Fever Hospital	68	35	33
28.—LEWISHAM ..	3. Lewisham	Park Fever Hospital	124	65	59
29.—WOOLWICH ..	1. Charlton.. ..	Brook Fever Hospital.. .. .	136	66	70
42.—DARTFORD ..	3. Dartford.. ..	Joyce Green Hospital (Small-pox)	—	—	—
		Long Reach Hospital (Small-pox)	—	—	—
		Gore Farm Fever Hospital	4	2	2
129.—EDMONTON ..	3. West Tottenham ..	North Eastern Fever Hospital	120	68	52
	5. Edmonton	Northern Convalescent Fever Hospital	7	6	1

GENERAL HOSPITALS.

1a.—PADDINGTON ..	1. St. Mary Paddington	Children's Hospital	98	55	43
		Home of Compassion of Jesus (Home for Dying) ..	1	1	—
	2. St. John Paddington	St. Mary's Hospital	355	209	146
1b.—KENSINGTON ..	1. Kensington Town ..	Kensington Dispensary and Children's Hospital ..	13	10	3
		St. Luke's House (Home for Dying)	81	33	48
	2. Brompton	Kensington General Hospital	15	6	9
2.—FULHAM	2. South Hammersmith	West London Hospital	234	143	91
		St. Cyprian's Home for Incurables	—	—	—
3.—CHELSEA	1. Chelsea North	Hospital for Women	11	—	11
	2. Chelsea South	Victoria Hospital (Children)	132	76	56
		Cheyne Hospital (Children)	4	3	1
4.—ST. GEORGE, HANOVER SQUARE.	2. Belgrave.. ..	St. George's Hospital.. .. .	375	245	130
		Hospital for Women and Children (Lupus Street) ..	—	—	—
	3. St. Margaret and St. John.	Westminster Hospital	267	151	116
		Grosvenor Hospital (Women and Children)	17	—	17
5.—WESTMINSTER ..	1. St. James and St. Anne	Home Hospital	12	—	12
		Hospital for Women	—	—	—
6.—ST. MARYLEBONE	1. All Souls	Middlesex Hospital	369	190	179
		St. Elizabeth's Home	3	—	3
		Ladies' Hospital, Harley Street	—	—	—
		Medical and Surgical Home	—	—	—
		All Saints Home for Incurables	—	—	—
	2. St. Mary	Samaritan Free Hospital	19	—	19
	4. St. John	Hospital of St. John and St. Elizabeth	25	10	15
7.—HAMPSTEAD ..	1. Hampstead	St. Peter's Home, Kilburn	20	2	18
		Hampstead Home Hospital.. .. .	45	28	17
		House of Peace for Dying (Friedenheim)	121	55	66
		Tudor House Convalescent Home	—	—	—
		St. Francis' Hospital for Infants	14	10	4
		Hospital and Home for Incurable Children (North-court).	3	3	—

London: Deaths in Public Institutions.

61

TABLE 25 (continued).—**LONDON: Deaths in Public Institutions** registered during the **52 Weeks of 1906.**

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	Deaths.		
			Persons.	Males.	Females.
8.—ST. PANCRAS ..	1. West St. Pancras ..	London Temperance Hospital	132	79	53
		St. Saviour's Hospital	4	—	4
	2. South St. Pancras ..	University College Hospital	338	199	139
		Home Hospital	7	4	3
		Medical and Surgical Home, Fitzroy Square ..	6	3	3
		Medical and Surgical Home, Endsleigh Gardens ..	—	—	—
		Oxygen Home	—	—	—
	3. East St. Pancras ..	Royal Free Hospital	177	119	58
		North West London Hospital	59	32	27
		Hospital for Women	24	1	23
9.—ISLINGTON..	2. Upper Holloway ..	Great Northern Central Hospital	200	105	95
	3. Tollington ..	Winifred House Convalescent Home	—	—	—
	7. Highbury ..	Mildmay Memorial Cottage Hospital	21	13	8
		Home for Confirmed Invalids, Aubert Park, High-bury Terrace.	7	—	7
10.—HACKNEY ..	1. Stoke Newington ..	Invalid Asylum	1	—	1
	4. South-west Hackney ..	Metropolitan Free Hospital	224	126	98
	5. South-east Hackney ..	St. Joseph's Hospice for the Dying	45	11	34
12.—STRAND ..	1. Strand	Charing Cross Hospital	222	142	80
		King's College Hospital	193	116	77
13.—HOLBORN ..	1. Holborn.. ..	London Homœopathic Hospital	66	35	31
	3. North Clerkenwell ..	Hospital for Sick Children	521	293	228
		St. Barnabas Home for Incurables	—	—	—
14.—LONDON CITY ..	1. St. Botolph	City Police Hospital	—	—	—
	2. St. Sepulchre and All-ballows	St. Bartholomew's Hospital	685	441	244
		Billingsgate Mission Hospital	2	2	—
15.—SHOREDITCH ..	1. Shoreditch South ..	Convent Hospital (Children)	9	3	6
16.—BETHNAL GREEN	1. Bethnal Green North-East.	North Eastern Children's Hospital	292	141	151
	2. Bethnal Green South-west.	Mildmay Mission Hospital	37	20	17
17.—WHITECHAPEL..	2. Mile End New Town	London Hospital	1513	873	640
19.—STEPNEY ..	1. Shadwell and Ratcliff	East London Children's Hospital	436	222	214
21.—POPLAR ..	2. Bromley.. ..	Poplar Hospital.. .. .	110	75	35
22.—SOUTHWARK ..	1. Christ Church and St. Saviour Southwark.	Guy's Hospital	742	427	315
	3. St. George the Martyr West.	Evelina Hospital (Children)	193	110	83
24.—LAMBETH..	1. Waterloo	Royal Hospital for Women and Children	35	9	26
	2. Lambeth Church ..	St. Thomas's Hospital and Home	686	437	249
	5. Brixton	Hospital for Children (Belgrave Hospital)	135	70	65
	6. Norwood	British Home for Incurables	7	3	4
25.—WANDSWORTH ..	1. East Battersea ..	National Anti-Vivisection Hospital	6	3	3
	3. South-west Battersea	Bolingbroke Hospital.. .. .	63	35	28
	4. Clapham	The Hostel of God	57	19	38
		Nightingale Nursing Home.. .. .	—	—	—
	7. Southfields	Royal Hospital for Incurables	13	2	11
27.—GREENWICH ..	4. Greenwich West ..	Miller Memorial Hospital	18	12	6
		Invalids' Home	—	—	—
28.—LEWISHAM ..	1. Eltham	Cottage Hospital	14	7	7
	2. Lee	St. John's Hospital	16	11	5
	4. Sydenham	Home for Sick Children	13	5	8
29.—WOOLWICH ..	1. Charlton.. ..	Cottage Hospital, Kidbrooke	3	1	2
	2. Woolwich	Cottage Hospital	10	7	3
	4. Plumstead East ..	Crole-Wyndham Conval. Home	—	—	—

TABLE 25 (continued).—LONDON: Deaths in Public Institutions registered during the 52 Weeks of 190

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	Deaths.		
			Persons.	Males.	Females.

HOSPITALS FOR SPECIAL DISEASES.					
1a.—PADDINGTON ..	1. St. Mary Paddington	Lock Hospital	7	1	6
1b.—KENSINGTON ..	2. Brompton	Consumption Hospital, part of	56	39	17
2.—FULHAM	1. North Hammersmith	St. John's Hospital for Skin Diseases	—	—	—
3.—CHELSEA	1. Chelsea North.. ..	Cancer Hospital	114	55	59
		Consumption Hospital, part of	46	37	9
4. ST. GEORGE, HANOVER SQUARE.	3. St. Margaret and St. John.	Gordon Hospital for Fistula	2	2	—
5.—WESTMINSTER ..	1. St. James and St. Anne	Hospital for Diseases of the Throat	10	5	5
		Hospital for Diseases of the Heart	18	8	10
6.—ST. MARYLEBONE	1. All Souls.. .. .	Lock Hospital (Male Branch)	—	—	—
		Royal Ear Hospital	3	3	—
		West End Hospital for Paralysis	3	—	—
		London Throat Hospital	2	—	2
	2. St. Mary	Royal National Orthopedic Hospital	1	—	1
		Home for Consumptive Females	3	—	3
	4. St. John	Western Ophthalmic Hospital	—	—	—
		Hospital for Epilepsy and Paralysis	3	—	3
7.—HAMPSTEAD ..	1. Hampstead	Mount Vernon Consumption Hospital	24	13	11
8.—ST. PANCRAS ..	2. South St. Pancras ..	London Skin Hospital	2	1	—
		Metropolitan Ear, Nose, and Throat Hospital	2	2	—
		Central London Throat and Ear Hospital	7	4	3
		Central London Ophthalmic Hospital	1	1	—
		British Hospital for Diseases of the Skin	—	—	—
9.—ISLINGTON ..	6. Islington South-east..	London Fever Hospital	9	7	2
12.—STRAND	1. Strand	Royal Westminster Ophthalmic Hospital	—	—	—
		St. Peter's Hospital for Stone	28	26	2
13.—HOLBORN ..	1. Holborn	City Orthopedic Hospital	—	—	—
		National Hospital for Paralysis	41	26	15
		Alexandra Hospital for Hip Disease (Children)	4	1	3
	4. Finsbury	St. Mark's Hospital for Fistula	5	5	—
		Royal London Ophthalmic Hospital	4	—	4
15.—SHOREDITCH ..	2. ShoreditchNorth-west	Royal Hospital for Diseases of the Chest	53	31	22
16.—BETHNALGREEN	1. Bethnal Green North-east,	City of London Hospital for Diseases of the Chest ..	50	36	14
22.—SOUTHWARK ..	1. Christchurch and St. Saviour Southwark.	Hospital for Diseases of the Skin.. .. .	—	—	—
	3. St. George the Martyr West.	Royal South London Ophthalmic Hospital	—	—	—

LYING-IN HOSPITALS.					
6.—ST. MARYLEBONE	2. St. Mary	Queen Charlotte's Lying-in Hospital ..	{ Women 10	—	10
			{ Children 33	23	10
10.—HACKNEY ..	4. South West Hackney	Salvation Army Maternity Hospital ..	{ Women 3	—	3
			{ Children 18	12	6
11.—ST. GILES ..	1. St. Giles and Bloomsbury.	British Lying-in Hospital	{ Women 15	9	6
13.—HOLBORN ..	4. Finsbury	City of London Lying-in Hospital ..	{ Women 2	—	2
			{ Children 18	7	11
20.—MILE END OLD TOWN.	1. Mile End Old Town	East End Mothers' Home	{ Women 2	—	2
	South-western.		{ Children 8	6	2
24.—LAMBETH ..	1. Waterloo	General Lying-in Hospital	{ Women 2	—	2
			{ Children 31	20	11
	4. Stockwell	Clapham Maternity Hospital	{ Women 2	—	2
			{ Children 25	14	11
29.—WOOLWICH ..	2. Woolwich	Home for Mothers and Babies	{ Women 12	—	12
			{ Children 6	4	2

TABLE 25 (continued).—LONDON: Deaths in Public Institutions registered during the 52 Weeks of 1906.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	Deaths.		
			Persons.	Males.	Females.

MILITARY AND NAVAL HOSPITALS.					
4.—ST. GEORGE, HANOVER SQUARE.	3. St. Margaret and St. John.	Station Hospitals, Rochester Row	—	—	—
27.—GREENWICH ..	5. Greenwich East ..	Queen Alexandra Military Hospital, Millbank ..	15	15	—
29.—WOOLWICH ..	1. Charlton	Seamen's Hospital	127	118	9
	2. Woolwich	Herbert Hospital	81	30	1
		Garrison Female Hospital	4	3	1
		Royal Arsenal Infirmary	11	11	—
		Auxiliary Hospital	1	1	—

HOSPITALS FOR FOREIGNERS.					
10.—HACKNEY ..	4. South-west Hackney	German Hospital	128	89	39
11.—ST. GILES ..	1. St. Giles and Bloomsbury.	French Hospital	26	18	8
13.—HOLBORN ..	1. Holborn	Italian Hospital.. .. .	17	11	6

LUNATIC ASYLUMS.*					
3.—HOLBORN ..	4. Finsbury	St. Luke's Lunatic Hospital	7	3	4
6.—BETHNALGREEN	1. Bethnal Green North East.	Bethnal House Lunatic Asylum	27	10	17
1.—POPLAR	1. Bow	Grove Hall Lunatic Asylum	1	1	—
2.—SOUTHWARK ..	3. St. George the Martyr West.	Bethlem Royal Hospital for Lunatics	14	5	9
5.—WANDSWORTH ..	5. Streatham	Middlesex County Lunatic Asylum (Part of)†	—	—	—
	6. Springfield	Tooting Bec Imbecile Asylum (M.A.B.).. ..	229	97	132
		Middlesex County Lunatic Asylum (Part of)†	3	3	—
1.—CAMBERWELL ..	3. Camberwell North ..	Camberwell House Lunatic Asylum	57	23	34
		Peckham House Lunatic Asylum	25	10	15
1.—EPSOM	1. Carshalton	London County Lunatic Asylum, Banstead†	310	132	178
	2. Epsom	Belmont Imbecile Asylum (M.A.B.)	64	64	—
		London County Lunatic Asylum, Horton†	141	72	69
		London County Lunatic Asylum, Manor†	47	1	46
		London County Epileptic Colony, Ewell†	12	10	2
—GODSTONE ..	1. Godstone	Caterham Imbecile Asylum (M.A.B.)†	168	71	97
—CROYDON ..	1. Coulsdon	London County Lunatic Asylum, Cane Hill†	153	88	65
—DARTFORD ..	3. Dartford	Darenth Imbecile Asylum (M.A.B.)†	70	28	42
		City of London Lunatic Asylum, Stonet	33	17	16
		London County Lunatic Asylum, Dartford Heath†	182	105	77
5.—UXBRIDGE ..	3. Hayes	London County Lunatic Asylum, Hanwell†	212	92	120
3.—BARNET ..	3. Finchley	London County Lunatic Asylum, Colney Hatch†	188	113	75
7.—WATFORD ..	3. Rickmansworth ..	Leavesden Imbecile Asylum (M.A.B.)†	121	61	60
1.—ROMFORD ..	2. Ilford	London County Lunatic Asylum, Claybury†	208	113	95

* Private Lunatic Asylums are excluded from this list, except those in which pauper lunatics are received.
† London residents only.

64 *Outer Ring : Population, Births and Deaths in Registration Sub-Districts.*

TABLE 26.—LONDON.—OUTER RING (excluding Deaths in Public Institutions of persons not belonging to the **Outer Ring** and including Deaths in Metropolitan Public Institutions of persons belonging to the **Outer Ring**).—**Population; Births and Deaths** registered during the **52 Weeks of 1906.**

The DEATHS registered in the 52 Weeks include																		
Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	Deaths of		Deaths from											
					1 Infants under Year of Age.	60 Persons aged Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes	
LONDON—OUTER RING ..		2044973	67004	31049	8384	8629	—	652	239	489	488	159	2933	1175	2504	6419	11	—
30 : 1	Carshalton 2F,3H ..	32997	845	378	98	102	—	1	6	14	13	3	25	12	27	40	—	—
2	Epsom, part of ^a W,w,2F,H ..	15548	434	222	38	88	—	2	—	1	2	—	20	7	11	78	—	—
37 : 1	Godstone, part of ^a W,F,L ..	2692	96	67	8	22	—	—	—	—	—	—	3	—	—	35	—	—
38 : 1	Coulsdon ..	8166	229	81	15	25	—	1	—	—	—	1	3	—	8	—	—	—
2	South Croydon ..	49309	1142	524	127	202	—	8	—	3	10	1	35	7	41	—	—	—
3	West Croydon 3W,F,H ..	42888	1535	1065	253	331	—	25	9	39	14	3	66	39	112	498	—	—
4	North Croydon ..	41698	1219	477	123	160	—	7	—	3	4	1	45	17	60	32	—	—
5	Penge w,H ..	22465	416	234	49	95	—	—	—	2	2	1	13	4	12	10	—	—
6	Mitcham ..	30015	1367	491	173	118	—	17	—	10	—	—	83	13	40	—	—	—
39 : 1	Wimbledon F,3H ..	41632	1176	581	175	147	—	19	5	9	4	5	92	21	50	31	—	—
2	Kingston 2W,H ..	42068	1178	683	139	288	—	1	5	13	—	—	34	22	73	224	—	—
3	Surbiton F,H ..	15017	355	134	35	50	—	1	1	1	4	1	9	6	12	12	—	—
4	Esher, part of ^a H ..	13100	399	146	30	55	—	3	—	—	—	—	1	15	18	3	—	—
5	Hampton H,F,L ..	23456	674	310	73	107	—	10	1	1	3	3	25	13	25	26	—	—
40 : 1	Richmond W,H ..	28865	482	321	39	146	—	2	1	2	3	3	11	15	30	63	—	—
2	Mortlake F ..	20628	781	306	84	76	—	16	2	13	1	1	26	26	49	16	—	—
41 : 1	Bromley F,2H ..	27354	729	287	84	95	—	1	2	—	—	—	1	10	23	22	45	—
2	Beckenham H ..	28497	711	261	69	89	—	1	—	—	—	—	19	7	11	105	—	—
3	Orpington, part of ^a W ..	8857	304	213	32	104	—	—	—	1	—	—	1	7	1	—	—	—
4	Chislehurst 2H ..	16446	399	198	43	75	—	1	—	1	—	—	25	6	10	18	—	—
42 : 1	Bexley w,F,H ..	21151	632	267	74	85	—	1	—	—	—	—	24	8	19	5	—	—
2	Erith F,H ..	25296	911	279	79	56	—	8	3	17	2	2	34	18	31	67	—	—
3	Dartford W,F part of ^a ..	—	—	68	2	40	—	—	—	—	—	1	3	3	3	67	—	—
124 : 1	Sunbury ..	18683	527	225	56	82	—	2	2	6	2	—	25	4	8	—	—	—
2	Staines W,H ..	15178	427	237	55	93	—	5	—	7	—	—	23	5	11	48	—	—
125 : 1	Hillingdon W,F,H ..	13661	446	239	68	86	—	—	2	1	6	—	13	9	12	53	3	—
2	Uxbridge H ..	8984	262	118	31	37	—	1	—	6	—	—	9	4	6	1	—	—
3	Hayes w,2F,H ..	16358	717	261	96	57	—	1	3	7	7	—	22	16	20	3	—	—
126 : 1	Isleworth 3W,3F,H ..	30863	1133	725	172	278	—	16	1	5	2	2	51	22	32	303	—	—
2	Twickenham F,2H ..	20991	807	326	107	79	—	13	1	2	4	—	54	16	24	13	—	—
3	Brentford 3F,2H ..	48289	1641	769	222	222	—	10	7	27	17	3	89	27	37	50	—	—
4	Chiswick H ..	29809	845	345	88	115	—	35	9	4	—	—	35	9	17	1	—	—
5	Acton w,F,3H ..	48914	2112	812	270	207	—	5	—	17	4	112	23	38	30	—	—	—
127 : 1	Harrow F,H ..	25523	900	284	79	103	—	1	—	1	5	3	25	3	11	3	—	—
2	Edgware 2F,2H ..	4521	109	49	18	18	—	—	4	—	—	—	1	1	1	5	—	—
3	Willenden W,F,2H ..	114811	4160	1497	477	395	—	27	11	15	26	5	12	42	87	216	—	—
4	Hendon W,F ..	22450	712	235	72	92	—	4	2	1	4	1	21	43	24	56	—	—
128 : 1	South Mimms 2F,H ..	7308	170	77	17	23	—	1	1	—	6	—	2	7	10	4	—	—
2	Barnet W,2H ..	17970	476	202	60	67	—	8	—	2	1	—	20	12	15	14	—	—
3	Finchley F,2H ..	33692	1055	453	121	152	—	13	1	1	1	—	37	10	26	16	—	—
129 : 1	Hornsey F,H ..	72056	1593	672	127	274	—	17	14	17	3	6	35	14	43	29	—	—
2	Wood Green H ..	34233	1232	419	120	113	—	5	3	5	9	1	39	20	46	26	—	—
3	West Tottenham F ..	48853	1713	577	190	138	—	20	2	2	14	5	45	11	64	—	—	—
4	East Tottenham 2H ..	53688	1927	877	267	179	—	27	3	2	14	1	93	45	99	154	—	—
5	Edmonton W,w,2F ..	61892	2130	1087	308	313	—	21	2	7	15	5	134	22	119	290	—	—
6	Enfield 2W,F,H ..	42738	1391	569	144	175	—	11	17	17	6	10	72	23	47	89	—	—
7	Waltham Abbey F ..	6549	157	73	15	32	—	—	—	—	—	—	6	7	9	1	—	—
8	Cheshunt F,H ..	12292	344	129	34	46	—	2	—	—	2	—	10	4	2	2	—	—
135 : 1	Hatfield, part of ^a W ..	664	13	10	3	4	—	—	—	—	—	—	—	1	1	2	—	—
137 : 1	Bushey H ..	9173	221	91	17	39	—	1	—	—	—	—	3	4	7	1	—	—
2	Watford W,2F part of ^a ..	—	—	10	—	9	—	—	—	—	—	—	—	—	—	10	—	—
186 : 1	Stratford H ..	44827	1419	587	181	118	—	5	2	2	9	4	77	53	90	62	—	—
2	Plaistow F,2H ..	90921	3479	1414	508	207	—	59	25	75	35	23	173	40	103	191	—	—
3	Canning Town H ..	70718	2902	1094	436	144	—	36	8	5	14	11	232	62	129	22	—	—
4	Forest Gate w ..	60892	1414	588	143	197	—	14	1	2	12	1	34	15	31	—	—	—
5	North East Ham w,H ..	58676	1892	649	204	149	—	11	8	5	12	3	65	24	58	13	—	—
6	South East Ham 2F ..	37342	1737	582	225	78	—	18	11	22	13	4	90	13	40	29	—	—
7	Wanstead F ..	9179	200	69	14	28	—	—	—	—	—	—	—	—	1	3	—	—
8	South Leyton 2W ..	50467	1518	767	201	320	—	27	5	13	25	1	68	12	24	294	—	—
9	North Leyton 2W,w,F ..	48445	1800	1545	285	463	—	24	10	23	20	14	125	41	80	932	—	—
10	Walthamstow 2H,L ..	108929	3953	1368	473	278	—	47	7	26	20	6	145	50	125	38	—	—
187 : 1	Chigwell 2F,3H ..	16397	389	214	33	60	—	4	15	32	3	—	12	13	16	53	—	—
2	Epping W,F part of ^a ..	—	—	22	1	16	—	—	—	—	—	1	—	—	—	22	—	—
189 : 1	Romford, part of ^a W,2F ..	6091	254	151	34	55	—	2	2	—	—	4	2	9	1	5	71	—
2	Ilford F,L ..	41234	1680	680	178	194	—	10	5	10	11	1	48	20	36	137	—	—
3	Barking Town F ..	21547	864	319	141	48	—	16	4	8	9	—	55	14	28	6	—	—
Metropolitan Work-houses, Hospitals, and Lunatic Asylums, within and without Registration London.		—	—	1854	253	251	—	7	21	20	10	17	69	100	237	1680	1	—
West Ham Workhouse, Hackney.		—	—	2	—	1	—	—	—	—	—	—	1	—	1	2	—	—
Middlesex Co. Lun. Asy., Wandsworth.		—	—	108	—	38	—	—	—	—	—	—	—	—	4	108	—	—

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30 : 2, excepting Ashstead parish; 37 : 1, Waringham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chislehurst, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3 137 : 2; and 187 : 2, and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 27.—LONDON.—Population; Births and Deaths* (Males and Females); and Deaths at Seven groups of Ages, in each Week of 1906.

POPULATION estimated to the middle of 1906																	4721217	114183	401601	1357186	1672093	860262	293778	22114
Number of Week.	WEEK ENDED.	BIRTHS.			DEATHS.																			
		Males.	Fe- males.	Total.	Males.	Fe- males.	Total.	Under 1 Year.	1-5	5-20	20-40	40-60	60-80	80 and up- wards.										
	YEAR (of 52 Weeks)	64201	61451	125652	38136	35854	73990	16661	8639	3852	8700	14547	17071	4520										
	First Quarter (13 Weeks).	16714	15956	32670	9977	9525	19502	3809	2325	997	2257	3847	4941	1326										
	Second (13 Weeks)."	16292	15468	31760	9003	8471	17474	3149	2238	942	2177	3599	4301	1098										
	Third (13 Weeks)."	15811	15422	31233	9609	8569	18178	5967	2173	895	1934	3126	3307	776										
	Fourth (13 Weeks)."	15384	14605	29989	9547	9289	18836	3736	1903	1018	2332	4005	4522	1320										
1	January	6	1424	1364	2788	885	871	1756	336	217	91	208	356	429	119									
2	"	13	1432	1273	2705	779	807	1586	304	185	63	196	307	417	114									
3	"	20	1231	1159	2390	719	683	1402	299	170	57	131	271	376	98									
4	"	27	1243	1208	2451	715	669	1384	257	171	88	171	267	338	92									
5	February	3	1273	1235	2508	690	649	1339	260	162	60	152	265	316	94									
6	"	10	1285	1265	2550	673	674	1347	272	146	79	157	254	341	98									
7	"	17	1219	1175	2394	774	746	1520	316	156	105	176	295	371	101									
8	"	24	1291	1209	2500	841	745	1586	317	187	85	169	316	404	108									
9	March	3	1240	1230	2470	766	738	1504	280	183	69	194	284	402	92									
10	"	10	1243	1266	2509	763	706	1469	296	160	77	172	309	355	100									
11	"	17	1284	1215	2499	770	728	1498	303	190	72	164	302	374	93									
12	"	24	1202	1041	2243	732	704	1436	273	170	75	165	278	372	103									
13	"	31	1347	1316	2663	870	805	1675	296	228	76	202	343	416	114									
14	April	7	1321	1273	2594	719	803	1525	269	225	83	174	270	385	119									
15	"	14	1081	1006	2087	793	785	1578	288	192	76	193	297	426	106									
16	"	21	1284	1175	2459	895	848	1743	305	238	85	199	364	436	116									
17	"	28	1391	1326	2717	807	756	1563	290	211	68	198	324	373	99									
18	May	5	1334	1213	2547	735	711	1446	239	223	64	182	267	369	102									
19	"	12	1294	1203	2497	731	692	1423	255	169	78	176	299	341	105									
20	"	19	1263	1217	2480	643	627	1270	251	163	66	158	269	290	83									
21	"	26	1233	1235	2518	638	521	1159	200	139	79	157	243	278	63									
22	June	2	1204	1180	2384	663	577	1240	228	140	71	149	265	327	60									
23	"	9	1108	1037	2145	620	530	1150	225	149	67	143	227	271	68									
24	"	16	1235	1212	2447	558	554	1112	197	137	59	161	235	259	64									
25	"	23	1252	1247	2499	639	566	1205	213	139	79	151	279	280	64									
26	"	30	1242	1144	2386	562	498	1060	189	113	67	136	240	266	49									
27	July	7	1268	1228	2496	595	518	1113	208	144	79	132	253	254	43									
28	"	14	1253	1160	2413	577	495	1072	192	126	71	151	227	246	59									
29	"	21	1215	1253	2468	572	482	1054	221	128	60	110	222	254	59									
30	"	28	1186	1166	2352	549	507	1056	233	121	74	147	217	215	49									
31	August	4	1300	1276	2576	680	592	1272	346	148	68	141	254	260	55									
32	"	11	1149	1006	2155	767	585	1352	464	162	79	145	210	217	75									
33	"	18	1308	1242	2550	814	770	1584	653	194	59	142	243	231	62									
34	"	25	1243	1223	2466	871	783	1654	646	204	67	159	245	272	61									
35	September	1	1232	1243	2475	823	747	1570	643	199	64	136	235	245	48									
36	"	8	1185	1144	2329	972	920	1892	760	219	66	187	268	297	95									
37	"	15	1178	1141	2319	831	758	1589	631	207	60	151	248	249	43									
38	"	22	1107	1153	2260	799	749	1548	544	171	63	154	255	298	63									
39	"	29	1187	1187	2374	759	663	1422	426	150	85	179	249	269	64									
40	October	6	1140	1111	2251	683	721	1404	341	146	73	165	293	300	86									
41	"	13	1256	1099	2355	695	600	1295	280	125	73	156	279	304	78									
42	"	20	1226	1185	2411	652	580	1232	277	128	68	150	270	286	63									
43	"	27	1245	1229	2474	623	586	1209	276	111	69	162	266	250	75									
44	November	3	1169	1135	2304	648	624	1272	246	137	82	176	273	253	105									
45	"	10	1123	1097	2220	680	648	1328	267	138	73	170	286	307	87									
46	"	17	1205	1185	2390	697	694	1391	244	113	67	204	315	339	109									
47	"	24	1305	1227	2532	745	768	1453	284	161	73	184	288	346	117									
48	December	1	1180	1165	2345	706	700	1406	251	132	85	190	286	356	106									
49	"	8	1215	1123	2338	748	734	1482	271	150	85	166	338	379	93									
50	"	15	1142	1030	2172	804	824	1628	296	159	85	202	347	424	115									
51	"	22	1307	1196	2503	957	929	1886	328	180	99	221	376	533	149									
52	"	29	871	823	1694	909	941	1850	375	223	96	186	388	445	137									

* See note at head of Table 17.

TABLE 28.—LONDON.—Weekly Deaths of persons belonging to London from the principal EPIDEMIC from these DISEASES during the

YEAR	SMALL-POX.					MEASLES.					SCARLET FEVER.					Corrected Average No. 1896-1905.*
	Corrected Average No. 1896-1905.*	1903	1904	1905	1906	Corrected Average No. 1896-1905.*	1903	1904	1905	1906	Corrected Average No. 1896-1905.*	1903	1904	1905	1906	Corrected Average No. 1896-1905.*
March Quarter..	82	5	8	5	—	716	666	670	352	680	141	99	81	134	129	427
June	56	2	12	5	—	827	758	930	549	761	133	82	81	119	144	308
Sept.	13	3	5	—	—	369	247	303	255	256	138	91	87	126	108	333
Dec.	20	3	—	—	—	483	375	287	553	212	158	89	116	170	152	449
Week.																
1	3	1	—	—	—	54	37	58	32	64	15	13	10	9	9	38
2	5	1	—	1	—	52	40	46	25	52	13	7	10	7	17	33
3	6	—	—	—	1	54	38	46	21	52	12	11	10	7	13	34
4	4	—	—	—	—	44	41	38	30	44	12	6	9	10	10	32
5	4	1	—	—	—	35	27	31	21	28	11	8	3	9	5	33
6	4	—	—	—	—	43	45	42	27	26	11	8	4	9	11	37
7	6	—	1	—	1	49	45	42	28	43	11	9	9	12	9	31
8	7	—	1	—	—	54	57	32	17	52	8	6	5	10	10	34
9	9	2	—	—	—	60	67	43	34	54	10	7	5	14	6	33
10	9	—	1	—	—	67	61	66	32	54	9	7	6	11	12	31
11	9	—	1	—	—	68	62	69	28	70	9	7	2	7	10	30
12	6	—	1	2	—	67	74	67	30	65	10	5	4	18	9	31
13	7	—	3	—	—	69	72	92	29	70	10	5	4	4	8	29
14	6	—	3	1	—	65	48	86	40	68	12	3	8	10	8	25
15	8	—	—	—	—	73	74	75	47	67	9	4	4	13	7	24
16	4	—	1	—	—	73	80	81	42	85	10	7	13	13	19	24
17	5	—	3	1	—	72	68	66	37	73	9	9	10	9	6	26
18	5	—	1	1	—	65	63	62	44	61	10	10	3	5	17	23
19	5	—	—	—	—	63	55	86	41	75	9	7	7	9	11	27
20	4	—	—	1	—	61	67	85	41	43	11	11	5	11	10	23
21	3	1	2	—	—	64	59	73	44	41	8	5	4	4	15	25
22	5	—	—	—	—	66	65	76	58	50	12	4	7	9	12	23
23	3	—	—	—	—	61	38	62	40	58	11	11	4	11	6	22
24	3	—	—	—	—	59	52	65	46	43	11	3	10	6	15	22
25	3	1	1	—	—	55	50	56	38	51	10	5	3	7	13	22
26	2	—	1	1	—	50	39	58	31	46	11	3	7	12	5	21
27	1	—	—	—	—	43	34	53	24	39	12	9	9	11	17	24
28	2	—	—	—	—	38	28	39	27	22	9	9	8	7	6	25
29	1	—	2	—	—	41	36	49	17	35	11	9	4	6	12	28
30	1	—	1	—	—	37	14	36	23	30	11	7	7	8	6	27
31	1	—	1	—	—	34	17	31	19	22	10	2	2	9	6	27
32	1	—	1	—	—	34	24	36	23	25	12	8	10	16	10	24
33	1	—	—	—	—	33	22	42	28	21	12	4	4	10	8	25
34	0	—	—	—	—	29	18	30	19	13	12	12	9	10	9	24
35	1	1	—	—	—	21	12	15	26	16	9	3	6	7	7	22
36	1	—	—	—	—	19	8	8	20	9	9	10	2	7	6	22
37	1	1	—	—	—	13	13	7	7	7	11	3	14	8	4	24
38	1	—	—	—	—	13	11	6	7	9	9	3	5	6	7	28
39	1	—	—	—	—	14	10	17	15	8	11	2	3	9	10	33
40	0	—	—	—	—	13	9	14	15	6	12	10	4	7	12	35
41	0	—	—	—	—	18	14	16	15	2	13	8	11	9	19	35
42	1	—	—	—	—	24	18	26	33	5	12	7	6	16	9	34
43	1	—	—	—	—	28	21	19	31	9	12	5	8	13	15	37
44	1	—	—	—	—	29	15	14	34	15	13	12	7	17	11	35
45	2	1	—	—	—	31	31	15	47	18	13	9	9	13	17	33
46	1	—	—	—	—	38	36	14	54	9	11	4	8	8	5	36
47	2	1	—	—	—	43	37	14	48	26	13	6	19	6	8	19
48	2	—	—	—	—	45	24	32	53	21	12	—	5	18	12	32
49	2	—	—	—	—	44	31	22	46	21	12	—	9	13	12	36
50	3	—	—	—	—	53	41	32	58	26	11	5	9	20	15	33
51	3	1	—	—	—	51	39	26	60	24	12	7	3	18	9	36
52	2	—	—	—	—	60	59	44	59	29	12	9	15	12	8	34

* The numbers in these columns have been raised for increase

DISEASES during each of the **Four Years 1903-1906**; and the **CORRECTED AVERAGE WEEKLY NUMBERS Ten Years 1896-1905.**

THERIA.			WHOOING-COUGH.				FEVER.				DIARRHŒA.								
1904	1905	1906	Corrected Average No. 1896-1905.	1903	1904	1905	1906	Corrected Average No. 1896-1905.	1903	1904	1905	1906	Corrected Average No. 1896-1905.	1903	1904	1905	1906		
723	546	691	1932	1627	1425	1487	1226	532	376	292	237	264	318	2925	4750	3356	4424	YEAR.	
204	162	193	663	759	595	433	456	119	85	55	49	44	173	258	239	151	169	March	Qr.
163	117	137	629	443	505	521	403	72	47	44	48	45	213	268	245	216	199	June	"
150	109	151	371	217	240	254	191	135	81	87	77	73	304	1717	3931	2665	3480	Sept.	"
206	158	210	269	208	155	279	176	206	163	106	63	102	392	682	335	324	576	Dec.	"
																		Week.	
14	13	12	37	59	28	16	32	12	10	5	9	6	12	13	15	11	10	..	1
11	9	11	39	41	36	23	32	12	7	9	5	3	13	14	19	11	11	..	2
10	11	12	47	96	29	23	21	10	11	5	4	3	15	22	24	12	12	..	3
25	18	21	51	76	42	38	37	10	3	3	1	2	13	19	16	9	17	..	4
13	13	16	51	51	45	32	34	10	11	4	5	1	15	27	19	15	14	..	5
12	16	16	54	55	50	37	33	10	6	8	4	4	15	24	12	21	23	..	6
16	11	13	50	51	54	33	45	9	5	2	4	5	12	26	16	7	13	..	7
18	13	18	51	42	41	34	35	11	10	5	2	2	12	15	26	12	13	..	8
23	20	18	53	65	51	34	29	9	5	3	5	5	14	14	20	8	13	..	9
16	13	12	53	55	54	52	33	7	5	4	3	3	12	13	18	11	19	..	10
16	7	14	57	38	51	38	38	7	3	1	—	3	3	29	19	12	17	..	11
13	10	15	60	46	48	33	34	6	3	3	3	3	14	23	19	11	6	..	12
17	8	15	60	60	66	40	53	6	6	3	4	4	12	19	16	11	5	..	13
																		..	14
16	14	8	59	46	64	40	42	7	6	5	3	2	13	19	21	7	12	..	15
8	14	17	62	33	64	64	37	6	10	3	3	2	11	13	12	13	14	..	16
15	4	13	56	38	43	39	37	5	1	3	3	2	13	17	11	13	17	..	17
14	13	14	60	52	41	49	42	5	3	3	5	4	13	27	15	15	14	..	18
19	11	9	57	39	48	53	38	5	4	5	5	—	15	17	23	19	12	..	19
20	6	10	47	33	43	37	26	5	4	1	3	4	13	19	16	10	15	..	20
10	6	11	46	32	39	34	37	6	4	4	2	3	15	19	20	15	16	..	21
14	6	13	51	32	33	49	32	5	3	2	5	7	14	18	15	15	10	..	22
6	7	9	43	31	32	39	35	5	1	1	6	1	16	18	16	27	21	..	23
9	9	7	42	23	28	39	24	5	1	1	4	2	18	25	25	29	15	..	24
7	9	8	38	30	25	26	17	5	4	2	3	4	19	27	23	14	15	..	25
16	11	8	33	28	17	26	22	5	3	5	3	2	23	27	24	14	17	..	26
9	7	9	35	26	28	26	14	6	3	5	1	8	30	24	25	21	..	27	
																		..	28
7	6	12	34	19	27	17	12	7	6	1	6	12	48	38	37	36	29	..	29
7	6	9	35	36	29	17	18	7	4	5	3	4	79	44	67	57	35	..	30
14	5	10	31	19	21	13	20	7	4	5	7	6	150	46	180	83	54	..	31
5	7	10	33	11	13	31	10	9	8	5	2	3	274	81	299	185	71	..	32
10	12	13	28	19	21	18	13	9	5	7	6	3	365	94	555	304	181	..	33
7	10	13	29	15	21	28	14	8	3	2	8	5	393	139	685	372	282	..	34
9	8	9	30	8	17	21	13	10	8	5	2	4	380	180	698	388	422	..	35
19	8	9	25	13	20	17	12	11	5	4	5	6	335	186	479	344	453	..	36
8	12	12	28	12	25	28	11	11	6	12	5	3	290	194	335	308	451	..	37
20	5	13	28	20	16	16	17	14	12	8	10	4	251	218	256	221	522	..	38
9	9	10	26	20	16	14	20	14	5	9	9	3	196	215	185	127	442	..	39
19	11	18	22	12	5	12	19	14	10	12	4	8	155	137	104	110	336	..	40
16	13	12	22	13	9	22	12	14	5	12	10	12	115	145	81	90	202	..	41
																		..	42
20	9	12	15	9	7	18	10	15	13	9	4	11	84	131	52	57	131	..	43
17	12	14	16	11	5	11	12	15	12	14	9	15	125	47	55	92	..	44	
13	3	11	16	10	11	19	12	18	13	12	8	7	69	66	45	28	75	..	45
12	12	16	12	8	7	7	5	15	11	6	3	10	36	74	25	32	50	..	46
14	13	22	15	11	4	12	6	20	15	11	7	6	28	53	21	21	46	..	47
13	9	11	13	8	4	12	6	20	15	11	8	8	25	60	27	27	43	..	48
24	19	16	18	13	12	20	10	19	12	10	7	3	18	28	25	13	29	..	49
11	10	13	22	17	10	24	5	18	14	3	3	3	15	31	18	11	24	..	50
17	5	20	23	20	15	25	13	15	15	7	4	7	16	27	16	16	19	..	51
23	21	20	27	24	19	25	18	15	15	9	4	2	15	23	16	14	15	..	52
12	10	15	28	21	20	28	18	12	8	9	7	6	13	15	12	18	16	..	53
13	18	14	30	21	16	37	31	13	9	8	2	5	15	27	15	19	21	..	54
17	17	26	34	35	25	34	31	12	9	8	5	4	15	27	15	19	21	..	55

of population to compare with the numbers in the year 1906.

TABLE 29.—METEOROLOGICAL TABLE for LONDON, 1906.

(Deduced from Observations at Greenwich, under the Superintendence of the Astronomer Royal.)

1906	Baro- meter.	Air Temperature.					Hygrometer.				Earth Temperature.		Bright Sunshine.						
		Mean Pressure, at 32° F. (at Station Level). * (Bar. 159 ft. above M.S.L.)	Mean of		Mean of A and B.	Difference from Average.†	Absolute Minimum and Maximum.			Mean of Observations at 9 a.m. and 9 p.m.‡			At 1 foot depth.	At 3 ft. 2 in depth.	Total Possible.	Total Observed.	Difference from Average.†		
			Minimum.	Maximum.			Minimum.	Day of Month.	Maximum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.						Vapour Pressure.	Humidity.
ins.	°	°	°	°	ins.	%	hrs.	hrs.	hrs.	hrs.	hrs.	hrs.							
January	37.4	46.9	42.2	+3.7	25.8	23	53.2	13	41.8	2.1	.223	85	259	54.9	+22.9	
February	33.5	44.3	38.9	-0.6	26.1	22	50.7	16	37.7	1.9	.190	85	277	62.8	+9.0	
March	35.6	48.8	42.2	+0.5	27.4	3	65.0	7	41.1	2.8	.202	79	365	101.4	+9.1	
April	35.2	57.3	46.2	-1.0	28.1	20	73.2	12	45.3	4.2	.214	71	413	218.5	+72.2	
May	44.4	62.4	53.4	+0.3	31.6	18	76.2	8	52.7	3.7	.302	77	481	153.0	-27.6	
June	47.9	69.8	58.8	-0.6	37.6	5	82.0	20	57.8	4.3	.356	74	495	241.2	+52.6	
July	53.3	75.4	64.4	+2.0	45.1	1	86.2	18	63.5	5.5	.408	70	498	262.6	+66.3	
August	54.4	77.0	65.7	+4.1	44.1	29	94.3	31	64.4	5.2	.432	71	451	248.7	+60.9	
September	49.3	69.8	59.5	+2.3	37.1	27	93.5	2	58.0	3.8	.372	77	379	185.7	+41.6	
October	46.9	61.8	54.4	+4.4	32.1	26	71.8	1	53.4	2.0	.353	86	331	128.0	+37.5	
November	40.4	51.5	45.9	+2.7	28.5	19	60.3	22	45.9	1.4	.277	90	266	45.1	+4.8	
December	32.0	42.3	37.2	-2.5	19.8	30	54.3	3	37.3	1.8	.188	85	244	32.6	+5.0	
Year	42.5	58.9	50.7	+1.2	—	—	—	—	49.9	3.2	.293	79	4,459	1,734.5	+354.3	

* The hours of observation are 9 a.m. and 9 p.m. local time.

† The averages used are obtained from observations extending over 50 years for Rain and Temperature, and 15 years for Sunshine. Wind Force.—Beaufort Scale (0-12) is used. The number of observations of moderate and strong wind (force 4-7), the number of observations of calm, and the number of days of gale are given in the table.

TABLE 30.—LONDON.—Meteorology at Greenwich in each Week of 1906.

No. of Week.	Week ended	Temperature of the Air.					Degree of Hu- midity (complete satura- tion = 100).	Fall of Rain in Inches.	Amount of Hori- zontal Move- ment of the Air in each Week.	Sun above Horizon in Hours.	Regis- tered Sunshin in Hours.	
		Mean.	Highest Reading.	Lowest Reading.	Mean of Highest Readings.	Mean of Lowest Readings.						
1	Jan.	6	41°3	52°6	27°6	45°2	38°0	81	0·95	Miles. 2731	55·2	2·5
2	"	13	43°1	53°2	32°5	48°7	37°6	82	1°20	3145	56°6	17·5
3	"	20	42°0	49°6	29°1	46°5	37°2	77	1°06	3564	58°4	23·7
4	"	27	40°4	52°3	25°8	44°3	35°3	83	0°49	2255	60°6	5·8
5	Feb.	3	42°8	51°2	31°5	47°4	38°0	80	0°10	2851	63°2	10·6
6	"	10	37°0	49°7	30°4	41°9	32°2	80	0°38	2887	66°0	17·5
7	"	17	38°2	50°7	27°1	44°8	32°6	85	0°92	2311	68°9	13°0
8	"	24	37°4	46°2	26°1	43°5	32°2	81	0°27	2036	72°0	13·8
9	March	3	41°7	50°1	27°4	48°6	35°7	79	0°17	2754	75°0	21·7
10	"	10	47°2	65°0	34°5	55°4	40°0	75	0°35	2771	78°2	35°0
11	"	17	43°5	63°9	29°1	49°9	37°3	73	0°29	3529	81°7	22°1
12	"	24	37°5	48°4	28°4	43°4	33°0	79	0°32	2594	81°9	18°0
13	"	31	38°2	52°1	29°1	46°0	32°6	73	0°14	2261	88°2	18°0
14	April	7	45°6	61°6	30°3	56°7	34°5	63	0°00	1516	91°2	55°7
15	"	14	51°5	73°2	35°6	64°7	39°4	62	0°03	1856	94°4	64°4
16	"	21	45°7	66°0	28°1	57°3	34°0	66	0°05	2470	97°6	42°0
17	"	28	42°0	56°7	29°2	52°1	33°7	68	0°43	2043	100°7	44°2
18	May	5	46°6	63°2	30°8	56°1	38°1	73	0°26	1913	103°6	38°4
19	"	12	54°2	76°2	42°0	64°1	45°4	79	0°05	1332	106°4	22°8
20	"	19	50°7	75°0	31°6	61°2	41°1	68	0°17	1733	108°8	43°3
21	"	26	51°3	71°0	42°3	60°3	44°6	75	1°08	2061	111°1	27°5
22	June	2	57°2	74°8	44°2	67°4	49°7	76	0°19	2507	113°1	39°1
23	"	9	55°6	74°6	37°6	68°6	42°2	65	0°00	1250	114°6	80°6
24	"	16	53°9	72°0	45°3	64°6	46°9	80	0°30	1639	115°5	35°6
25	"	23	64°1	82°0	43°1	76°8	51°9	68	0°01	1101	116°1	61°0
26	"	30	60°0	78°3	41°2	71°5	51°4	76	2°46	2341	115°8	58°1
27	July	7	61°9	79°1	45°1	74°0	49°5	65	0°00	1240	115°1	75°4
28	"	14	61°5	77°4	47°5	72°8	52°7	70	0°01	1563	113°9	47°9
29	"	21	62°7	86°2	46°8	74°2	52°7	70	0°19	2253	112°3	43°8
30	"	28	66°3	84°7	50°4	77°8	56°5	68	0°15	1651	110°1	69°5
31	August	4	67°3	85°0	50°4	80°1	56°0	64	0°86	1901	107°6	76°5
32	"	11	66°1	86°7	54°3	78°8	56°1	68	0°01	1613	105°2	54°1
33	"	18	61°5	81°1	51°2	71°3	54°3	77	0°33	2159	102°3	35°7
34	"	25	64°9	88°4	49°7	77°4	55°4	72	0°26	2041	99°4	49°9
35	Sept.	1	66°5	94°3	44°1	81°6	52°2	62	0°00	1273	96°3	70°9
36	"	8	68°0	93°5	52°2	80°9	56°8	64	0°85	1528	93°1	53°7
37	"	15	57°6	72°0	39°1	69°1	48°0	70	0°74	1653	90°1	48°8
38	"	22	55°8	65°7	45°1	63°2	50°5	80	0°38	2247	86°9	22°6
39	"	29	52°0	65°1	37°1	63°1	41°5	77	0°00	1156	83°8	41°3
40	Oct.	6	58°4	71°8	42°9	66°5	51°2	83	0°69	1903	80°6	31°0
41	"	13	57°6	70°9	42°0	65°5	51°2	82	0°63	1682	77°2	35°7
42	"	20	41°2	62°9	35°2	59°4	43°5	81	0°21	2010	74°2	31°7
43	"	27	53°0	69°1	32°1	61°7	45°4	82	0°07	1412	71°0	30°6
44	Nov.	3	46°8	56°0	37°2	53°0	40°9	88	1°59	1843	68°0	10°6
45	"	10	47°3	56°0	33°5	52°3	42°3	89	2°62	2332	65°2	14°9
46	"	17	43°0	53°5	29°2	49°2	36°3	85	0°90	1843	62°4	10°2
47	"	24	46°2	60°3	28°5	50°8	39°8	89	0°38	2080	60°0	12°5
48	Dec.	1	47°3	56°0	33°8	51°9	41°4	84	0°09	2810	57°9	8°1
49	"	8	43°8	54°3	28°1	49°5	37°2	80	0°29	3015	56°2	12°4
50	"	15	36°5	46°8	26°9	41°1	31°6	79	0°40	2585	54°9	8°6
51	"	22	39°2	49°4	27°6	42°8	34°7	91	0°50	1322	54°6	1°6
52	"	29	31°4	42°9	22°3	36°4	25°9	77	0°68	2244	54°6	3°2

DISTRICTS.		NUMBER OF SERVICES IN											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Total Services		1,040,686	1,041,805	1,043,283	1,045,184	1,046,983	1,049,175	1,050,679	1,052,213	1,054,140	1,055,803	1,057,125	1,058,000
NEW RIVER		206,950	207,088	207,371	207,677	207,910	208,451	208,706	208,923	209,182	209,558	209,759	209,933
EASTERN		235,209	235,434	235,506	236,089	236,470	236,817	237,180	237,402	237,687	237,965	238,185	238,312
{ CHELSEA		39,968	40,006	39,940	39,954	39,920	39,938	39,950	39,959	39,976	39,969	39,963	39,965
{ GRAND JUNCTION		81,278	81,477	81,776	82,104	82,354	82,705	82,983	83,238	83,547	83,919	84,077	84,178
{ WEST MIDDLESEX		92,433	92,442	92,552	92,513	92,659	92,789	92,750	92,796	92,829	92,690	92,822	92,897
{ LAMBETH		139,293	139,512	139,945	140,356	140,804	141,159	141,441	141,809	142,295	142,979	142,973	143,123
{ SOUTHWARK AND VAUX- HALL		131,721	131,857	132,044	132,176	132,336	132,623	132,841	132,987	133,161	133,338	133,451	133,545
KENT		113,804	114,009	114,159	114,315	114,535	114,683	114,829	115,109	115,463	115,685	115,895	116,047
DISTRICTS.		AVERAGE DAILY SUPPLY OF WATER IN GALLONS DURING THE MONTHS OF											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Total Quantities supplied		204,994,846	200,933,263	203,285,721	211,532,249	219,182,128	240,651,009	251,009,189	247,765,262	242,141,572	223,039,661	214,450,437	209,593,360
NEW RIVER		39,412,411	38,587,634	38,928,833	40,167,000	42,781,000	46,103,000	48,946,000	47,855,000	46,529,000	42,285,000	41,858,000	40,461,000
EASTERN		39,884,000	39,334,357	37,756,484	39,185,700	40,495,419	46,018,100	44,909,000	46,396,000	45,309,566	41,663,388	39,225,400	38,271,087
{ CHELSEA		11,463,871	11,533,214	11,659,677	11,689,000	12,357,742	13,648,700	14,264,193	13,239,355	13,275,667	12,642,903	12,555,383	11,540,988
{ GRAND JUNCTION		15,447,696	15,338,870	16,220,319	17,099,376	17,130,616	19,160,640	21,254,765	19,742,303	18,973,567	17,542,900	16,712,830	16,839,332
{ WEST MIDDLESEX		22,878,839	22,485,357	22,347,308	23,525,967	24,802,677	26,924,633	27,862,290	26,228,935	27,226,633	25,385,548	24,063,867	23,657,806
{ LAMBETH		30,103,294	27,603,988	29,508,498	31,300,536	32,244,500	35,417,800	36,446,693	36,229,047	35,367,265	33,134,915	31,206,628	30,674,864
{ SOUTHWARK AND VAUX- HALL		27,866,000	28,243,000	29,061,000	29,167,000	29,579,000	32,166,000	35,075,830	35,536,500	34,061,185	30,572,649	29,678,436	28,695,869
KENT		17,939,345	17,788,845	17,805,602	19,333,670	19,801,174	21,212,136	22,560,418	22,538,032	21,398,689	19,812,360	19,169,943	19,062,424

Note.—The quantities of water in the above Table include the supply for various purposes other than domestic consumption.

TABLE 32.—Average Number of Services, and Average Daily Quantity of Water DELIVERED for ALL PURPOSES and for DOMESTIC PURPOSES, in the London Water Districts during 1906.

WATER DISTRICTS.	AVERAGE NUMBER of SERVICES during the Year.	AVERAGE DAILY SUPPLY OF WATER DURING THE YEAR.					
		Delivered.		Used for Domestic purposes.†			
		Gallons.	Cubic Metres.*	Gallons.	Gallons per Service.		
					1905.	1906.	
Total	1,049,592	222,374,892	1,010,351	182,347,412	174	174	
NEW RIVER	208,459	42,800,990	194,464	35,096,812	164	168	
EASTERN	236,855	41,537,709	188,725	34,060,921	153	144	
WESTERN {	CHELSEA	39,962	12,514,219	56,858	10,261,660	251	257
	GRAND JUNCTION	82,802	17,623,550	80,072	14,451,311	177	175
	WEST MIDDLESEX	92,682	24,780,822	112,591	20,320,274	215	219
SOUTHERN {	LAMBETH	141,282	32,441,502	147,397	26,602,032	187	188
	SOUTHWARK AND VAUXHALL	132,672	30,808,547	139,977	25,263,009	192	190
KENT	114,878	19,867,553	90,267	16,291,393	137	142	
Columns	1.	2.	3.	4.	5.	6.	

* A cubic metre is equal in volume to 220·09668 imperial gallons. It is in general use on the Continent; and its volume of water weighs a metric *ton*, differing inconsiderably in weight from the *ton* in common use.

† According to returns of the London Water Companies made to the Select Committee on East London Water Bills (Session 1867), it is estimated that during the year 1866 about 82 per cent. of the total supply of water for all purposes was for domestic use; this proportion has been applied in estimating the quantities in columns 4, 5, and 6, showing the gallons probably used for domestic purposes. The Returns of the Water Districts include services to uninhabited houses.

TABLE 33.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—Area, Population, Inhabited Houses, and Rateable Value, 1901.

	AREA.		Enumerated POPULATION, 1901.	DENSITY of POPU- LATION in 1901.		INHABITED HOUSES, 1901.	RATEABLE VALUE,* 1901.
	In Acres.	In Square Miles.		Persons to an Acre.	Persons to a Square Mile.		
GREATER LONDON ..	443,419	683	6,581,402	14·8	9497	928,024	£ 51,432,059
COUNTY OF LONDON ..	74,817	117	4,536,429	60·1	33,773	571,747	40,209,391
OUTER RING	368,602	576	2,044,973	5·5	3550	356,277	11,222,668

* Supplied by the London County Council and the Metropolitan Police Office.

Changes in Registration Districts and Sub-Districts, 1906.

73

TABLE 34.—Changes in Registration Districts and Sub-Districts of Greater London during the 52 Weeks ended 29th December, 1906.

Changes in Registration boundaries are made by order of the Registrar-General, with the consent of the Local Government Board. Those changes which affect the boundaries of Registration Districts are necessitated by changes in the boundaries of Poor Law Unions.

Date when change came into operation.	DISTRICT and Sub-district.				Name of Parish transferred.	Population, 1901.
	Decreased by change.		Increased by change.			
	Name.	No.	Name.	No.		
1906. 1 Feb.	5.—WESTMINSTER: On this date St. James, Westminster (1), and St. Anne, Soho (2), sub-districts were united and called St. James and St. Anne (1).					
1 Dec.	8.—ST. PANCRAS: On this date Tottenham Court (2) and Gray's Inn Lane (3) sub-districts were united and called South St. Pancras (2).					
1 Aug.	BETHNAL GREEN. Bethnal Green North (abolished).	16 1	BETHNAL GREEN. Bethnal Green North East (new sub-district).	16 1	Bethnal Green Civil parish and Metropolitan Borough (<i>part of</i>), viz.:— North Ward (<i>part of</i>)	21,590
"	BETHNAL GREEN. Bethnal Green North (abolished).	16 1	BETHNAL GREEN. Bethnal Green South West (new sub-district).	16 2	Bethnal Green Civil parish and Metropolitan Borough (<i>part of</i>), viz.:— South Ward (<i>part of</i>) West Ward (<i>part of</i>)	12,426 17,498
"	BETHNAL GREEN. Bethnal Green South (abolished).	16 2	BETHNAL GREEN. Bethnal Green South West (new sub-district.)	16 2	Bethnal Green Civil parish and Metropolitan Borough (<i>part of</i>), viz.:— South Ward (<i>part of</i>) West Ward (<i>part of</i>)	20,916 12,556
"	BETHNAL GREEN. Bethnal Green East (abolished).	16 3	BETHNAL GREEN. Bethnal Green North East (new sub-district).	16 1	Bethnal Green Civil parish and Metropolitan Borough (<i>part of</i>), viz.:— North Ward (<i>part of</i>) East Ward	165 43,383
"	BETHNAL GREEN. Bethnal Green East (abolished).	16 3	BETHNAL GREEN. Bethnal Green South West (new sub-district).	16 2	Bethnal Green Civil parish and Metropolitan Borough (<i>part of</i>), viz.:— South Ward (<i>part of</i>)	1,146
"	22.—SOUTHWARK: On this date Christchurch, Southwark (1), and St. Saviour, Southwark (2), sub-districts were united and called Christchurch and St. Saviour, Southwark (1).					
1 Oct.	LAMBETH .. Lambeth Church 1st (abolished).	24 2	LAMBETH .. Lambeth Church (new sub-district).	24 2	Lambeth Civil parish and Metropolitan Borough (<i>part of</i>), viz.:— Bishop's Ward (<i>part of</i>) Prince's Ward (<i>part of</i>)	14,644 35
"	LAMBETH .. Lambeth Church 1st (abolished)	24 2	LAMBETH .. Kennington .. (new sub-district).	24 3	Lambeth Civil parish and Metropolitan Borough (<i>part of</i>), viz.:— Prince's Ward (<i>part of</i>)	3,744
"	LAMBETH .. Lambeth Church 2nd (abolished).	24 3	LAMBETH .. Lambeth Church (new sub-district).	24 2	Lambeth Civil parish and Metropolitan Borough (<i>part of</i>), viz.:— Bishop's Ward (<i>part of</i>) Prince's Ward (<i>part of</i>)	12,579 182

TABLE 34.—Changes in Registration Districts and Sub-Districts of Greater London during the 52 Weeks ended 29th December, 1906—continued.

Date when change came into operation.	DISTRICT and Sub-district.				Name of Parish transferred.	Population, 1901.
	Decreased by change.		Increased by change.			
	Name.	No.	Name.	No.		
1 Oct.	LAMBETH .. Lambeth Church 2nd (abolished).	24 3	LAMBETH .. Kennington .. (new sub-district).	24 3	Lambeth Civil parish and Metropolitan Borough (part of), viz.:— Bishop's Ward (part of) Prince's Ward (part of)	5,117 21,940
"	LAMBETH .. Kennington 1st (abolished).	24 4	LAMBETH .. Kennington .. (new sub-district).	24 3	Lambeth Civil parish and Metropolitan Borough (part of), viz.:— Prince's Ward (part of)	21,711
"	LAMBETH .. Kennington 1st (abolished).	24 4	LAMBETH .. Stockwell .. (new sub-district).	24 4	Lambeth Civil parish and Metropolitan Borough (part of), viz.:— Vauxhall Ward	31,487
"	LAMBETH .. Kennington 2nd (abolished).	24 5	LAMBETH .. Kennington .. (new sub-district).	24 3	Lambeth Civil parish and Metropolitan Borough (part of), viz.:— Prince's Ward (part of)	6
"	LAMBETH .. Kennington 2nd (abolished).	24 5	LAMBETH .. Stockwell .. (new sub-district).	24 4	Lambeth Civil parish and Metropolitan Borough (part of), viz.:— Stockwell Ward (part of) ..	9,097
"	LAMBETH .. Kennington 2nd (abolished).	24 5	LAMBETH .. Brixton .. (new sub-district).	24 5	Lambeth Civil parish and Metropolitan Borough (part of), viz.:— Brixton Ward (part of)	33,793
"	LAMBETH .. Brixton .. (abolished).	24 6	LAMBETH .. Stockwell .. (new sub-district).	24 4	Lambeth Civil parish and Metropolitan Borough (part of), viz.:— Stockwell Ward (part of) ..	23,242
"	LAMBETH .. Brixton .. (abolished).	24 6	LAMBETH .. Brixton .. (new sub-district).	24 5	Lambeth Civil parish and Metropolitan Borough (part of), viz.:— Brixton Ward (part of) Herne Hill Ward	9,681 30,199
"	LAMBETH .. Brixton .. (abolished).	24 6	LAMBETH .. Norwood .. (new sub-district).	24 6	Lambeth Civil parish and Metropolitan Borough (part of), viz.:— Tulse Hill Ward (part of) ..	21,110
"	LAMBETH .. Norwood .. (abolished).	24 7	LAMBETH .. Norwood .. (new sub-district).	24 6	Lambeth Civil parish and Metropolitan Borough (part of), viz.:— Tulse Hill Ward (part of) Norwood Ward	6,464 29,424

TABLE 35.—Births and Deaths in London and in certain Colonial and Foreign Cities, 1906.

CITIES.	POPULATION (enumerated or estimated). (*)	BIRTHS.	DEATHS.	ANNUAL RATE per 1,000 Persons living.		PRINCIPAL EPIDEMIC DISEASES.								Deaths of Children under one year of age to 1,000 Births.
				(Excluding Still- born.)	Deaths.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Fever.	Diarrhoeal Diseases.		
													Births.	
LONDON	4,721,217	124,880	71,155	26·5	15·1	—	1,909	533	714	1,226	264	4,424	131	
CALCUTTA	955,926	15,083	30,293	15·8	31·7	2,905	168	—	26	3	6,471†	5,238†	340	
BOMBAY	982,000	21,329	53,415	21·7	54·4	283	939	—	3	25	15,805†	6,050†	—	
MADRAS	542,518	18,608	23,749	34·3	43·8	620	430	?	?	73	5,483†	5,017†	341	
MELBOURNE ..	521,000	12,373	7,083	23·8	13·6	—	2	2	33	146	47	562	113	
SYDNEY	534,200	13,924	5,703	26·2	10·7	—	5	24	37	3	71†	585	84	
BRISBANE	131,102	3,211	1,311	24·5	10·0	—	2	—	19	8	28†	156	88	
TORONTO	262,000													
CAPE TOWN:—														
European	45,083	970	522	21·5	11·8	—	8	—	6	5	2	50	109	
Other than European or White.	34,671	1,772	1,110	51·1	32·0	1	35	—	6	11	5	154	231	
JOHANNESBURG:—														
White	86,830	3,304	1,437	38·0	16·5	—	5	10	16	38	66	238	148	
Coloured	83,283	619	2,191	7·4	26·3	—	6	—	1	6	136	228	402	
PARIS	2,722,731	51,191	47,647	18·8	17·5	10	570	78	169	297	290	2,368†	108	
BRUSSELS	612,401	11,350	8,967	18·5	14·6	—	111	51	59	109	63	741§	156	
ANTWERP	297,311	6,811	4,161	22·9	14·0	4	112	6	31	22	27	706§	179	
AMSTERDAM ..	560,904	14,490	7,686	25·8	13·7	—	253	58	74	114	61	471§	106	
ROTTERDAM ..	379,017	12,893	5,467	34·0	14·4	2	134	8	38	87	44	514§	123	
THE HAGUE ..	242,054	7,122	3,460	29·4	14·3	—	69	4	24	20	14	366§	119	
COPENHAGEN ..	427,000	12,026	6,666	28·2	15·6	—	91	6	20	124	27	629	148	
STOCKHOLM ..	332,000	8,081	4,487	24·3	13·5	—	18	44	45	62	11	193	90	
CHRISTIANIA ..	224,573	5,951	2,969	26·5	13·2	—	5	15	139	36	9	155	89	
ST. PETERSBURG	1,424,700	36,518	36,340	25·6	25·5	60	1,172	1,164	1,206	288	1,499	4,683	—	
MOSCOW	1,296,000	39,775	33,441	30·7	25·8	70	378	426	478	252	454	7,080	—	
BERLIN	2,064,677	51,396	32,644	24·9	15·8	16	511	285	355	359	94	3,737	177	
HAMBURG	816,790	21,079	12,484	25·8	15·3	—	173	56	122	181	33	1,452	109	
DRESDEN	520,700	14,327	8,033	27·5	15·4	—	50	22	135	77	34	889	167	
BRESLAU	476,519	14,733	10,130	30·9	21·2	1	59	16	116	101	26	1,079	213	
MUNICH	544,000	15,817	9,801	29·1	18·0	—	67	16	92	90	11	1,399	196	
VIENNA	1,937,889	50,772	33,973	26·2	17·5	—	594	256	456	183	95	2,607§	171	
PRAGUE	455,241	11,016	8,875	23·9	19·3	—	121	25	58	34	33	700	160	
BUDA-PESTH ..	791,748	21,355	15,124	27·0	19·3	—	259	240	159	94	73	920	143	
TRIESTE	196,676	6,623	5,069	33·9	25·7	—	32	10	35	44	42	369	180	
ROME	530,179	12,510	9,926	23·6	18·7	—	172	—	42	81	196†	851	147	
MILAN	551,317	13,730	11,451	25·3	21·0	—	96	9	84	29	228	907	137	
TURIN	361,317	7,124	6,971	19·7	19·3	—	40	11	33	36	86	368	274	
VENICE														
BUCHAREST ..	291,138	8,381	6,488	28·8	22·3	—	—	44	36	21	83	507	195	
CAIRO:—														
Egyptians	628,951	27,931	22,693	44·4	36·1	7	660	—	403	23	498†	5,265	312	
Foreigners	35,219	396	914	—	26·0	2	9	2	19	1	36	145	?	
ALEXANDRIA:—														
Egyptians	324,415	13,981	10,752	43·1	33·1	28	439	2	83	4	157†	2,800	286	
Foreigners	46,118	889	930	—	20·2	13	10	—	14	1	29†	179	?	
NEW YORK	4,152,860	111,772	76,203	26·9	18·3	6	1,145	491	1,898	367	639	6,647	154	
CHICAGO	2,049,185	—	29,048	—	14·2	—	328	493	554	167	369	2,717	—	
PHILADELPHIA ..	1,469,126	—	27,372	—	18·6	—	344	64	550	379	1,063	2,412	—	
BOSTON	602,526	—	11,414	—	18·9	—	61	39	152	112	124	616	154	
BALTIMORE	558,000	—	10,753	—	18·5	—	14	47	115	151	183	709	—	
SAN FRANCISCO ..	333,000	—	6,819	—	20·0	8	4	14	46	20	134†	599	—	
NEW ORLEANS ..	710,000	13,477	9,980	19·0	14·1	1	10	13	120	76	59	320	—	
ST. LOUIS	912,900	—	13,916	—	15·2	9	18	—	41	39	219†	?	—	
RIO DE JANEIRO ..	1,046,517	36,009	17,916	34·5	17·1	970	84	60	100	57	170	1,825	104	

* The populations in the majority of cases are estimated to the middle of the year 1906; in some cases, however, the last census populations are given.

† Including 2,906 deaths from plague in Calcutta, 10,903 in Bombay, 56 in Madras, 8 in Sydney, 7 in Brisbane, 111 in Rio de Janeiro, in Alexandria 55 among the Egyptians and 6 among the Foreigners, and 1 in Cairo; 43 deaths from yellow fever in Rio de Janeiro; 48 deaths from malarial fever in Rome, and 39 in New Orleans.

‡ Including 2,504 deaths from cholera in Calcutta, 1,241 in Bombay, 564 in Madras, and 9 in Paris.

§ Children under two years of age only.

FIRES IN LONDON DURING THE YEAR 1906.

The Chief Officer of the London Fire Brigade reported to the London County Council that the number of fires attended during 1906 was 3843, being 332 more than the number in the preceding year, and 318 more than the average in the five years 1901-1905. According to this report the lives of 182 persons were seriously endangered, and 104 were lost. The numbers of lives lost by fires in London in the five preceding years were 97, 116, 86, 93, and 100 respectively.

The authorised strength of the brigade on 31st December, 1906, was 1390 officers and men (including clerks and other officials and mechanics, &c.). The cases of injury occurring in the brigade during 1906 were 195 against 204, 209, 210, 208, and 261 in the five preceding years.

Number of Fires and of False Alarms attended during the Five Years 1902-1906, and in each Month of 1906.

YEARS AND MONTHS.				TOTAL CALLS.	FALSE ALARMS AND CHIMNEYS.	FIRES.			
						Serious.	Slight.	Total.	Per-centages.
									Serious. Slight.
1902				5708	2134	76	3498	3574	2'13 97'87
1903				5577	2177	61	3339	3400	1'79 98'21
1904				5810	2194	67	3549	3616	1'85 98'15
1905				5676	2165	64	3447	3511	1'82 98'18
1906				6019	2176	65	3773	3843	1'40 98'60
1906.	January			549	223	6	320	326	1'35 98'65
	February			536	248	2	286	288	0'46 99'54
	March			599	263	5	331	336	1'02 98'98
	April			607	194	5	408	413	0'96 99'04
	May			434	174	7	253	260	2'06 97'94
	June			437	121	9	297	306	2'62 97'38
	July			415	122	6	287	293	1'89 98'11
	August			524	152	9	363	372	2'26 97'74
	September			454	123	6	325	331	1'69 98'31
	October			405	124	3	278	281	0'96 99'04
	November			457	196	1	260	261	0'30 99'70
	December			612	236	6	370	376	1'23 98'77

